



# A TEAM AT YOUR DISPOSAL

**CUSTOMER SERVICE :** Tel:+ 33 (0)244 8781 29 / Fax: + 33 (0)241 5457 15 / E-mail: pguillot@grainesvoltz.com

### A sales team closer to you!



#### THIERRY MAMOLA

General Manager Phone: +33 (0)6 21 05 22 19 tmamola@grainesvoltz.com

#### NATALIA MOROSOVA

Key Account Manager Export Departement Phone: +49 (0)162 7756 339 nmorosova@grainesvoltz.com

#### HERBERT WEHRLE

Product Manager Flower Seeds Sales Manager Pictorial Package Assortment and Wholesale HomeGarden Vegetable Phone: +49 (0)152 2382 7641 hwehrle@grainesvoltz.com

#### PIERRE DE LAMOTTE

Sales representative Key Account Export Phone: +33 (0)6 09 08 14 35 pdelamotte@grainesvoltz.com

#### **BELGIUM - NETHERLANDS - LUXEMBURG**

#### **AXEL PUFF**

Sales Representative BeNeLux Phone: +49 (0)172 9724 830 apuff@grainesvoltz.com



#### **GRAINES VOLTZ BRAIN SUR L'AUTHION**

Tél. +33 (0)2 41 54 57 00 - Fax +33 (0)2 41 54 57 25 17, rue Lavoisier - Brain sur l'Authion 49800 LOIRE-AUTHION FRANCE



### **GRAINES VOLTZ COLMAR - Headquarters**

Tél. +33 (0)3 89 20 18 18 - Fax +33 (0)3 89 24 42 22 1, rue Edouard Branly - 68000 COLMAR FRANCE

EDITO

# Dear customer, We are pleased to present you the new triennial edition of our Flower Seeds 2023/2025 catalogue.

VOLTZ HORTICULTURE Even closer to you, the professionals in horticulture!
With our new form of communication we want to help you even better to find our products and services suitable for your business activities through our identity VOLTZ HORTICULTURE.

This assortment combines the latest and best flower seed varieties from the world's leading breeders. All varieties have been tested in different trial fields and locations and have been unanimously approved by our experts.

### **VOLTZ** HORTICULTURE: Professionals in the service of professionals!

Our experience in the seed industry guarantees you:

- The high **GERMINATION QUALITY**, which guarantee you a fast and uniform cultivation,
- A COMPREHENSIVE and EXCEPTIONAL ASSORTMENT to keep up with market trends,
- CONTINUOUSLY CHECKS of the quality of the offered seeds so you don't miss out on anything.

These are the guarantees for your success and your profitability!




An incredibly wide range embedded in beautifully designed landscaped gardens await you every year from August to the end of September to discover the most important flower novelties! Make an appointment now/ Talk to your sales advisor about it!

Your life-size catalogue at www.voltz-horticulture.com under the «Media Library» tab! Browse through the different areas of the garden, let yourself be inspired by the proposed moods and the solutions presented to compose and enrich your assortment of tomorrow.

**VOLTZ** HORTICULTURE A motivated team, authentic, united, passionate and above all close to you and your concerns. A team with one deep desire: your satisfaction! Thank you for your trust, we hope you enjoy reading our catalogue and wish you a wonderful coming season!

LEGEND TO SYMBOLS

With the help of these different pictograms, you can easily find on the variety description pages which species and varieties are suitable for which use or for which sales concept.






# GENETICS AND SEED TECHNOLOGY

### At the Top of the Latest Seed Technology!

Advanced seed technology for ideal conditions for successful sowing, a discerning selection of the best sources of supply and continuous quality control of the seed - these are the guarantees you get from VOLTZ HODGE

High quality seed that ensures a fast and even start of the crop is your **guarantee for success and profitability!** 

### A wide selection of seeds



This technology allows the fusion of several raw seeds into one seed pellet. Mainly used for species where several seedlings per plug are required such as Diascia, Dichondra, Juncus, Lobelia, Lobularia, Nemesia, Portulaca and more. Only one pellet per cel is required to achieve a full plug with several seedlings.

The round coating of fine seeds allows an automatic and precise sowing: The seed pills contain one seed per pellet and have an exact, uniform standardised diameter. Available for many small seeded species.

#### **MULTIPELLETS (GE)**



Depending on the variety the seeds are either depilated, rubbed, peeled, or removed from any other parts, to facilitate the sowing procedure.

### PELLETED SEEDS (GE)



Fresh harvested standard seed lots often contain different seed sizes. With this technique non-viable and small as well as too large seeds are separated and divided in different, homogeneous seed sizes. Graded seeds deliver more uniform seed size for the sowing machine as well as more uniform seedlings.

#### RUBBED (KA)



In a first production step
the seeds are de-winged and/
or calibrated, and in a second
step coated with a thin film. The
film-coated seeds are rounder and
smoother ensuring an easier gliding
through the sowing machine without
electrostatic charging. This enables
a faster and more precise

### FILMCOATED SEEDS (GFC)



This way of de-winging makes the seeds easier to glide and to avoid a deadlock in the sowing machine. Same time this procedure provides a better adhesion of the seeds on the substrate surface improving the germination rate.



sowing.

The most advanced seed treatment method. The germination process is stimulated and stopped again after a certain number of days. Then the seeds are desiccated for a storage (at cool temperatures). The use of primed seeds reduces the germination time and results in a more homogeneous germination result. Especially under non optimum conditions (too low or too high temperatures) primed seeds are giving a better result than standard seeds.

**DETAILED SEEDS (D)** 

PRIMED SEEDS (GP)

### State-of-the-art tools and a cuttingedge technology laboratory



### Eco-certified flower seeds





- Robust and reliable varieties,
- Environmental awareness and ethics that correspond to a growing future market!

### Optimum traceability

«We ship the seeds of the breeders **Benary**, **PanAmerican Seed**, **Sakata**, **Ebbing-Lohaus and Takii** in original packaging. This guarantees you optimal transparency and traceability!»



Our shipping service is set up to ship your urgent orders within 24-48 h after receipt of order.

### The best varieties tested in real conditions!



### Acanthus 23 11 4 4 4 4 4 4

- Acanthaceae
- Acanthus mollis
- Perennial bedding plant
- Sowing: From March to June.

■ Germination: At 20°C.

■ Growth temperature: Between 15 and 18°C, to protect from cold in winter under cold shelter.

To plant in well drained ground, especially in cold countries. Under cold climate, protect with mulching during winter.

#### **MOLLIS**

To be used in rock gardens and flower beds. Full sun exposure. Flowering time: June to August.

Height	Habit	Pot size	Mini.	Code
80 cm	upright	9-13 cm	50 GN	M01.2001



### Achillea 4 4 4 5

- Asteraceae
- Achillea millefoliumAchillea filipendulina
- Achillea ptarmica
   Achillea siberica
- Perennial bedding plant
- Seed count/gram:
  A. millefolium: 5 000;
  A. ptarmica: 3 500

# Sowing: From March to June.

- Growth temperature:

Germination:

Δt 18°C













		Height	Habit	Mini.	Code
1 ptarmica MARSHMALLOW	Improvement of the varieties 'Noblessa' and 'Pearl' with higher percentage of true double flowers. Also uniform flowering when grown annual.	25 cm	mounded	250 GE	M02.210E
2 millefolium COLORADO Mix	Colourful, first year flowering perennial, flowers 4 month after sowing	50-60 cm	upright	250 GN	M02.0901
millefolium SUMMER PASTELS F2	Can be grown as an annual. Flowering time: June to August.	60 cm	upright	250 GN	M02.1401
4 millefolium CHERRY QUEEN 🞾	Red shades, strong stems. Flowering time: June to August.	60 cm	upright	1 g	M02.080
5 siberica LOVE PARADE Light Pink	Outstanding combination of foliage and flowers. Excellent border plant and cut flower. Soft pink blossoms in a large umbel.	50-60 cm	upright	250 GN	M02.0841
6 filipendulina CLOTH OF GOLD	Also to be used as dried flowers. Flowering time: June to September.	120 cm	upright	1 g	M02.000

# Acroclinium o 🖘 🧶

- Asteraceae
- Acroclinium roseum
- Annual for cutflowers
- Seed count/gram: 250
- Sowing: From January to March direct sowing in protected area, from April to May outdoor.

- Germination: At 18°C, in 14 to 20 days.
- Growth temperature: Between 8 and 10°C.

■ Voltz advice: 3 to 5 months of cultivation. Prefers light, permeable, humid and warm soil. For weed control, preventive soil treatment with steam is recommended.



#### **ROSEUM** Mix

Cut flower for dry arrangements. Flowering time: June to August.

Height	Habit	Mini.	Code
50 cm	upright	10 g	D02.200

# Agapanthus Oas 4 3 4 4 5 5









#### Alliaceae

- Agapanthus praecox
- Annual or perennial bedding plant and cutflowers
- Sowing: April to June
- **Germination:** At 22°C.

**● Growth temperature:**From 20 to 22°C in growth and vegetation.
From 6 to 7°C in rest period.

#### Voltz advice:

Plants from seeds will flower only after 3 to 4 years. Under cold climate, winter pot plants under shelter, place them outside in April-May for the vegetative period. Moderated waterings at the beginning, then abundant waterings from June to August for the flowering. Reduce watering in the later months to avoid yellow leaves before the hibernation. Resists to chalky soils.



### **BLUE UMBRELLA**

Can resist most of winters without or with slight pro tection. Flowering time: July to August.

Height	Habit	Pot size	Mini.	Code
75 cm	upright	14-19 cm	100 GN	M06.6501

# 

- Agastache aurantiaca
   Agastache foeniculum
   Agastache hybrida
   Agastache urticifolia
- Annual or perennial bedding plant
- Sowing: In January for sales in May-June or in July for autumn sales.
- **Germination:** At 20°C.
- **Growth temperature:** Between 14 and 16°C, then down to 10-12°C.

● Voltz advice: 2 to 3 months cultivation period after potting in ø 12 to 15 cm potts. Avoid plantation in too humid grounds or substrates. Need mild climate when they are nearly flowering.







DWARF VARIETIES	Height	Habit	Pot size	Mini.	Code
'Arizona' is the most compact series, very uniform and floriferous. Fast crop from spring sowing. Blooms continuously through the season without deadheading. Performs well in containers and in landscape at dry and sunny locations.		upriaht	12-15 cm, pack	100 GN	<b>1.</b> Sun M07.162
		артідіт	12 13 cm, pack	100 014	<b>2.</b> Sunset M07.164
3 aurantiaca APRICOT SPRITE  Scented orange flowers flowering already the first year.	40 cm	upright	11-13 cm	100 GN	M07.1821













	HIGH VARIETIES	Height	Habit	Pot size	Mini.	Code
aurantiaca ORANGEADE 🧆 💝	Long flower spikes, warm apricot-orange colour.	50-60 cm	upright	10,5-13 cm	100 GN	M07.174
2 foeniculum GOLDEN JUBILEE	Gold-green foliage with a scent of anise and fennel.	50 cm	upright	12-15 cm	100 GN	M07.210
3 hybrida ASTELLO INDIGO	Robust and well branching plants with compact habit and rapid growth. Suitable for pots, ornamental bowls and garden. The plants produce nice sweetscented blue indigo spikes, which attract bees.	50 cm	upright	12-15 cm	100 GN	M07.315
4 cana HEATHER QUEEN 🦃	Lovely rose-pink flowers all summer long. Aromatic foliage with flower spikes that fill the air with a mint fragrance.	60 cm	upright	10,5-13 cm	100 GN	M07.194
5 urticifolia ALBA	Bushy, strong growing plant.	70 cm	upright	12-15 cm	500 GN	M07.2801
6 urticifolia COERULEA Blue	Fragrant, bushy, strong growing plant.	70 cm	upright	12-15 cm	500 GN	M07.2601



- Ageratum houstonianum
- Annual bedding plant and cutflower
- Seed count/gram: 5 000
- Sowing: From January to April.
- **Germination:** Between 18 and 21°C, in 7 to 14 days.
- **Growth temperature:** Between 16 and 21°C.

■ Voltz advice:
Be careful!! Very tender plant that tends to dry very quickly. Daily watering if full sun location or every 2-3 days if shaded location. Avoid highly concentrated azote nutritive elements formulations. Tolerates normal salinity. Sensible to iron chlorosis.









DWARF AND MEDIUM VARIETIES	Height	Habit	Pot size	Mini.	Code
1 VICTORIA F1 / ALOHA F1 Blue			9 cm, Pack	500 GN	E00.5201
Truly compact and most uniform and earliest flowering series. Perfect pack performance. Long flowering time. Good garden performance.	12 cm	mounded		250 GE	E00.520E
BAVARIA BICOLOUR Blue & White See Tetraploid variety with large flowers, blue with white centre, and strong stems.	30 cm	mounded	9-11 cm	0,25 g	D03.770
3 ► 4 HIGH TIDE™ F1 Э®					<b>3.</b> Blue E00.540E
Very vigorous and extremely well-branched. Builds masses of well coloured ball-shaped flowers. Easy culture. These varieties are suitable for landscape, large pots and containers, and also as cutflower.	40 cm	mounded	10-11 cm	100 GE	<b>4.</b> White E00.542E







HIGH VARIETIES			Habit	Mini.	Code
1	Strong, very well branched stems, better quality than 'Blue Horizon'.		upright	500 GN	D03.822
BLUE PLANET F1				250 GE	D03.822E
2 RED FLINT F1	Purple-Red to Red-Violet flowers. Same habit as 'Blue Planet'.	70 cm	upright	0,25 g	D03.790
3 WHITE ALP	Hardy and well-branched stems. Green foliage. For background beddings and cutflower. Late.	75 cm	upright	500 GN	D03.8601

### Alcea ⊙ 2

- Malvaceae
- Alcea roseaAlcea ficifolia
- Biennial or perennial for beddings

Seed count/gram:
A. nigra: 100; A. rosea: 200;
A.ficifolia: 150

Sowing:
Sowing from January to March for the variety Spring Celebrities. Sowing from June to July for the other varieties.

### **■ Germination:**Between 18°C and 20°C.

### **■ Growth temperature:** Between 16 and 18°C.





















	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
oseo SPRING CELEBRITIES <sup>TM</sup> 🕸 Semi-double flowers. For flower-beds and potted plants.	70 cm	upright	3-51 pot	250 GN	<b>1.</b> Mix	M08.325		
rosea <b>NIGRA 4 3 3</b> Single red-black flowers. Flowering time: June to July.	150 cm	upright	9-15 cm	5 g		M08.290KA		
					3. Mixed	M08.200KA	4. Purple	M08.210KA
3 Posea CHATER'S DOUBLE 4 3	100		0.15	F .	5. Rose	M08.220KA	6. Salmon/Pink	M08.234KA
100% double flowers. Flowering time: June to July.	180 cm	upright	right 9-15 cm	9-15 cm 5 g	7. Scarlet	M08.230KA	8. White	M08.260KA
					9. Yellow	M08.240KA		
10 ficifolia MIX 4	180 cm	upright	9-15 cm	1 g	<b>10.</b> Mix	M08.300KA		

### Alchemilla 236 | Alternanthera 0 1111 | 1111



- Rosaceae Alchemilla mollis
- Perennial for cutflower
- Sowing: From January to March.
- Germination:
- Growth temperature: Between 10 and 15°C.
- Voltz advice:

A cold period during ger-mination is recommended. After potting, decrease temperature to 10-12°C to harden plants. Likes fresh to moist soils.



Green-yellow. Grey-green hairy foliage. Flowering time: Júné to July.

Height	Habit	Pot size	Mini.	Code
60 cm	upriaht	9-11 cm	500 GN	M08.6001

- Amaranthaceae Alternanthera dentata
- Annual bedding plant

### Sowing: February to March.

Seed count/gram:

● Germination: At 20°C.

### **■ Growth temperature:** Between 12 and 15°C.

Voltz advice: Highly sensitive to excessive and insufficient watering.





#### Height Habit Mini.

### 1 PURPLE KNIGHT

Red-purple foliage becoming darker in full  $\,$  40-45 cm  $\,$  semi-spreading  $\,$  10-12 cm  $\,$  100 GN  $\,$  E01.300 sun. Very good tolerance to heat. Trailing habit, 60 to 90 cm wide.

### 2 PURPLE PRINCE

Compact variety producing a durable carpet of ruby/burgundy foliage; ready to stand high temperatures as well as drought, bút also develops well under rainy

30-45 cm carpet-growing

13 cm 100 GN E01.301

# Alyssum 21 3 5 GROUND COVER







- Brassicaceae
- Alyssum montanumAlyssum saxatile
- Perennial for beddings
- Seed count/gram:
  A. montanum: 500
  A. saxatile: 1000

Use several seeds per plug, from April to July. Germination:

Growth temperature: Between 10 and 15°C.

Height	Habit	Pot size	Mini.	Code
15 cm	mounded	9-10 cm	1 g	M11.820



nontanum MOUNTAIN GOLD Ground cover plant, grey-green foliage. Flowering time: May to June.

Re-intro of the wellknown, robust, yellow flowering Alyssum.

15-40 cm mounded 9-10 cm 1 g M11.910





### Amaranthus o 📟

- Amaranthaceae
- Amaranthus tricolor
- Annual for beddings
- Seed count/gram: 1500
- Sowing: March.
- Germination: Between 15 and 18°C, in 1 to 2 weeks.
- Growth temperature: Between 12 and 15°C.
- Voltz advice: The plants need sufficient light to have a nice colour.







	Height	Habit	Pot size	Mini.	Code
<b>1 EARLY SPLENDOR</b> Deep purple foliage, topped with fire-red.	70 cm	upright	10-11 cm	250 GN	D05.5681
2 AURORA Bright green basal foliage. Cream white upper leaves.	80 cm	upright	10-11 cm	1 g	D05.566
3 ILLUMINATION Large copper leaves, scarlet-orange at the top.	80 cm	upright	10-11 cm	1 g	D05.570
4 SPLENDENS PERFECTA Upright habit. Foliage colored by yellow and red with green.	80 cm	upright	10-11 cm	1 g	D05.560



### Amaranthus o

- Amaranthaceae
- Amaranthus caudatusAmaranthus paniculatusAmaranthus cruentus
- Annual for beddings and cutflowers
- Seed count/gram: 1500 to 1700

■ Sowing:
From February to March.
2 to 3 months before the planned selling date.

**■ Germination:** Between 15 and 18°C, in 1 to 2 weeks.

**■ Growth temperature:** Between 12 and 15°C.

■ Voltz advice:
The plants need sufficient space to have a nice growth. Sowing when the days become longer is recommended.



















		Height	Habit	Mini.	Code
1 caudatus PONY TAILS	Red long pendulous plumes type.	75 cm	upright	5 g	D05.562
2 3 caudatus QUEUE DE	Red or green long pendulous plumes, from July to September.	80 cm	upright	5 g	<b>2.</b> Dark Red D05.500
					<b>3.</b> Green D05.540
paniculatus GREEN THUMB	Upright, intense green inflorescences.	45 cm	upright	1 g	D05.100
5 paniculatus PIGMY TORCH	Upright, red plumes.	45 cm	upright	1 g	D05.000
6 paniculatus OESCHBERG	Dark foliage and red upright plumes.	50 cm	upright	1 g	D05.554
7 paniculatus ELEPHANT HEAD	This prominent plant is named «Elephant Head» for its large, dark burgundy blooms which actually look like an elephant's trunk.	90 cm	upright	1 g	D05.105
8 cruentus HOT BISCUITS	Orange-bronze upright plumes. Fancy colour.	120 cm	upright	1 g	D05.001
9 cruentus VELVET CURTAINS	Carmine-Red inflorescence and intense deep carmine foliage.	150 cm	upright	1 g	D05.005



- Ammi majusAmmi visnaga
- Annual for beddings and cutflower
- Seed count/gram: 1000

Sowing: In April-May, directly outside, or already in January in cold greenhouse.

**■ Germination:** In 10 to 14 days at 15-18°C.

■ **Growth temperature:** Between 8 and 12°C in cold greenhouse.

**▼ Voltz advice:**4-months cultivation period. Production can be started under fleece. Harvest and sale can be increased thanks to a greenhouse cultivation and a plantation in sets.







Mini.

1 visnaga <b>THE GIANT</b> Early and compact. Large flowers.	80 cm	upright	5 g	D07.100
2 visnaga <b>SNOW WHITE</b> Large flower umbels on well branched plants; use as filler for flower bouquets.	80-120 cm	upright	1000 GN	D07.104B
3 majus QUEEN OF AFRICA	120 cm	upright	5 g	D07.030

### 

- Boraginaceae
- Anchusa azurea
- Perennial for beddings
- Sowing/Germination: From April to August or
- directly in place in June. Germination at 20 °C.
- Growth temperature: Between 16 and 18°C.

■ Voltz advice: Resists to heat and drought. Planting needs deep ground because the root system is important. After flowering, dead-heading is recommended to ease new shoots growth and protect the root

#### **DROPMORE** Blue

Large bedding plant. Flowering time: May to July.

Height	Habit	Pot size	Mini.	Code
120 cm	upright	10-12 cm	250 GN	M14.1601



Height Habit

### Anemone 2 \$ 9 9









- Ranunculaceae
- Anemone hupehensis
- Perennial for beddings and cutflower
- **Sowing:** From April to May.
- **Germination:** At 15° C.

Growth temperature: Between 16 and 18°C.

■ Voltz advice: Cover seeds lightly with vermiculite. Roots can stay in place several years. Protect plants in winter.

#### **JAPONICA** Rose

Full sun location. Sowing from October to March. Primed seeds. Flowering time: August to October.

Height	Habit	Pot size	Mini.	Code
60 cm	upright	9-11 cm	500 GP	M15.560GP



# Angelica 24 \*\*\*\* 🗳



Angelica gigas

Perennial

Seed count/gram: 360

Sowing: From October to January.



Seeding density:



#### **GIGAS** Purple Red

Impressive perennial with weird inflorescence and attractive foliage.

Height	Habit	Pot size	Mini.	Code
120-140 cm	upright	10,5-12 cm	100 GN	M16.0001

# Angelonia 👓

- Scrophulariaceae
- Angelonia angustifolia Annual bedding and pot plant
- Sowing: From January to April.
- Seed count/gram:
- **Germination:** In 4 to 5 days, at 22-24°C. Do not cover seeds.
- **Growth temperature:** Between 16 and 18°C.

















### 1 ► 8 SERENITA® F1

More compact than Serena; with perfect basal branching; ideal for sales in packs or 9 cm pots. Premium results more efficient than vegetative varieties. Do not pinch!

Height Habit Mini. Pot size 9-10 cm; packs 100 GE 20-25 cm bushy

Colour Code Colour Code **1.** Mix E03.450E **2.** Lavender E03.442E E03.444E 4. Purple **5.** Raspberry E03.445E **6.** Rose E03.443E E03.449E 8. White E03.448E 7. Skyblue









		9	2
	Pa.		
10		7	Total State of
			CO TOWNS
5	5	FIL	

### 1 ► 5 SERENA® F1

Compact and extremely well-branched plant without pinching. Excellent resistance to heat and drought. Non-stop flowering without having to remove withered flowers.

Height	Habit	Pot size	Mini.
20-30 cm	upright	9-11 cm	100 GE

Colour	Code	Colour	Code
1. Mixed	E03.430E	2. Blue	E03.410E
3. Purple	E03.426E	4. Rose	E03.427E
5. White	E03.428E		

### Antirrhinum os

- Scrophulariaceae
- Antirrhinum majus
- Annual for beddings and cutflower
- Seed count/gram: 6 000

Sowing:
For cutflowers: sowing from
November to January for
flowering from May to June.
For bedding varietes: sowing
from end of January until April
for sales after 10-12 weeks of
cultivation.

### **■ Germination:** At 15-20°C, in 10 to 14 days.

■ **Growth temperature:** Between 8 and 15°C to enhance flowering.

■ Voltz advice: Sensitive to high salt levels. Use NPK-fertilizer with low nitrogen

#### **SNAPSHOT F1**

- Genetically dwarf and compact; needs few growth regulator
- Early and homogeneous flowering
- Excellent presentation in packs
- Good behaviour in beddings
- Shiny and bright colours
- Ideal for sales in flowered trays

























**12.** White



E04.707 **13.** Yellow

E04.708

DWARF VARIETIES	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
				5 000 GE	<b>1.</b> Mix	E04.720E	The melting pellet and fast machine s	for easy sowing.
					<b>1.</b> Mix	E04.720		
1 > 13 SNAPSHOT F1					2. Appleblossom	E04.714	<b>3.</b> Burgundy	E04.700
A genetically compact strain, a perfect choice for packs and	20 cm	mounded	9 cm,		4. Burgundy Bic.	E04.713	<b>5.</b> Coral Bicolour	E04.715
pots production. Ideal for sales in flowering trays. Very uniform flowering time of all colours.	20 0111	mounaca	pack	500 GN	<b>6.</b> Orange	E04.701	<b>7.</b> Pink	E04.702
					8. Purple	E04.704	<b>9.</b> Red	E04.705
					10. Red Bicolour	E04.709	11. Rose	E04.706







DWARF VARIETIES	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code						
1 SNAPPY F1 Strongly branching, compact plants. Early and very uniform flowering. Good garden performance.	20-25 cm	mounded	9-10 cm, pack	500 GN	<b>1.</b> Tricolour Mix	E04.812								
2 CANDY TOPS F1 First choice for very early production. The compact series is especially in early weeks very homogeneous in flowering.	30-40 cm	upright	10,5-12 cm	250 GN	<b>2.</b> Mix	E04.650								
7 N 40					<b>3.</b> Mix	E04.580	4. Burgundy	E04.300						
3 SONNET F1 SONNET F1	<b>/ F</b> · · · ·		10. 10	F00.0N	<b>5.</b> Carmine	E04.340	6. Pink	E04.440						
Early. Hardy stems. The most used bedding variety. Perfect for summer sales in large pots.	45 cm	45 CM	45 CM	45 CM	45 cm	45 cm	45 CM	upright	12-16 cm	500 GN	7. Rose	E04.460	8. Scarlet	E04.420
					9. White	E04.500	10. Yellow	E04.540						

### **Antirrhinum** o



#### TRAILING VARIETIES

CANDY SHOWERS F1 Mix

This trailing snap sis beautiful used as a single colour as well as a mix of colours. Try combining Candy Showers with flowering cabbage and fall pansies.

For fall and for spring sales; great addition to fall assortment offering a trailing habit which is ideal for hanging baskets and mixed containers. Excellent spreading habit in beds. Strong, flexible stems ship well and hold up in the garden. Blooms readily under short days ship well and hold up in the garden. Blooms readily under short days.

Height	Habit	Pot size	Mini.	Code
15 cm	trailing	10 cm, basket	100 GE	E04.976E



### OPEN FLOWERS VARIETIES

### 1 🕨 6 ANTIQUITY F1 🥸

Basal branching plants developping stems with 3 cm size, open blooms. Plants do cover the pot quickly; ideal for sales in summer and

Height	Habit	Pot size	Mini.	Colour	Code
				<b>1.</b> Mix	E03.579
				2. Lemon	E03.570
25-30 cm uprig		0.11	11cm 500 GN	3. Orange with Eye	E03.572
	uprignt	9-11 cm		4. Purple	E03.578
				5. Red	E03.576
				6. Red with Eve	E03.574



1	<b>&gt;</b>	8	TWINNY DOUBLE F1
Com	npa	act '	variety with double flowers.

mounded 9-12 cm 250 GN **1.** Mix E03.610 2. Appleblossom E03.601 **3.** Bronze Shades E03.600 **4.** Peach E03.602 **5.** Rose E03.605 **6.** Violet E03.604 7. White E03.606 8. Yellow Shades



### Anthemis 28

- Asteraceae
- Anthemis sancti-johannisAnthemis tinctoria
- Perennial for beddings
- Seed count/gram: 1200
- Sowing: From April to May.

**■ Growth temperature:** Between 16 and 18°C.

#### **■** Voltz advice:

Avoid humid and cold soils. Pinch back in beginning of the fall to favour the recovery of tufts before wintering.





		Height	Habit	Pot size	Mini.	Code
1 tinctoria <b>KELWAYI</b> Yellow	Bedding plant with intense yellow colour. Flowering time: June to August.	60 cm	upright	9-11 cm	5 g	M16.800
2 sancti-johannis ORANGE	Bedding plant with intenseorange daisy flowers. Flowering time: March to May.	60 cm	upright	9-11 cm	5 g	M16.920

# Aquilegia 28

- Ranunculaceae
- Aquilegia alpina
  Aquilegia caerulea
  Aquilegia chrysantha
  Aquilegia vulgaris
- Perennial bedding, pot plant and for cutflowers
- Seed count/gram: 800

- **Sowing:** From February to June.
- Germination: At 18°C.

**■ Growth temperature:** Between 16°C and 18°C.

■ Voltz advice: After flowering, deadheading for stronger plants.



















			2.002										
		Height	Habit	Pot size	Mini.		Colour	- Code					
1 caerulea SPRING MAGIC® F1	Large flowers. Compact habit. Silvery-green foliage.	35 cm	upright	10-13 cm	250 GP	1	<b>I.</b> Mixture	M19.512GP					
2 caerulea SWAN F1	First year flowering perennial. No special vernalization treatment required. Great bedding plant and cutflower. Suitable for larger pot sizes.	45 cm	upright	14-16 cm	250 GN		<b>2.</b> Mix 1	119.550					
3 caerulea CRIMSON STAR	This selection features bright crimson-red flowers with a white centre.	60 cm	upright	9-11 cm	250 GN		M19.	0401					
	Low cold requirement and short juvenility for					<b>4.</b> Mix	M19.300	5. Purple Blue	M19.314				
4 > 10	growing in warm winter climates. Featurés a	23-28		10-13 cm		6. Purple White	M19.302	7. Red White	M19.304				
caerulea EARLY BIRD® F1	controlled habit, with relatively short stems. Flowering window of 10 to 12 days.	cm	upright		1U-13 cm	1U-13 cm	1U-13 cm	1U-13 cm	1U-13 cm	cm 250 GN	8. Red Yellow	M19.306	9. White
	Excellent choice for early apring programs!					10. Yellow	M19.310						
11 alpina DARK BLUE	Large flowers. Deep blue-green foliage. Bushy and upright plant. Flowering time: May to June.	50 cm	upright	9-11 cm	1g		M18	600					
12 chrysantha YELLOW QUEEN	Soft Golden-Yellow flowers 7 cm across, with mounds of mid-green, maidenhair-like foliage.	60 cm	upright	9-11 cm	1g	M20.000							
13 vulgaris MC KANA GIANTS	Giant flowers. Divergent spurs. Bright colours. Flowering time: April to June.	85 cm	upright	9-13 cm	1 g		<b>13.</b> Mix	M18.700					

# Apium o

- Annual bedding plant
- Seed count/gram: 2 500
- Sowing: From january to may.
- **Germination:** In 10-12 days at 23-25°C.
- Pricking out temperature: 18°C minimum.
- **Growth temperature:** 12-15°C during the night.
- 18-21° C during the day.
- Cultivation period:
- Sowing-sale: 8 to 10 weeks.

#### **PERCEL**

Bright green foliage. To use as green foliage plant in mixed plantings.

Height	Habit	Pot size	Mini.	Code
40 cm	upright	11 cm	1 g	T39.030



### Arabis 4 🕸 🦻





- Brassicaceae
- Arabis blepharophylla
- Arabis caucasica
- Perennial for beddings
- Seed count/gram: 3 500
- Sowing: Sow several seeds per plug,

from March to May. Do not

- Germination:
- **Growth temperature:** Between 16 and 18°C.
- **▼ Voltz advice:** Best for use in rockery gardens.











		Height	Habit	Pot size	Mini.	Colour	Code
1 2 caucasica AUBRIS	Ideal for year yearly ease an eales	15		10 17	250 ON	1. Deep Rose	M20.832
caucasica AUBRIS	Ideal for very early season sales.		mounded	10-13 cm	250 GN	2. White	M20.830
3 caucasica CATWALK	No vernalization required! Uniform compact globe shaped habit; improvement of the varieties 'Snowfix' and 'Snowcap'.	15 cm	mounded	10-12 cm	250 GE	3. White	M20.860E
4 caucasica COMPINKIE®	Compact, uniform and early. Flowering time: March to April.	15 cm	mounded	8-10 cm	250 GN	<b>4.</b> Pink	M20.9401
5 blepharophylla FRÜHLINGSZAUBER	Compact, uniform growing selection with upright, dark green flower stems.	15 cm	mounded	9-11 cm	250 GN		M20.8802

Arenaria 🛚 🦻

### Aralia o 😂 🔡

- Araliaceae
- Fatsia japonica
- Annual pot plant

**JAPONICA** 

- Sowing: Best from January to June; but also yearround possible.
- **Germination:** At 20-22°C. Growing in
- 3 to 4 weeks.
- Growth temperature:
- Between 15 and 18°C. 7 to 9 months cultivation. **Sowing:**From February to June.
  - **Germination:** At 18°C.

Caryophyllaceae

Arenaria montana

Perennial for rock

gardens and pot plant

- **Growth temperature:** Between 16 and 18°C.
- **Voltz advice:** This plant deserves more frequent use.





Palm-shaped, dark green foliage.

Habit	Pot size	Mini.	Code
upright	12-14 cm	100 GN	R26.000

### BLIZZARD White

The most uniform variety available; 2 weeks earlier in flower than standard types.

15 cm mounded 9-12 cm 250 GN M22.600

Pot size Mini.

Habit

Height



Ronda stays more compact than other Arenaria with very nice habit. Large, pure white flowers right above the dark green foliage.

12-15 cm mounded 10,5-17 cm 250 GN M22.602

Code

### Armeria 🛚 🕸 🦻

- Plumbaginaceae
- Armeria maritima
- Perennial for beddings
- Sowing: From February to June.
- Germination: At 15°C.
- **Growth temperature:** Between 15 and 18°C.

- Voltz advice: High resistance to diseases and salinity.









Many, round flower heads on very short flower stems. The plant uniformity has been significantly improved, so that plant quality and flowering start allow a quick sale. Cultivation over the winter can take place outdoors or in a unheated greenhouse. Does not need any vernalisation.

Height	Habit	Pot size	mini.	Colour	Coae
18-20		0.44	050.011	1. Deep Rose	M23.654KA
cm	mounded	9-11 cm	250 GN	2. White	M23.656KA
00		0.10	500 ON		M07.0/01



Most common type, very floriferous. Clean seeds. Flowering time: March to June.

#### 20 cm mounded 8-10 cm 500 GN M23.6401

### Arnica 4 👺

- Asteraceae
- Arnica montana
- Perennial herb for tea or medicinal use
- Sowing:
  June-August.

■ Germination: 10-20 days at 16-18°C; if after 3-4 weeks no germination occurs, then place sowing boxes for 2 weeks in a cool chamber or area.

**Voltz advice:** Plants require lime-free soil.



### Artemisia 4 9

- Asteraceae
- Artemisia stelleriana
- Perennial
- Seed count/gram: 2 500
- Sowing:
- July-August. 2-3 seeds/cell.
- **Germination:** 5-10 days at 20°C.
- **Growing temperature:** 18°C day / 16°C night.



#### **MONTANA**

Alpine perennial wellknown as medicinal plant, with fragrant, golden

Height	Habit	Pot size	Mini.	Code
50 cm	upright	9-11 cm	500 GN	M24.1001

#### **MORI'S STRAIN**

Used because of its ground-covering, filigran silvery foliage; but also the light yellow inflorescences in early summer are very attractive.

Height	Habit	Pot size	Mini.	Code
20-25 cm	ground-covering	9-11 cm	500 GN	M25.5001

### Asarina o 🛭

- Scrophulariaceae
- Asarina scandens
- Annual climbing plant
- **Sowing:** From February/March to end of April.
- Germination:
- Growth temperature:
- Voltz advice: Avoid chalky and dry soils.







2 MYSTIC ROSE

Fast growth. Climbing plant. Flowering time: June to August.

Climbing plant. Flowering time: June to August.

Height Habit Pot size Mini. Code 150 cm climbing 10 cm 250 GN E05.096 F05.098 150 cm climbing 10 cm 250 GN

# Asclepias ⊙ 4 ≫ 🕸 🦻

- Asclepiadaceae
- Asclepias currassavica
- Asclepias incarnata
   Asclepias tuberosa
- Annual or perennial bedding plant and cutflower
- Seed count/gram: 300
- Sowing: From March to June.
- Germination: At 18°C.
- **Growth temperature:** Between 16 and 18°C.
- **■** Voltz advice:

For a flowering from the first year, an early sowing in February is adviced. Asclepias currassavica is suitable for a container culture. Asclepias tuberosa does not flower the first year.











		Height	Habit	Pot size	Mini.	Colour	Code
1 TUBEROSA	Beautiful plant with upright flower stems. Flowering the second year.	50-60 cm	upright	16 cm	1 g	<b>1.</b> Orange	M26.680B
2 currassavica RED BUTTERFLY	Long flower stems, green foliage. Not winterhardy! Flowering July-October.	60 cm	upright	16 cm	250 GN		M26.500
3 > 4 currassavica SILKY	Strong stems, nice umbels. Flowering June- September.	70 cm	upright	16 cm	250 GN	3. Deep Red 4. Gold	M26.520 M26.510
5 incarnata ICEBALLET	Very uniform selection. Can be grown annual; flowering July to October.	100 cm	upright	16 cm	250 GP		M26.590GP

# Asparagus o

- Asparagus densiflorusAsparagus myriocladusAsparagus plumosus
- Annual pot plant or foliage to cut
- Sowing: From December to June.
- Germination:
- **Growth temperature:** Between 15 and 22°C.
- Voltz advice:

● Voltz advice: Growing period of 10 to 12 months in 10 to 15 cm pots. Seeds have a very short life cycle. Soak seeds in lukwarm water before sowing. Prevent leaves from yellowing by avoiding excessive humidity. Store seeds at 4°C.









		Height	Habit	Pot size	Mini.	Code
1 MYRIOCLADUS	Plume-shaped hardy stems. For pots and to cut.	50 cm	upright	12-15 cm	100 GN	R03.554
2 setaceus plumosus NANUS	Palm finely cut. Ideal for compositions or cut foliage.	50-80 cm	upright	12-15 cm	100 GN	R03.620
densiflorus SPRENGERI	For hanging baskets and cut foliage.	80-100 cm	upright	12-15 cm	100 GN	R03.540
4 densiflorus MEYERI	Low growing. Long cultivation period. Thick foliage in plumes.	120 cm	upright	12-15 cm	100 GN	R03.500

# Asphodeline 2 | Astilbe 2 |

- Asphodelaceae
- Ashodeline lutea

Sowing:
Sowing in late autumn or
early spring with 2-3 seeds
per plug. Transplant 1-2
plugs in a 11-12 cm pot, or 2-3
plugs in a 15 cm pot.



#### **YELLOW CANDLE**

Lily-flowered perennial with yellow blooms and narrowed leaves; flowering May-June. Withstands drought and frost up to - 15°C.

Height	Habit	Pot size	Mini.	Code
80 cm	upriaht	9-11 cm	100 GP	M27.800GP

- Saxifragaceae
- Astilbe x arendsii Astilbe chinensis
- Perennial for beddings and pot plant

### ■ Sowing: From March to May. Do not cover seeds.

### **Germination:** At 20-22°C.

### Growth temperature:

■ Voltz advice: Flower period of 20 to 23 weeks from sowing.







	Height	Potsize	Mini.	Colour	Code
1 2 arendsii ASTARY® No need of vernalization to flower. Genetically	05	10 5 10	100.05	1. Rose	M30.730E
compact. Uniform flowering. Flowering time:  March to May.		10,5-12 cm	IUU GE	2. White	M30.734E
3 chinensis var PUMILA Upright panicles; splendid ground-cover.	25 cm	9-10,5 cm	1000 GN	3. Lilac Rose	M30.7401

### Aster 4 🏶 🦻





- Sowing: From March to June.
- Aster alpinus Aster amellus
  Aster novi-belgii
- Perennial for beddings

Asteraceae

- Seed count/gram: 600
- **Germination:** At 15°C.
- Growth temperature:
  Between 16 and 18°C.















		Height	Habit	Pot size	Mini.	Code
alpinus HAPPY END	${\tt Compact\ plant\ with\ bright\ rose\ flowers.\ Flowering\ time:\ May\ to\ June.}$	25 cm	upright	9-10 cm	250 GN	M29.1801
2 alpinus <b>TRIMIX</b> Mix	Mix. Single and double ball-shaped flowers. Flowering time: May to June.	25 cm	upright	9-10 cm	1 g	M29.120
3 alpinus DARK BEAUTY	Most colourful Aster with strong, green foliage.	25-30 cm	upright	-	500 GN	M28.9201
4 > 5 ALPINUS	Compact plant with large flowers. Flowering time: May to Ju ne.	30 cm	upright	9-10 cm	1 g	<b>4.</b> Blue M28.800 <b>5.</b> White M28.980
6 amellus RUDOLF GOETHE	Lavender shades. Flowering time: August to October.	50 cm	upright	10-13 cm	250 GN	M29.3601
7 NOVI-BELGII Mix 🕽	Blue, pink and white mix. Flowering time: September to October.	120 cm	upright	-	250 GN	M29.5401

# Atriplex os

- Amaranthaceae
- Annual for beddings Seed count/gram: 300
- Sowing: From May to June.
- **Germination:** At 15-18°C.
- **Growth temperature:** Between 12 and 18°C.

#### RED

Attractive because of its red foliage and stems. Long upright stems with a 30-40 cm long plume. Cut when in full bloom for use as

Height	Mini.	Code
150-180 cm	5 g	D15.070B



### Aubrieta 🛚 🕸 👺



- Brassicaceae
- Aubrietia cultorumAubrietia x hybrida
- Perennial for beddings
- Seed count/gram: 2 500
- **Sowing:** From May to June.
- **Germination:** At 15-18 °C.
- **Growth temperature:** Between 12 and 18°C.
- Voltz advice:

Early flowering can be obtained by airy vernalization. Fits chalky soils. Full sun location is needed for flowering.











Height Habit Pot size



1 > 2	hybrida <b>AUDREY F1</b> One of the	11		
' ' '	hybrida AUDKET FIUNE OF THE	earliest flowering	perenniais; ideai for vi	ery early
season s	les Uniform and long lasting	iflowering, at point	of sales and in the na	rden

15		10 17	050.01	1. Blue Shades	M32.400
15 cm	mounded	10-13 cm	250 GN	<b>2.</b> Red	M32.291
10 cm	mounded	9-11 cm	1 g	3. Rose	M32.260
				4. Blue	M32.000
10 cm	mounded	9-11 cm	1 g	<b>5.</b> Purple	M32.100

3	cultorum	LEI	СНТ	LINII

The best rose colour. Flowering time:w April to May.



Ground-cover plant for rock gardens. Early and floriferous. Flowering time: April to May.

**6.** Red

M32.200

### Bacopa ∘

- Scrophulariaceae
- Annual for beddings, ground-cover, hanging baskets and window boxes

**■ Germination:** At 20-23°C. Do not cover pelleted seeds.

**■ Growth temperature:** 15 to 24°C the day, 13 to 15°C the night.

Cultivation period: 8 to 10 weeks in 10,5 cm pots.







		Height	Hubit	1 01 3126		ooue	
1 BLUTOPIA® Blue	Trailing ball-shaped habit. Easy cultivation without					E08.100E	
2 PINKTOPIA® Carmine Rose	pinching. The first Bacopa series issued from seeds.	15-20 cm	trailing	10 cm, baskets	100 GE	E08.101E	
3 SNOWTOPIA® White	—— Use in pots and window boxes. Full sun location.					E08.102E	

### Baptisia 28

- **■** Fabaceae
- Baptisia australis
- Perennial for beddings
- Sowing:
- Germination: At 18°C.
- **Growth temperature:** Between 16 and 18°C.

■ Voltz advice: Prefers a rich, permeable soil and a full sunny location Can survive dry periods.



#### **AUSTRALIS** Blue

Lilac-blue. Lupine-type flowers. Green-blue foliage. Flowering time: June to August.

Height	Habit	Mini.	Code
100 cm	upright	100 GP	M32.900GP

### Basella O

- Basellaceae
- Basella rubra
- Sowing: April to mid-May.
- **Germination:** At 24-28°C, in 5-8 days.
- **Growth temperature:** Between 20 to 24°C.
- Voltz advice: Planting from Mid-May to Mid-June.



#### **SELECT RED**

Heatloving strong climber producing up to 6 m long veins. Used as ornamental plant because of its red stems and lovely lilac flowers. The young foliage is edible.

Height	Habit	Pot size	Mini.	Code
600 cm	climbing	13-19 cm	5 g	E08.300

# Basilicum o Since

- I amiaceae
- Ocimum basilicum
- Annual herb
- Sowing:
  From February to April.
- Germination: At 18-20°C.
- **■** Voltz advice:

Temperatures below 10°C are causing blackness of foliage. Pinching 1-2 times improves plant habit and delays flowering.



#### **ARISTOTLE**

Greek-Basil Type. Beautiful ball-shaped habit. Attractive and very fragrant foliage. Highly branched variety producing a beautiful plant.

Height	Habit	Pot size	Mini.	Code
40 cm	mounded	12-16 cm	250 GN	E08.510

# 

- Begoniaceae
- Begonia X hybrida
- Annual for beddings and pot plant
- Sowing: At 22-26°C with one seed per cell, from December to February. Do not cover seeds.
- Growth temperature:
- Between 20 and 22°C, then decrease to 18-19°C at the end of cultivation.
- Voltz advice: Cultivation time from sowing to sales: 13-17 weeks.



#### **GRYPHON**

Spectacular foliage which catches attention. Tropical aspect. For indoors and outdoors. Versatile for both indoor and outdoor sales areas. Loves shadow and half-shady places. For 11-18 cm pots.

Height	Habit	Pot size	Mini.	Code
35 cm	mounded	11-18 cm	100 GE	R03.850E

### Begonia hybrida 🔾 📟 🌢 🦻













Height





1 ► 7 MEGAWATT F1
-------------------

High impact, non stop flowering series for multiple uses in beddings and mixed plantings. Very good outdoor performance.

HIGH VARIETIES WITH LARGE FLOWERS

50-70 cm upright 12-15 cm 100 GE

Habit

Pot size

Colour	Code	Colour	Code
1. Pink Bronze Leaf	E08.716E	2. Pink Green Leaf	E08.711E
3. Red Bronze Leaf	E08.718E	4. Red Green Leaf	E08.714E
<b>5.</b> Rose Green Leaf	E08.710E	6. White Bronze Leaf	E08.715E
7. White Green Leaf	F08.731F		















Height





		HIGH VARIETIES WITH LARGE FLOWERS
1	Ω	

**BIG F1** Early and extremely long flowering period across a wide range of conditions. Large eye-catching flowers. Strong, robust and well-branching, more upright habit. For window boxes, flower beds and eye-catching plantings in parcs.

50-70 cm upright 12-15 cm 100 GE

Pot size Mini.

Habit

Colour	Code	Colour	Code
1. Pink Bronze Leaf	E08.777E	2. Pink Green Leaf	E08.776E
<b>3.</b> Red Bronze Leaf	E08.770E	4. Red Green Leaf	E08.772E
<b>5.</b> Rose Bronze Lea	E08.774E	6. Deep Rose Bronze Leaf	E08.773E
<b>7.</b> Rose Green Leaf	E08.778E	8. White Green Leaf	E08.771E

Strong colour contrast!





	HIGH VARIETIES WITH LARGE FLOWERS
1 ► 2 <sub>VIKING®</sub> F1	Giant All-Weather Begonia wi

Giant All-Weather Begonia with bright colours on
Olani, Ali Weather Degonia With bright Colours on
very dark foliage.

100.05	1.
100 GE	2.

### Begonia hybrida 🔾 📟 🦫







Extraordinary Begonia with semi-trailing habit and intense colours on shiny foliage. Very well branched and extremely floriferous until frost.

Height 30-60 cm

13-16 cm

Pot size

Mini. 100 GE

1. Red on Green E08.734E 2. Rose on Green E08.735E

# DRACON WING

#### **DRAGON WING® F1**

- Spectacular flowering until frost
- Fast and vigorous growth
- Exceptionally heat-resistant
- Suitable for landscaping and public parks
- · Low maintenance, self-cleaning plant









Vigorous large-flowered plants. Extended flowering period until first frost. . Easy to care; heat tolerant. Robust and indisputably weather resistant.

SEMI-TRAILING VARIETY WITH LARGE FLOWERS

30-40 cm

upright to 12-15 cm trailing

100 GE

E08.751E **2.** Red E08.750E 3. White E08.752E

# Begonia boliviensis hybrida 👓 🥮

# Large, attractive flowers. Superior performance in baskets and mixed containers













TRAILING TYPES WITH LARGE FLOWERS		Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 ► 6 FUNKY® F1					1. Light Pink	E08.621E	2. Orange	E08.622E
A new generation of Begonia: semi-trailing but compact and very well branched. Large semi-double and double flowers	20 cm	semi-trailing	11-15 cm	100 GE	3. Pink	E08.620E	<b>4.</b> Red	E08.625E
bringing continuously a lot of colour in the garden until frost.  Best in half shade, but withstands also full sun.					5. Scarlet	F08.623F	6. White	F08.624F



	TRAILING TYPES WITH LARGE FLOWERS	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
						1. Mellow Yellow	E08.633E	2. Orange	E08.635E
1 ► 5 GROOVY® F1	Uniform series accross colors, short internodes, well branched, semi-trailing	30-35 cm	-	13-16 cm, baskets	1, 100 GE	<b>3.</b> Red	E08.637E	4. Rose	E08.643E
	habit, single flowers with large petals in					5. White	E08.644E		
	clear vivid colours.					Also available ir	Mix		E08.639E

### Begonia tuberhybrida 🔾 🚟 🔡

- Begoniaceae
- Begonia X tuberhybrida
- Annual for beddings and
- Seed count/gram: 50 000

Sowing: Sowing from Mid of December to February. Do not cover seeds because germinate at light.
Cover seeds by a plastic film. Protect from sun.

### **■ Germination:** At 24°C, in 10 to 14 days.

**Growth temperature:** Between 16°C and 18°C.

It is important to maintain a high level of humidity to obtain a good plant devel-opment. 5 months growth after sowing. Harden plants to cold temperatures before sales. Prevent from oidium with appropriate treatment.



















1	9	NONSTOD® E1	couleurs

Unequalled performance in containers and window boxes. Excellent branching produces full mounded plant habit. Large fully double flowers. Green foliage.

**UPRIGHT VARIETIES** 

25 cm 11-13 cm 250 GE

Height Potsize

Colour	Code	Colour	Code
<b>1.</b> Mix	E09.180E	2. Deep Rose	E08.942E
3. Fire	E08.921E	4. Orange	E08.941E
<b>5.</b> Red	E08.910E	6. Rose Picotee	E08.992E
7. Salmon	E09.020E	8. White	E09.100E
9. Yellow	E09.140E		





	1	
1	NONSTOP® F1 MOCCA	Mix

Large double 8 cm flowers. Wonderful colour because of dark foliage.

**UPRIGHT VARIETIES** 

20-25 cm 11-13 cm 250 GE E09.194E

Code



Mixture of the genetically compact colours, which do flower early with a tight flowering window. 8-10 days shorter cultivation period than any other 30 cm 10-12 cm 250 GE equivalent variety.

# Begonia semperflorens $\odot$

- Begoniaceae
- Begonia semperflorens
- Annual for beddings and pot plant

Sowing:
Sowing from mid of December until
February. Requires light for germination. Cover seeds with a plastic film or a glass plate. To protect from sun.

■ Germination: In 10 to 14 days at 22-27°C, with a very high humidity. Do not let drying out.

■ **Growth temperature:** Between 18 and 20°C in warm greenhouse.

Cultivation period of 4 months after sowing. Harden plants with lower temperatures before sales.

### **SPRINT PLUS and SENATOR IO: BEST CHOICE FOR YOUR EARLY SALES!**

- · Series with green and dark foliage
- · Compact and uniform habit
- · Very early
- Ideal for pot and pack production



**DWARF VARIETIES** 

















1 9 SPRINT PLUS F1

Green-leaved series for early sales in pack and pot. Crop time 9-11 weeks.

20-25 cm bushy 9-10 cm 1000 GE

Colour	Code	Colour	Code
1. Maxi Mix	E13.060E	2. Blush	E13.062E
3. Lipstick	E13.076E	4. Orange	E13.072E
5. Orange Bicolor	E13.073E	6. Pink	E13.064E
<b>7.</b> Red	E13.070E	8. Rose	E13.068E
9. White	E13.066E		













5	6
nw.	ARF VARIETIES

1 ► 8 SENATOR IQ F1





1		8		d
Height	Habit	Pot size	Mini.	
				1
20 cm	mounded	9-10 cm	1000 GE	3

Colour	Code	Colour	Code
<b>1.</b> Mix	E13.276E	2. Bicolor	E13.272E
3. Cherry Blossom	E13.277E	4. Deep Rose	E13.271E
5. Pink	E13.275E	6. Rose	E13.274E
7. Scarlet	E13.273E	8. White	E13.270E

E13.704E

9 SENATOR IQ F1 / SPRINT PLUS F1

uniform habit offering a bright colour contrast. No leafburn even under full sun conditions.

Darkest bronze-leaved series on the market with improved,

**SUPER COOL:** 

**9.** Mix

BEST CHOICE FOR FLOWER BEDS AND GRAVE YARDS











1		5	
•		•	
CIII	DEE	COOL	E1

Very well branched, green-leaved series with large flowers for production at low temperatures. Crop time 10-12 weeks.

**DWARF VARIETIES** 

20-25 cm bushy 9-11 cm 1000 GE

Colour	Code	Colour	Code
<b>1.</b> Mix	E13.128E	2. Bicolor	E13.120E
3. Pink	E13.122E	<b>4.</b> Red	E13.124E
E White	E13 126E		

### For autumn and spring sales!

#### Asteraceae

#### Bellis perennis

#### Biennial for beddings

Sowing:
For frostfree culture in greenhouse: begin of August to begin of September. For cold resp. outdoor production: from June to August.

■ Germination: 15-18°C in 7-14 days. Light germinator: Do not cover seeds with soil.

# ■ Growth temperature: In winter as cool as possible but frostfree. Maintain temperature at 8-12 °C to stimulate growth and flower.

■ Voltz advice: Cultivated frostfree the roots should not grow through the bottom of the pot. Avoid frost, cold winds and full sun.























FALL VARIETIES	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code												
1 ► 3 BAM BAM	10 15		0.10	1000.05	<b>1.</b> Red	M33.450E	2. Rose	M33.451E												
Replaces Roggli. Unique large flowered with dwarf habit, cleaner foliage than traditional varieties. No vernalisation needed! For autumn and spring sales.	10-15 cm upright		10-15 cm upright 9		IU-15 cm uprigh		9-10 CM	1000 GE	<b>3.</b> White	M33.452E										
4 > 7 BELLADAISY / BELLA			10.15	10.15	10.15	10.45	10.15	10.15	10.15	10.15	10.15	10.15		40.45		100005	<b>4.</b> Pink	M33.500E	<b>5.</b> Red	M33.502E
Flat and very well branched habit; highly floriferous and uniform, healthy foliage. Semidouble flowers, possible without vernalisation.	10-15 cm upright	9-10 cm	1000 GE	6. Rose	M33.504E	7. White	M33.506E													
8 > 11 SPEEDSTAR® PLUS			d 8-9 cm		<b>8.</b> Mix	M34.240E	<b>9.</b> Red	M34.241E												
Genetically compact plant habit. Very uniform flowering. Many semi-double flowers with bright colors, no vernalization required, for autumn and spring sales. Improved pellet quality.	13 cm mounded	250 GE		<b>10.</b> Rose	M34.242E	11. White	M34.243E													

### For Spring sales!







SPRING VARIETIES	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 0 0					1. Mixed	M34.276E	2. Deep Rose	M34.271E
1 > 6 TASS0® TASS0®	12 cm	mounded	7-9 cm	250 GE	<b>3.</b> Pink	M34.272E	4. Strawberry & Cream	M34.273E
Pomponette-type. Very large flowers 100% double. Early.			<b>5.</b> Red	M34.270E	6. White	M34.274E		
7 > 11 HABANERA®					<b>7.</b> Mixed	M34.060E	<b>8.</b> Red	M34.052E
6 cm large, fully double flowers with provided long petals.	15 cm	mounded	7-9 cm	250 GE	9. Rose	M34.054E	10. White	M34.056E
Short stems.					11. White Red Tips	M34.058E		
<b>12 ROGGLI ROBELLA</b> Very attractive. Unique colour with big flowers.	15 cm	mounded	7-9 cm	250 GE	<b>12.</b> Salmon Pink	M34.260E		

# Bergenia 🛚 🦻

- Saxifragaceae
- Bergenia cordifolia

Sowing: From September to November.

Germination:
At 18°C.

**■ Growth temperature:** Between 16 and 18°C.

■ Voltz advice: Vernalization will encourage flowering. The major part of the season, leaves have a bright green foliage, but in colder regions they turn out in red or in bronze in







		Height	Habit	Pot size	Mini.	Code
1 WINTERGLOW 3	Improved Rotblum-type with and exceptional red foliage in winter. Flowering time: March to May.	45 cm	upright	9-12 cm	250 GN	M35.0101
2 ROSE	Green foliage. Flowering time: March to May.	60 cm	upright	9-12 cm	250 GN	M35.0401
3 ROTBLUM 🕽 S	Improved selection. Flowering time: March to May.	60 cm	upright	9-12 cm	250 GN	M35.0001

### Beta O GOLDING

**■** Chenopodiaceae Beta vulgaris

Annual ornamental vegetable for flower beds

■ Seed count/gram: Rubin: 50

Sowing: From March to May.

**■ Germination:** In 6 to 14 days at 15-18°C.







		Height	Habit	Pot size	Mini.	Code
1 BRIGHT LIGHTS	Light to purple chard. Green-purple leaves.	50 cm	upright	11-14 cm	500 GN	E14.850
2 BRIGHT YELLOW	Green foliage, yellow chard.	50 cm	upright	11-14 cm	500 GN	E14.854
3 Rhubarb Chard RUBIN	Green foliage, red chard.	50 cm	upright	11-14 cm	10 g	E14.890

### Borago O \*\*\*\* 🕸

Boraginaceae Borago officinalis

Annual plant









**Germination:** At 18-20°C, in 7-14 days.

■ Seed count/gram: 55 ■ Growing temperature: 16-18°C day / 11-12°C night.

■ Sowing: Direct sowing from April

■ Voltz advice: Young plants can stand very low temperatures.





		Height	Habit	Pot size	Mini.	Code
BLUE	Bee-attrachting flowers for production of edible flowers; or as plant in mixed vegetable/flower combinations.	50-70 cm		0.10	10	M35.300B
WHITE		50-55 cm	upright 9	9-10 cm	10 g	M35.301B

2

# Brassica ⊙

Brassicaceae

**■** Brassica oleracea

Biennial for beddings and cutflowers

Seed count/gram: 250

**Sowing:** From the end of May to July.

**Germination:** At 15-20°C, in 7-10 days.

■ Voltz advice: Avoid nitrogen at the end of cultivation. Night temperatures below 14°C will intensify the foliage colour.





POT VARIETIES	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \					<b>1.</b> Mix	E15.675	2. Purple	E15.672
1 > 5 PIGEON F1 / ATTRACTION F1	15-25 cm	round	nd 12-13 cm	250 GN	<b>3.</b> Red	E15.673	4. Victoria	E15.674
Round, dark green follage. Robust habit, suitable for use in beds.	und, dark green foliage. Robust habit, suitable for use in beds.		5. White	E15.671				
6 9 NAGOYA F1 / KING F1	20		10.17	250 GN	<b>6.</b> Mix	E15.640	<b>7.</b> Red	E15.642
Uniform growth and intense colorization of the leaves.	20 cm	round	12-13 cm		8. Rose	E15.641	9. White	E15.643
PIGEON F1 + NAGOYA F1 (not illustrated)	15-25 cm	round	12-13 cm	250 GN	Mix	E15.261		
10 PEACOCK F1 Feather-leaved type.	35 cm	round	12-15 cm	250 GN	<b>10.</b> Red	E15.4621	11. White	E15.4641



1 5	
CRANE F1	De

Long lasting in	bouquets.	Best cutf	lower variety.

50-70 cm	upright	250 GN

Colour	Code	Colour	Code
1. Bicolour	D15.515	2. Pink	D15.517
<b>3.</b> Red	D15.512	4. Rose	D15.513
5. White	D15.5201		

### Brassica ⊙







	POT VARIETIES	Height	Habit	Pot size	Mini.	Code
1 curled REDBOR F1	Very beautiful ornamental plant with curled foliage.	70 cm	upright	10,5-13 cm	100 GN	E15.630
2 curled WINTERBOR F1	Curly, semi-high variety with green to dark green leaves.	70 cm	upright	10,5-13 cm	100 GN	E15.632
palm NERO DI TOSCANA	Narrow and embossed, blue-grey leaves.	70 cm	upright	10,5-13 cm	1 g	E15.620

# Bupleurum Ome

- Bupleurum rotundifolium
- Annual for cut flowers
- Seed count/gram: 350
- Sowing:
  April-May, outdoors.
- **Germination:** At 16-18°C.
- Voltz advice: Easy cultivation in 10 to 12

weeks outdoors Row-spacing: 25-30 cm.



#### **GRIFFITI**

Green-yellow. Strong stems. Foliage like Eucalyptus.

Н	eight	Habit	Pot size	Mini.	Code
6	0 cm	upright	10-11 cm	5 g	D16.000

### Calceolaria o

- Scrophulariaceae
- Calceolaria herbeohybrida
- Biennial for beddings and pot plant
- Sowing: From June to September. Don't cover the seeds.
- **Germination:** At 18-20°C, at light.
- **Growth temperature:** Between 15 and 18°C.



#### **DAINTY F1** Mix


Early, compact and uniform mix. Small strong leaves.

Height	Habit	Pot size	Mini.	Code
20 cm	upright	10-12 cm	250 GE	R08.240E

# Calendula os

- Calendula officinalis
- Annual bedding plant and cut flower
- Seed count/gram: 130
- Sowing:
  January-February for flowering April-May. Sowing July
  for flowering SeptemberOctober. Sowing in October
  for flowering in FebruaryMarch
- **Germination:** At 15°C, in 10 to 14 days.
- Growth temperature: Between 10 and 15°C.
- **■** Voltz advice:

Cultivation for cut flowers: possible in greenhouse and outdoor: plant distance  $20 \times 10$  cm, means 50 plants per m<sup>2</sup>.









Round and compact habit. Extremely double flowers. 25 cm mounded

5 g

Colour	Code	Colour	Code
<b>1.</b> Mix	E16.500	2. Orange	E16.540
3. Yellow	F16 520		







	DWARF VARIETIES	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 > 3 BON BON	Double, dwarf, early. Excellent outdoor				500.011	1. Mixture	E16.5801	<b>2.</b> Orange	E16.578
	performance thanks to its floriferous flowering and its bushy habit.	20 cm	uprignt	11-12 cm	500 GN	<b>3.</b> Yellow	E16.576		
4 > 5 CALEXIS	Large, cactus-shaped flowers in brilliant colours with contrasting brown centre. Ideal for pot sales in spring and autumn.	30 cm	bushy	10-15 cm	500 GN	<b>4.</b> Orange	E16.451	<b>5.</b> Yellow	E16.452



	HIGH VARIETIES	Height	Habit	Mini.	Colour	Code	Colour	Code									
PACIFIC BEAUTY 🞾	Mix of many colours, for large beddings.	50 cm	upright	5 g	<b>1.</b> Mix D18.304												
2 CORNICHE D'OR 🕉	Orange-yellow with black heart; very double. Often used for pharma production.	50-60 cm	upright	500 GN	<b>2.</b> D18.1001B												
3 DOUBLE 38	Mix of many different colours with good doubleness.	50-60 cm	upright	500 GN	<b>3.</b> Mix D18.3031B												
4 BALL'S ORANGE	Double-flowering variety with intense luminescent orange petals and lime green foliage. Thanks to the nice leaf colour, this variety is very attractive in flower bouquets or combined arrangements. The vase life is approx. 1 week.5	60 cm	upright	5 g	<b>4.</b> Orange D18.000												
													-	<b>5.</b> Gold/Green Cer	tre D18.05	6. Orange	D18.054
5 P 9 MAYA DE	Uniform. For cut flowers. Fits also for early production in greenhouse.	60 cm	60 cm upright	5 g m upright	5 g	7. Orange/Green (	Centre D18.05	66 <b>8.</b> Yellow	D18.058								
	production in greenhouse.			500 GN		<b>9.</b> D18.06	)B										
TOUCH OF RED 🞾	High series with unique colours. Ideal for cutflower production.	60 cm	upright	500 GN	<b>10.</b> Mix D18.3101												

# Callistephus o

- Asteraceae
- Callistephus chinensis
- Annual pot plant or cut flower
- Seed count/gram: 500

Sowing:
Sowing indoors in March/
April for sales in May. Direct
sowing for later flowering
is also possible. For dwarf
varieties, sow 2 to 5 seeds
directly in the final pot.

- **Germination:** At 15°C, in 7 to 14 days.
- **Growth temperature:** Between 12 and 15°C, not below 8-10°C.

■ Voltz advice: In fields, rotation culture is heavily recommended to avoid soil diseases.






















DWARF VARIETIES	Height	Habit	Pot size	Mini	Colour	Code	Colour	Code
1 > 6 STARLIGHT					<b>1.</b> Mix	E17.435	<b>2.</b> Blue	E17.410
Basal branching, very compact series with	20 cm	Ocm bushy 1	10-12 cm	em 5 g	<b>3.</b> Light Blue	E17.411	<b>4.</b> Light Pink	E17.412
large, spider-shaped flowers.					<b>5.</b> Purple	E17.413	<b>6.</b> Scarlet	E17.430
7 > 10 MILADY Large globulous flowers of ø 10 to 12 cm,	25		10.10	_	<b>7.</b> Mix	E17.400	8. Dark Blue	E17.300
hrysanthemum-type. For beddings and as ot plants.	mounded	10-12 cm	5 g	9. Scarlet	E17.320	10. White	E17.380	



Frothy, pompom-like, fully double flowers cover these robust, dwarf plants with lovely dark green foliage.

E17.409 25 cm mounded 10-12 cm 5 g 11. Mix









	HIGH VARIETIES TO CUT 🎉	Height	Habit	Mini.	Colour	Code
1 POMPON	Many small flowers on strong stems. Mid-early.	50 cm	upright	5 g	<b>1.</b> Mix	D13.190
2 BOUQUET	Double, medium-sized petals and disinct yellow centre. Upright habit.	60 cm	upright	5 g	<b>2.</b> Mix	D13.800
3 GIANT NEEDLES	Double ray-florets. Bushy habit. dark green foliage.	60 cm	upright	5 g	<b>3.</b> Mix	D12.740





Н	IIGH VARIETIES TO CUT 🍱	Height	Habit	Mini	Colour	Code	Colour	Code
	Small semi-double flowers. Branching				<b>1.</b> Mix	D14.4691	2. Blue Tipped	D14.4611
1 \ 0					<b>3.</b> Deep Blue	D14.4571	4. Deep Rose	D14.4591
1 > 9 SERENADE	habit. Pinch the terminal flower for	60 cm	upright	500 GN	<b>5.</b> Red	D14.4661	6. Rose	D14.4631
	harvesting the complete plant as one bouquet. Tolerant to Fusarium desease.			7. Rose Tipped	D14.4621	8. Scarlet	D14.4641	
<u>'</u>			9. White	D14.4681				
					<b>10.</b> Mix	D13.5001	11. Apricot	D13.6001
					<b>12.</b> Blue	D13.5101	13. Blue & White	D13.5801
10 ► 21 MATSUMOTO	Pompon-like flowers with large yellow	70		E00.0N	<b>14.</b> Deep Rose	D13.6501	<b>15.</b> Light Blue	D13.5701
MAISUMUIU	ITSUMOTO centre. 70 cm uprigh Long and strong stems.	uprignt	500 GN	<b>16.</b> Pink	D13.5301	<b>17.</b> Red	D13.5601	
					<b>18.</b> Rose	D13.5201	19. Scarlet	D13.6301
					20. White	D13 5401	21. Yellow	D13.6201

# Callistephus o



























	HIGH VARIETIES TO CUT 🍱	Height	Habit	Mini.	Colour	Code	Colour	Code
1 STANDY	Good Fusarium and Verticillium resistance. Flower shape like Princess.	60 cm	upright	500 GN	<b>1.</b> Mix	D12.9581		
2 PRINCESS	Large, double ligulate florets. Long stems. Divergent habit.	60 cm	upright	5 g	<b>2.</b> Mix	D12.800		
3 BONITA	Very well branching even without pinching; but removing the flower in the centre does increase quality of the bouquet. Flowers 15-17 weeks after sowing.	60-70 cm	upright	500 GN	<b>3.</b> Mix	D12.870		
4 RAINBOW	The best single-flowering type to cut, with daisy-like flowers.	70 cm	upright	5 g	<b>4.</b> Single Mix	D12.710		
5 GALA	Large double flowers with pincushion petals. Upright and strong habit. Perfect stem quality.	80 cm	upright	500 GN	<b>5.</b> Formula Mix	D12.7351		
					<b>6.</b> Mix	D12.7441	7. Crimson	D12.7421
6 > 13	Upright Dringgood type with large double liquists florets	85 cm	upright	F00.0N	<b>8.</b> Deep Blue	D12.7431	<b>9.</b> Fiery Red	D12.7451
MATADOR®	Upright Princess type with large double ligulate florets.	00 0111		500 GN	10. Salmon Pink	D12.7461	11. Soft Blue	D12.7471
					<b>12.</b> White	D12.7481	13. Yellow	D12.7491

# Campanula ⊙ 2 \$ \$

- Campanulaceae

- Campanula carpatica
  Campanula cochlearifolia
  Campanula glomerata
  Campanula medium
  Campanula poscharskyana
  Campanula persicifolia
- Perennial or biennial bedding plant and cut flower

Seed count/gram:
C. glomerata: 9 000; C. medium:
3 500; C. persicifolia: 14 000;
C. poscharskyana: 12 000

Sowing: From April to July.

**■ Germination:** At 18-20°C.

**■ Growth temperature:** Between 15 and 18°C.
















	DWARF VARIETIES	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 > 2 carpatica PEARL	Great, large flowered, impulse item for year round production. Significant earlier than previous genetics. Compact habit, highly uniform plant development.		mounded	9-13 cm	250 GE	<b>1.</b> Deep Blue	M38.340E	2. White	M38.350E
3 > 4 cochlearifolia pusilla BABY	Biennial or perennial flowering the first year. Flowering time: June to July.	10 cm	mounded	9-11 cm	1000 GN	<b>3.</b> Blue	M38.7001	4. White	M38.7201
5 glomerata ACAULIS	Compact. Bell-shaped flowers. Flowering time: June to August.	25 cm	upright	10-13 cm	1 g		M39.000		
6 glomerata ALBA	Pure white flowers, same habit than Acaulis.	30 cm	upright	10-13 cm	0,25 g		M39.040		
7 POSCHARSKYANA	Star-shaped flowers. For rock gardens.	20 cm	creeping	9-10 cm	0,125 g		M40.800		





















H	HIGH VARIETIES TO CUT 🍱	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
8 > 11	Can be cultivated as an annual. Use as cutflower and as potplant. Suitable for	60 cm	upright	12-13 cm	100 GE	8. Blue	D18.430E	<b>9.</b> Lavender	D18.443E
medium CHAMPION F1	greenhouse and outdoor production.					<b>10.</b> Pink	D18.440E	11. White	D18.442E
12 ► 15 <sub>MEDIUM</sub>	Biennial. Large single-flowers. Use as	80 cm upright	9-13 cm	r -	12. Single Mix	M37.200	<b>13.</b> Blue	M37.000	
12 MEDIUM	cutflower. Flowering time: May to July.	.m uprignt	9-10 CIII	9-13 cm 5 g	<b>14.</b> Deep Rose	M37.040	<b>15.</b> White	M37.160	
16 persicifolia ALBA	Flowering time: June to August.	30 cm	upright	10-13 cm	1 g	<b>16.</b> White	M40.600		
17 persicifolia COERULEA	The popular willow bell, flowering June to August.	30 cm	upright	10-13 cm	1 g	<b>17.</b> Blue	M40.640		

## Canna ⊙ **\*\*\*\***

- Cannaceae
- Canna indica
- Annual bedding and pot plant

■ Sowing:
From December to April. It's important to cover the seeds with at least 5 mm peat.

- **Germination:** At 20-22°C.
- **Growth temperature:** Between 18 and 20°C.

■ Voltz advice:
Place seeds in water before sowing to ease germination. 16 weeks cultivation in a warm location, at least at 20°C.





1 SOUTH PACIFIC™ F1 For beddings and containers, well branched and uniform. South Pacific is best choice for warmer regions in Europe; but alo suitable in Northern Europe, then 7-10 days later in flower than Cannova

Height Habit Pot size Mini. Colour

50-60 cm upright 14-18 cm 100 GN **1.** White

2 > 11 CANNOVA® F1 Earliest flowering Canna series. Robust, well branched plants with large flowers and long flowering period.

100-150 cm upright 12-17 cm 100 GN

<b>2.</b> Mix	E17.4671	3. Lemon	E17.455
4. Bronze Orange	E17.469	<b>5.</b> Mango	E17.459
6. Orange Shades	E17.465	7. Red Shades	E17.452
8. Rose	E17.453	9. Scarlet	E17.4471
10. Yellow	E17.454	11. Bronze Scarlet	E17.458

E17.4631

## **Capsicum** o

- Capsicum annuum
- Annual for pot plants
- Sowing: From March to June.
- **Germination:** At 21°C, in 10 to 14 days.

• Growth temperature: 18-22°C at day; 16-18°C at night. Below these tempe-ratures there is the risk of fruit deformation.

Voltz advice:
Sowing to sales 14-18 weeks, some varieties 20-24 weeks. Avoid too cold irrigation water (not under 14°C).
Fertilize with potassium as soon as fruits appear.































and temperature.





	Height	Fruit colour	Habit	Pot size	Mini.	Colour	Code	Colo	ur	Code
1 > 5 SALSA XP F1		Series with				1. Mix (5 Colours)	R11.059 2	2. Deep Ora	nge	R11.05
Compact series with short production time; no PGR	10 cm	different pure	mounded	10-11 cm	100 GN	<b>3.</b> Red	R11.052 4	• Red/Yello	W	R11.05
needed		Colours				<b>5.</b> Yellow	R11.056			
6 ► 10 CUBANA F1		Series with				<b>6.</b> Deep Orange	R11.240	. Multicolou	ır Orange	R11.24
Medium sized, upright fruits 4,5 x 2 cm. Vigorous plants with excellent basal branching and dark green foliage.	15-20 cm	multicolour	upright	10-13 cm	100 GN	8. Multicolour Red	R11.246	). Red		R11.24
An improvement of the pwrevious Karneval series.		colours				10. Yellow	R11.250			
				Height		Fruit colour	Habit	Pot size	Mini.	Code
MEDUSA  Many small fine fruits, long and upright.				15-20 cm	n Cr	ream to deep red	mounded	10-11 cm	100 GN	R11.610
12 SANTOS F1 Flare Upright, straight fruit, 6 cm long on a compact and well	-branche	ed plant.		20 cm		ble from light green brange and yellow	mounded	10-12 cm	100 GN	R11.20
RED MISSILE F1  3ig short conical fruit.				20-25 cm	n Cr	ream to deep red	mounded	10-12 cm	100 GN	R11.70
MASQUERADE F1  Big long conical fruit.				25-30 cm	n Yel	low to purple-red	mounded	12-14 cm	100 GN	R11.60
15 CHILLY CHILL Overall plant size is about 30% larger than Medusa with or containers and gardens. Non-pungent fruit, therefo outdoor use in public and residential areas. Fruit size 5-	re suitab			30-35 cm	Yello	w-green via orange to dark red	mounded	10-15 cm	100 GN	R11.20
PURPLE FLASH			lack,	35-40 cm	1	Violet/black	upright	13-15 cm	100 GN	R11.20
BLACK PEARL F1				35-45 cm	n Fi	rom black to red	upright	14-19 cm	100 GN	R11.28

## Cardiospermum o 📟 🕖 Catananche a 🖘 🥾

- Sapindaceae
- Climbing annual
- Seed count/gram: 15
- Germination: At 18-20°C.
- **Growth temperature:** Between 15 and 18°C.



### **HALICACABUM**

Known as balloon-plant. Decorative green, bowl-shaped capsules on climbing vines.

Height	Habit	Pot size	Mini.	Code
40 cm	climbing	16-21 cm	10 g	E17.470

- Perennial bedding plant and
- Sowing: From March to June.
- Germination:
- Growth temperature: Between 15 and 18°C.
- Voltz advice: Prefers well drained, dry soils.



### **CAERULEA**

Flowers resemble to cornflowers. Also suitable for use as dried flower. Flowering time: July to September.

Height	Habit	Mini.	Code
65 cm	upright	1 g	M51.260

## Carthamus ⊙>> ●

- Asteraceae
- Carthamus tinctorius
- Annual for cut flowers, fresh or dry
- Seed count/gram:

- **Germination:** At 16-20°C.
- Growth temperature:

Toxic plant! Can be produced either in greenhouse or in open field. Harvest green plants for dried flower use.

		Height	Habit	Mini.	Code
ZANZIBAR ORANGE	Mid early, uniform variety. Heat and drought tolerant. Large flower heads on strong stems for cutflower production.	70-80 cm	upright	10 g	D19.410B
ZANZIBAR ORANGE	Mid early, uniform variety, heat-resistant, with large flowers on good stem quality.	70-80 cm	upright	10 g	D19.410



## Catharanthus (Vinca) o







Pacifica improvement, Good performance in flower-beds. Short cultivation time.

- Apocynaceae
- **■** Catharanthus roseus
- Annual for beddings, pot plant and hanging baskets

Sowing: From January to April.

**■ Germination:** At 20°C, in the dark, in 14 to 20 days.

### **■ Growth temperature:** Between 18 and 20°C.

■ Voltz advice: 10 to 15 weeks. Avoid excessive watering and low temperature.





































2 weeks earlier than OP varieties, superior branching and large flowers. More stress tolerant due to high vigour.

250 GN 35-40 cm mounded 9-11 cm

Pot size

Mini.

Colour	Code	Colour	Code
1. Mixture	R68.432	2. Apricot	R68.410
3. Blush	R68.412	4. Burgundy	R68.414
5. Dark Red	R68.416	6. Icy Pink	R68.418
7. Lavender Blue Halo	R68.420	8. Lilac	R68.422
9. Polka Dot	R68.424	<b>10.</b> Punch	R68.426
11. Pure White	R68.428	12. Really Red	R68.415
<b>13.</b> Rose	R68.430	14. Rose Halo	R68.431

Height

Habit

## $Catharanthus_{\,(Vinca)} \odot$











R69.225 **2.** Blueberry

R69.226 **4.** Raspberry

Colour

Code

R69.224

R69.227

Code

R69.228



Without a doubt, the most unique Vinca on the market today! Each petal looks like it is inked or airbrushed with soft brush strokes of dark purple.

 Height
 Habit
 Pot size
 Mini.
 Colour

 25-35 cm
 mounded
 10,5-14 cm
 250 GN
 3. Papaya

 5. Tangerine



### CORA XDR F1 Mix

 $\ensuremath{\mathsf{XDR}}$  is the new generation with an improved tolerance to Phytophtora.

Height	Habit	Pot size	Mini.	Code
25 cm	mounded	10-12 cm	250 GN	R69.186



HANGING BASKETS VARIETIES











Mini.



1	▶ 7	
ME	DITERRANEAN XP	

Semi-trailing habit. For hanging baskets.

25 cm

semitrailing baskets 250 GN

Colour	Code	Colour	Code
1. Mixture	R69.275	2. Burgundy Halo	R69.269
3. Dark Red	R69.271	4. Hot Rose	R69.272
5. Rose Halo	R69.278	6. Strawberry	R69.274
7. White	R69.270		

# Celosia plumosa $\odot$

- Amaranthaceae
- Celosia plumosa
- Annual bedding, pot plant and cut-flower plant

Sowing:
From January to April.

● Germination: In 7 to 14 days, at 22-24°C. Light germinator, do not cover the seeds.

### **■ Growth temperature:** Between 15 and 18°C.

■ Voltz advice: Needs a high level of humidity and low temperatures for a good floral initiation.

































		Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
						<b>1.</b> Mix	E17.8801	2. Cherry Red	E17.6981
1 ► 7 KIMONO	Compact with large plumes. For pot plants and	17 cm	upright	9 cm, pack	500 GN	<b>3.</b> Orange	E17.7201	<b>4.</b> Red	E17.7601
KIMUNU	bedding plants.	17 0111	uprigiit	9 CIII, pack	000011	<b>5.</b> Rose	E17.7801	6. Scarlet	E17.8201
						7. Yellow	E17.8401		
8 SMART LOOK®	Attractive flower plume on dark -red foliage that is sure to draw attention. Heat tolerant.	25-28 cm	upright	10-12 cm	500 GE	<b>8.</b> Red	E17.901E		
	for a fuller look in containers. 10-14 days earlier		n bushy			<b>9.</b> Mix	D22.606E	<b>10.</b> Purple	D22.602E
9 ► 13 FIRST FLAME				10-13 cm	1000 GFC	<b>11.</b> Red	D22.603E	12. Scarlet	D22.604E
TINOTTEATIE	coated seeds for easy sowing!					13. Yellow	D22.605E		
14 > 18	Fast and uniform germination, compact habit,				500 GN	<b>14.</b> Mix	E17.9401		
	heat-tolerant, bright colours for miscellaneous	25-30 cm	upright	10-12 cm	1,000 ON	<b>15.</b> Orange	E17.9301	<b>16.</b> Pink	E17.9321
GLORIOUS	use. Loves full sun and heat.				1000 GN	<b>17.</b> Red	E17.9341	18. Yellow	E17.9361
19 ARRABONA	Well-branched, exceptionally long-blooming plumosa-type Celosia with stunning new redorange blooms. Tolerate drought and loves the heat.	30-35 cm	upright	10,5-13 cm	250 GFC	<b>19.</b> Red	E17.5001		

### Celosia plumosa o


















1		4		
FRI	ESH	LO0	OK	de ville

Large, intense coloured, dense flower plumes. Well-branching habit. Ideal for a ø 10,5 to 12 cm pot culture. Cultivation 11 to 12-weeks from sowing to sale.

Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
		10 5 10	500.05	<b>1.</b> Mix	D22.520E	2. Orange	D22.505E
40 cm	upright	10,5-12 cm	500 GE	<b>3.</b> Red	D22.510E	4. Yellow	D22.500E
				<b>5.</b> Mix	D21.8401	6. Pink	D21.6101
50 cm	upright	-	500 GN	<b>7.</b> Red	D21.7801	8. Rose	D21.6601



Excellent in flower beds. Early and floriferous.

50 cm	upright	-	500 GN	<b>7.</b> Red	D21.7801	8. Rose
				9. Yellow	D21.6001	



Extra large, very bushy Celosia with red foliage georgeous flowering, deep red plumes of colour. 'Dragon Breath' is an obligate short day plant (<11h), but can easily been scheduled for late spring, summer and autumn sales.

15-19 cm 60-80 cm upright

E17.600

# Celosia spicata o



■ Celosia spicata

Annual for beddings, pot plant and cutflower

**Sowing:** From February to March.

■ Germination: Between 15 and 18°C, in 1 to 2 weeks.

**■ Growth temperature:** Between 12 and 15°C.

■ Voltz advice:
Space plants well during growth to improve their development.
To sow in long days period.



















Height Habit Pot size Mini.





Genetically compact, no need of growth regulator if pinched once. Short culture period. For pack or pot production.

				<b>1.</b> Mix
00	ball-	10 10	100.050	<b>3.</b> Orange
20 cm	ball- shaped	10-12 cm	100 GFC	5. Purple Red
				7. Yellow

500 GN 8. Feather

Colour	Code	Colour	Code
<b>1.</b> Mix	E18.302E	2. Cherry	E18.301E
<b>3.</b> Orange	E18.303E	4. Pink	E18.306E
5. Purple Red	E18.300E	6. Salmon	E18.305E
7. Yellow	E18.304E		

9. Purple

E18.330

E18.335



Long spikes on sturdy stems. Great variety for use as cut and dried flowers.

**VOLTZ** HORTICULTURE

60-90 cm upright

# Celosia argentea o

- Amaranthaceae
- **■** Celosia argentea
- Seed count/gram: 1200
- Sowing: In March-April, 1 seed/cell.
- **Germination:** At 22-25°C, in 3-7 days.
- **© Growth temperature:** 18-20°C day / 15-16°C night.

### **■** Voltz advice:

To prevent premature flow-ering, keep growing plugs under daylength of 14 hours or longer due to short day flowering response. Don't allow media to dry out.





Height Habit Potsize Mini.

1. Gekko Green E17.495E 25-35 cm upright 15-17 cm 100 GE

2. Lizzard Leaf E17.496E

### 1 > 2 SOL® COLLECTION

Foliage tends to be more green when kept indoors, and it turns to burgundy when the plant is left outdoors for at least 1 to 2 weeks. Fantastic new foliage Celosia with relatively fast production time and no downy mildew issues. Grown for ist sunloving, distinct bicolour foliage.

## Celosia cristata o

- Amaranthaceae
- **■** Celosia cristata
- Annual bedding plant and cut flower
- **Sowing:** From January to April.
- **Germination:** At 20-22°C, in 7 to 14 days.
- **Growth temperature:** Between 15 and 18°C.
- **■** Voltz advice:

Voltz advice:
Seeds germinate with light.
Therefore, do not cover the
seeds. Sow seeds on a light and
draining soil. When production begins, keep soil humid.
Further cultivation under drier



























		Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 ► 3 ARMOR	Large flower heads on dwarf but robust	70 /0		10,5-12 cm	F00.0F0	1. Mixture	E18.2001	<b>2.</b> Red	E18.2061
ARMUR	plants; excellent for sales in packs and pots.	30-40 CM	compact	10,5-12 0111	500 6FC	3. Yellow	E18.2081		
4 MIXED COLOURS	Mix of different colours and flower shapes.	70-80 cm	upright		500 GN		D21.2001B		
5 RED FLAME 🕉	Red flowers and red foliage.	70-80 cm	upright		500 GN		D21.2021B		
6 SCARLET 🕽	Red flowers and green foliage.	70-80 cm	upright		500 GN		D21.2041B		
						<b>7.</b> Mix	D21.8601	8. Carmine	D21.7901
7 > 13	Evention for out flower upo	100			E00 0N	<b>9.</b> Fire Scarlet	D21.8101	<b>10.</b> Gold	D21.8001
CHIEF 👺	Excellent series for cut flower use.	100 cm	upright -		500 GN	11. Persimmon	D21.4001	<b>12.</b> Red	D21.7701
				<b>13.</b> Rose		D21.8301			

### Centaurea candidissima ⊙ •••• •• •

- Asteraceae
- Centaurea candidissima
- Annual for borders
- **■** Seed count/gram:
- **Sowing:** From February to April.
- Germination:
- Growth temperature: Between 15 and 18°C
- **■** Voltz advice: Sunny exhibition or middle shade.



### **MAGIC SILVER**

Fine, silvery grey foliage. Ideal in combinations.

Height	Pot size	Mini.	Code
25 cm	12-15 cm	5 g	E18.450

### Centaurea montana 2 3 3 3 5

- Asteraceae
- Centaurea montana
- Perennial for beddings and cut flowers
- Seed count/gram: 60
- **Sowing:** From April to June.
- Germination:
  At 20°C.
- Growth temperature: Between 15 and 18°C
- Voltz advice: Suitable for chalcy soil



### **MONTANA**

Bushy plant with large flowers. Flowering time: June to August.

Height	Habit	Pot size	Mini.	Code
50 cm	upright	9 cm	5 g	M52.000

## Centaurea cyanus ⊙≥ 🕏

- Asteraceae
- Centaurea cyanus
- Annual for beddings, cut flowers and flower meadows
- Seed count/gram: 200
- Sowing: From the end of January to May or September.
- Germination:

At 15-20°C in 7 to 10 days.

Growth temperature: Between 10 and 15°C.

### ■ Voltz advice:

Can be used as a medicinal plant. Flowers are edible. Crop time spring: 12-15 weeks. Crop time when autumn sowing: 8 months. Plants tolerate temperatures below 0°C.













		Height	Habit	Mini.	Colour	Code	Colour	Code
1 VICTORIA	Early: 10-14 days earlier than Boy Blue.	70 cm	upright	10 g	<b>1.</b> Blue	D23.260		
					<b>2.</b> Mix	D23.160	3. Blue	D23.000
2 ► 7 <sub>BOY</sub>	Many double flowers. For cultflower use, fresh or dry.	80 cm	upright	10 g	4. Blue	D23.000B	5. Pink	D23.040
					6. Red	D23.080	7. White	D23.120

### Centranthus













- Valerianaceae
- Centranthus ruber
- Perennial bedding plant and cut flower
- Seed count/gram:
- Sowing: From March to July.
- Germination:
- **Voltz advice:**Very hardy plant. High resistance to cold weather and to drought. Plants appreciate dry, stony soils. Do not bear humidity at all.





Easy rootage. Flowering time: May to September.

Height	Habit	Mini.	Colour	Code
70 cm			1. Albus	M52.500
	upright	1 g	2. Coccineus	M52.560

### Cerastium







- Caryophyllaeae
- Cerastium tomentosum
- Perennial for rock gardens
- Seed count/gram:
- Sowing: From March to June.
- **Germination:** At 15-18°C.
- Growth temperature: Between 12 and 16°C.



### **TOMENTOSUM** White

White. Compact and floriferous. Grey-green foliage. Flowering time: May to June.

Height	Habit	Pot size	Mini.	Code
15 cm	cushion	9-12 cm	1 a	M53 660

### Cerinthe oss \$





- Boraginaceae
- Cerinthe major
- Annual for flower beds and bouquets
- Seed count/gram:
- Sowing: From March to June. Germination:

■ Growth temperature: Between 15 and 18°C.



KIWI Blue

Purple-blue flowers and silvery-blueish foliage, As cutflower for summer bouquets or in landscape beddings.

Height	Habit	Pot size	Mini.	Code
70 cm	upright	10,5-12 cm	5 g	D23.401

### Cheiranthus o

- Brassicaceae
- Biennial for beddings

Seed count/gram: 500

Sowing: From May to July.

**■ Germination:** At 15-18°C, in 14 to 21 days.

Growth temperature: Between 12 and 15°C.























5 g



1	<b>•</b>	5
SU	GAR	RUSH F1

Best series of wallflower for autumn and spring sales. Sugar Rush F1 doesn't need any vernalization for flowering. The well branched habit and the upper quality of the flowers are the leading points of this variety.

Sugar Rush F1 flowers over a long period and presents excellent cultivation performances thanks to its excellent branching.

10 cm, 25 cm mounded Jumbopack

**1.** Mix M54.225 2. Primrose M54.330 250 GN **3.** Purple M54.332 4. Red M54.334 M54.335 5. Yellow



Beautiful plants for flower beds and landscaping.

**DWARF VARIETIES** 

30-35 cm upright 11-12 cm

**6.** Mix M54.200 **7.** Golden **8.** Orange M54.170 **9.** Primrose M54.174 10. Scarlet M54.180 11. Vulcan M54.165











1	_ F		
•			
RAV	<b>ENE</b>	LLE	HIGH
couleu de vill		3	

Single flowers. For high bedding plantations and use as cut flower.

upright 13-16 cm

M54.100 **2.** Cloth of Gold 1. Mix M54.420 M54.422 **4.** Linnaeus Ivory M54.426 **5.** Scarlet Emperor M54.423

# Chrysanthemum ⊙ **\$**

- Coleostephus multicaulis
  Hymenostemma paludosum
  Chrysanthemum segetum
  Ismelia carinata

- Seed count/gram: C. multicaulis: 500; C. segetum: 400; C. carinatum: 350

**Sowing:**From January to March for early sales; with one or more seeds per cel in 9 cm pots or packs. Direct sowing in April possible.

**■ Germination:** At 12-15°C for a growth in 10-14 days.

**■ Growth temperature:** Between 8 and 10°C.









		Height	Habit	Pot size	Mini.	Code
1 multicaulis GOLDEN GLORY	Spreading habit. Ideal for for small borders.	15 cm	upright	9-11 cm	1 g	E19.500
2 poludosum SNOWLAND™ SELECT	Floriferous; attractive, daisy-like flowers of 3 cm diameter. Excellent bedding plant, well branched.	20-25 cm	upright	10,5-13 cm	500 GN	E19.625
3 segetum ELDORADO	Very floriferous, well branched plant with many intense yellow flowers with dark centre.	50 cm	upright	13-16 cm	5 g	E19.633
4 carinatum SIMPLE MIX	Popular summer cut flower; all colours with distinct ring. Harvesting as soon as flower bud opens.	45-60 cm	upright	-	1 g	D23.700

### 

- Asteraceae
- Senecio cineraria
- Annual or biennial for beddings
- Seed count/gram: 2 000
- Sowing: From January to June.
- **Germination:** At 16-18°C.
- Growth temperature:
- Between 14 and 18°C.

■ Voltz advice:
12 to 14 weeks cultivation period. Cultivation as biennial is possible. Do not fertilize with too high nitrogen level.











		Height	Habit	Pot size	Mini.	Code
1	The anti-angle devices and fine beginning to the con-	20-25 cm	mounded	9-10 cm	1 g	E21.900
SILVER DUST	The reference, dwarf and finely pinnate leaves.	20-25 CIII	mounaea	9-10 CM	1000 GE	E21.900E
2 SILVERADO	Silvery grey foliage on uniform plants. At an early stage Silverado is more green colored, which later turn into silvery grey. Graded seeds for more even germination.	20-25 cm	mounded	packs, 9-10,5 cm	1000 GC	E21.901GC
CIRRUS CONTROL	Round silvery foliage and coarsely pinnate leaves.	25 cm	mounded	9-11 cm	250 GE	E21.890E
4 QUICKSILVER™	Genetically dwarf selection, showing the silvery foliage already in young plant stage.	25-30 cm	bushy	pack-10 cm	1000 GC	E21.902GC
5 CANDICANS	Silvery white, filigran, pinnate foliage.	30-40 cm	mounded	9-10 cm	1 g	E21.895

## Cleome o

- Capparaceae
- Cleome spinosa
- Annual for beddings
- Seed count/gram: 500
- Sowing: From February to April.

■ Germination: At 18°C, in 14 to 20 days.

### **■ Growth temperature:** Between 14 and 16°C.

■ Voltz advice:
3-months growing period. Production
in airy and warm location with high light
conditions. Take care that plants get slowly
adapted to cooler outdoor conditions.





















		Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 \ 0	Optional long day plant critical day					<b>1.</b> Mix	E22.715	2. Blush	E22.711
1 > 6	length 14 hours. More uniform in habit	60-90 cm	upright	11-19 cm	100 GN	<b>3.</b> Lavender	E22.712	4. Purple	E22.717
SPARKLER 2.0 F1	and flowering time than previous Sparkler® series					<b>5.</b> Rose	E22.713	6. White	E22.714
7 HELEN CAMPBELL	Non-stop flowering from July until frost.	100 cm	upright	-	5 g	<b>7.</b> White	E22.534		
2 10	Non-stop flowering from	100			F .	8. Cherry	E22.540	9. Rose	E22.536
8 > 10 QUEEN	July until frost.	100 cm	upright	-	5 g	10. Violet	E22.620		
						Also availabl	e in Mix		F22.660

# Cobaea O \*\*\*\* 🕸 🗓



**■** Cobaea scandens Climbing annual

Seed count/gram: 10


**Sowing:** Direct 4 to 5 seeds per pot, from February to March.

**■ Germination:** At 18°C, in 14 to 20 days.

■ **Growth temperature:** Between 14 and 16°C. Lower to 10 to 15°C before sales.


■ Voltz advice: 2 to 3-months cultivation period. Requires a climbing frame.











# $Coleus \ (Solenostemon \ / \ Plectranthus \ scutellario ides) \ \odot \ \blacksquare \ \blacksquare$

- Lamiaceae
- Annual bedding and pot plant
- **Sowing:** From January to May.
- **Germination:** At 20-22°C, in 14 to 20 days.

### **■ Growth temperature:** Between 14 and 18°C.

■ Voltz advice: Needs high light conditions for a good plant development and for a good leaf coloration. Remove flower spikes in order to keep intense leaf colour.







































		Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
						1. Select Mix	E23.205	2. Coral Sunrise	E23.260
1 ► 9 WIZARD®	Small leaves. Well branched. Good					<b>3.</b> Golden	E23.230	4. Jade	E23.240
	homogeneity between colours. The Select Mix offers an improved colour	30-35 cm	mounded	9-11 cm, pack	500 GN	<b>5.</b> Mosaic	E23.250	6. Rose	E23.290
	range and mix ratio.					<b>7.</b> Scarlet	E23.320	8. Sunset	E23.330
						9. Velvet Red	E23.340		
10 BLACK DRAGON	Beautiful in flower beds. Small blue flowers which appear at the beginning of summer.	35 cm	upright	10,5-12 cm	500 GN		E23.500		
	Mauradad wariaht wall branched babit.					<b>11.</b> Chocolate Covered Cherry	E23.516E	<b>12.</b> Chocolate Mint	E23.510E
11 > 18 PREMIUM SUN	Mounded, upright, well branched habit; medium to small foliage; perfect for full sunny locations. Late flowering and dwarf size are adaptable to pack and pot programs.	35 cm	5 cm upright	10-13 cm	100 GE	<b>13.</b> Crimson Gold	E23.452E	<b>14.</b> Dark Chocolate	E23.512E
						<b>15.</b> Lime	E23.456E	<b>16.</b> Pineapple Surprise	E23.518E
						17. Rose to Lime	E23.458E	<b>18.</b> Watermelon	E23.460E
19 > 23	Very large, serrated foliage on strong					<b>19.</b> Limelight	E23.350	<b>20.</b> Magma	E23.353
	plants. 13 weeks from sowing to matured	35 cm	upright	10,5-13 cm	500 GN	<b>21.</b> Marble	E23.354	<b>22.</b> Palisandra	E23.352
GIANT EXHIBITION	plant.					23. Rustic Red	E23.356		
	•					<b>24.</b> Mix	E23.398E	25. Lime Sprite	E23.388E
24 ► 29 KONG® 🚼	Vigorous upright habit. Extremely	50 cm	upright	12-19 cm	100 GE	<b>26.</b> Mosaic	E23.380E	<b>27.</b> Red	E23.382E
	branching series with huge leaves.					<b>28.</b> Rose	E23.384E	29. Scarlet	E23.386E

## Coreopsis 4 🕸 👺

- Asteraceae
- Coreopsis lanceolata Coreopsis grandiflora
- Perennial for beddings
- Seed count/gram:C. grandiflora: 350-400;C. lanceolata 450

Sowing:
From January to February for summer sales. From July to August for a biennial cultivation and sales in

### **■ Germination:** At 16-18°C.

**■ Growth temperature:** Between 14 and 16°C.

■ Voltz advice: Cut back in autumn to allow plants to recover.













		Height	Habit	Pot size	Mini.	Code
1 grandiflora PRESTO®	First year flowering. Ball-shaped habit. Masses of double yellow flowers, ø 5 cm. The best variety for plug production. Flowering time: June to August.	25 cm	upright	9-11 cm	250 GN	E23.7051
2 grandiflora DOUBLE THE SUN	Extra early variety with semi-double, golden-yellow flowers. In spring 2-3; in summer 1-2 weeks earlier than Early Sunrise.	25 cm	bushy	10,5-12 cm	250 GP	E23.703GP
grandiflora SUNKISS	Large, bright light yellow flowers with distinct, red eye. Flowering time like Early Sunrise.	25 cm	bushy	10,5-12 cm	250 GP	E23.706GP
4 grandiflora EARLY SUNRISE	Double flowers. Deep green lanceolated foliage. Drought-resistant. First year flowering. Flowering time: June to September.	40 cm	upright	10,5-12 cm	250 GP	E23.7001GP
6 grandiflora SUNFIRE	Single flowers. First year flowering. Flowering time: June to September.	60 cm	upright	11-13 cm	250 GP	E23.710GP
5 Ianceolata STERNTALER	Golden yellow with brown circle. Flowering time: June to August.	40 cm	upright	10,5-12 cm	5 g	M58.680

# Coreopsis tinctoria 🔾 🥸

- Asteraceae
- **■** Coreopsis tinctoria Annual for beddings
- Seed count/gram: 3 500
- **Sowing:** From March to May.
- **Germination:** At 16-18°C.
- **Growth temperature:** Between 14 and 16°C.





1	GOLDSTAR

Compact habit. Floriferous.
-----------------------------

**2 ROULETTE** Bicolour Well branched, large flowers all season long. Georgeous colour display!

Height	Habit	Pot size	Mini.	Code
30 cm	mounded	10-12 cm	1 g	E23.600
50-80 cm	hushv	12-13 cm	1 n	F23 605

## $\color{red} Cosmos \ \odot$

- Asteraceae
- **■** Cosmos bipinnatus
- Annual bedding, pot plant and cut-flower plants
- Seed count/gram:

Sowing: In greenhouse from January to April or directly in place from April to May for outdoor cultivation.

- **Germination:** At 18°C, in 8 to 14 days.
- **Growth temperature:** Between 14 and 18°C.

**Voltz advice:** 2-3 months cultivation in 10 to 13 cm pots.

















BIPINNATUS VARIETIES	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
					1. Classic Mix	E24.320	2. Carmine	E24.290
To Sonata		m upright	11 15	15 cm 250 GN	<b>3.</b> Pink	E24.296	4. Pink Blush	E24.298
			11-15 CM		5. Purple Shades	E24.294	6. Red Shades	E24.295
Perfect variety for summer pot sales.					7. White	E24.300		



WANTHOS Unique yellow Cosmos; early flowering with round flowers, single and some with collarette in stunning soft yellow. Nice compact and well-branched plants. Suitable for growing in pots.

50-60 cm upright 13-18 cm 250 GN **8.** Yellow



















	BIPINNATUS VARIETIES TO CUT 🍞	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 ► 2 POPSOCKS ③	Fully double pompon, anemone and single flowers. Suitable for pots.	45-60 cm	upright	13-15 cm	1000 GN	<b>1.</b> Pink	D24.400	2. White	D24.405
3 > 8						3. Mixed	D24.4701	4. Cranberries	D24.4721
		60-80 cm	upright	13-18 cm	13-18 cm 250 GN	<b>5.</b> Pink Bicolour	D24.4781	6. Rose	D24.4741
DOUBLE CLICK	nowers. Attracts bees and butterines.					7. Violet Bicolour	D24.4791	8. White	D24.4761

# $Cosmos \odot \clubsuit$







BIPINNATUS VARIETIES TO CUT 🍞	Height	Habit	Pot size	Mini.	Colour	Code
RUBENZA S  A unique colour for Cosmos, with flowers that open as a dark ruby red, then mature to deep rose. Great visual effect in all plantings, 'Rubenza' is gorgeous in flower beds and borders, and it also works well as a summertime cut flower.	60-80 cm	upright	13-18 cm	5 g	1. Ruby Red	D24.3201
2 ► 3 COSIMO <b>③</b>	70 cm	upriaht	13-18 cm	250 GN	2. Collarette	D24.300
Early flowering Cosmos series in different, very special colour combinations.	, 0 0111	aprignt	10 10 0111	200011	3. Purple Red White	D24.304



	HIGH BIPINNATUS VARIETIES TO CUT 🍱 🥸	Height	Habit	Mini.	Colour	Code
SENSATION CONTRACTOR	Masses of long lasting, daisy-like flowers on strong stems.	90-100 cm	upright	25 g	1. Sensation	E24.400E
2 BLUSH PINK	Greenhouse and outdoor cultivation possible.	110 cm	upright	5 g	2. Blush Pink	D24.480
3 ROSALIE	Pink with dark centre. Strong stems and large flowers.	110 cm	upright	5 g	<b>3.</b> Rose Dark Centre	D24.500
4 SEA SHELLS	Very large flowers, tubular petals.	110 cm	upright	5 g	4. Mixed	E24.390
5 VERSAILLES	Ideal for large flower-beds and as cutflower.	110 cm	upright	5 g	<b>5.</b> Mix	D24.535
6 VIRGO	Large flowers.	110 cm	upright	5 g	6. Pure White	D24.590
7 VULCAN	Red. Large flowers.	110 cm	upright	5 g	<b>7.</b> Red	D24.510
8 ATTRACTION	Strong stems and large flowers.	110 cm	upright	5 g	8. Pink	D24.530

- Asteraceae
- Cosmos sulphureus
- Annual bedding, pot plant and cut-flower plants
- Seed count/gram:
- Sowing:
- In greenhouse from January to April or directly in place from April to May for outdoor
- Germination: At  $18^{\circ}$ C, in 8 to 14 days.
- **Growth temperature:** Between 14 and 18°C.
- **Voltz advice:** 2-3 months cultivation in 10 to 13 cm pots.





















	SULPHUREUS VARIETIES	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 LIMARA	Large flowers. Compact and well- branched. Very floriferous.	20 cm	mounded	10-13 cm	250 GN	1. Lemon	E23.970D		
2 MANDARIN	Deeper Orange colour, better habit and more compact than previous varieties.	20-25 cm	mounded	11-13 cm	250 GN	2. Orange	E23.985		
3 > 6 COSMIC COSMIC	Compact and well-branched. For flower-	30 cm	mounded	9-13 cm	250 GN	<b>3.</b> Mix		4. Orange	
	beds and sales in pots and packs.					<b>5.</b> Red	E23.963D	6. Yellow	E23.962D
7 ► 8 LADYBIRD	Compact and early. Masses of semi-double flowers. Heat-resistant.	30 cm	upright	10-13 cm	5 g	<b>7.</b> Mix	E23.980	8. Scarlet	E23.976
9 FIREWORKS	Mix of yellow and orange shades.	60 cm	upright	13-15 cm	5 g	9. Mixed	D24.580		
10 SULPHUREUS	Freeflowering annual with glowing flowers in golden, orange and red shades. For direct sowing.	60-70 cm	upright	11-13 cm	25 g		D24.580B		

### 

- Asteraceae
- Cosmos atrosanguineus
- Perennial
- Seed count/gram: 110
- **Sowing:** From February to April, 1 seed/cell
- **Germination:** At 20°C, in 10 to 21 days.
- **© Growth temperature:** 21°C day / 18°C night.
- Voltz advice: 2-3 months cultivation in 10 to 13 cm pots.



### **BLACK MAGIC**

First year flowering perennial with pinnate foliage and velvet burgundy blossoms with chocolate fragrance.

		-			
Height	Habit	Pot size	Mini.	Code	
50-60 cm	upright	11-13 cm	100 GN	D2/4 5/40	

# Craspedia o > 4

- Asteraceae
- **©** Craspedia globosa
- Annual for fresh or dry cutflower
- Seed count/
- **gram:** 1 000
- Sowing:
  From January to April.
- Germination: At 16-18°C, in 14 to 20 days.
- Growth temperature:
  Between 15 and 18°C.
- **Voltz advice:** Production from
- March onwards in greenhouse or tunnel. Or planting outdoor in field in May after last frost. Row-spacing: 25-30 cm.



### **DRUMSTICK**

Golden yellow. Ball-shaped flowers. Unique stems without leaves.

Height	Habit	Mini.	Code
60-70 cm	upright	1 g	D24.6001

### Crucianella 28

- Rubiaceae
- Crucianella stylosa
- Perennial for rock gardens
- **Sowing:** From April to June.
- **Germination:** At 18°C.
- Growth temperature: Between 14 and 18°C.



### STYLOSA Purple rose

Purple pink. Half-shady location. Flowering time: June to August.

Height	Habit	Pot size	Mini.	Code
20 cm	ground	9-10,5 cm	500 GN	M60.5001

### Cuphea o

- Lythraceae
- **©** Cuphea ignea **©** Cuphea ramosissima
- Annual bedding plant
- Sowing: From February to April.

■ Germination: In 7-10 days at 21-24°C. Cover seeds lightly. Don't cover the seeds from C. ramosissima. 3-4 seeds per plug.

Fertilization:





1	ignea	DYNAMITE	de ville

Well suited for multiple use, as solo or in mixed containers and baskets, on balcony or in beddings.

Height Mini. Code Habit Pot size 20-25 cm mounded 10,5-13 cm 500 GN E25.005 25-40 cm mounded 10,5-16 cm 250 GN E25.040



A profusion of little flowers cover the delicate leaves all summer long.

## Cyclamen persicum 0

- Primulaceae
- Cyclamen persicum
- Annual pot plant

Sowing: Gradually from December to March.

### Germination:

Seeds must be covered and placed in a dark location, at 18°C. Germination in 20 to 30 days.

### Growth temperature:

Between 12 and 16°C.

### Voltz advice:

24 to 32 weeks growing period depending on variety, growing period and pot size. Do not

transplant too deeply, as tuber could rot. Avoid excessive watering. Plants better develop in an airy soil.

		Height	Plants/m²	Pot size	Crop time	Mini.	Code
METIS® F1 Mix	Early Mini-cyclamen. Long-lasting flowering. Solid and balanced habit.	9-15 cm	25 in 9 cm pots	6-12 cm	25-28 weeks	100 GN	R16.690
LATINIA® F1 Mix	Compact habit and strong floral stems. Latinia bears high temperatures.	20-25 cm	12 to 15 in 12 cm pots	10,5-15 cm	28-30 weeks	100 GN	R16.620
HALIOS® F1 Mix	Vigorous. Very high plant. Good resistance to hard conditions.	20-50 cm	8 to 12 in 14 cm pots	12-16 cm	32-36 weeks	100 GN	R16.674

## Cynara cardunculus • • • •

- Asteraceae
- Cynara cardunculus
- Annual ornamental vegetable
- Seed count/gram:
- Sowing: In April.
- Germination: At 16-18°C, in 8 to 10 days.



### **CARDUNCULUS**

Silvery pinnate and lanceolate foliage.

Height	Habit	Mini.	Colour	Code
100 cm	upright	10 g	Cardon	D25.020

### 









- Asteraceae Cynara scolymus, Globe artichoke
- Annual for beddings
- Seed count/ gram: 15
- Sowing: In February-March.
- Germination: At 18-20°C, growth in 8 to 10 days.
- Growth temperature: Between 12 and 16°C.



### **VIOLET DE PROVENCE**

Large flower heads with violet flowers from July-August. Green foliage. Full sun to half-shady location.

Height	Habit	Mini.	Colour	Code
120 cm	upright	5 g	Violet de Provence	D25.120

## Cyperus 24 😂

- Cyperaceae

- Cyperus alternifolius
  Cyperus glaber
  Cyperus papyrus
  Cyperus zumula
- Perennial grass for pot plants
- Seed count/gram: C. zumula: 5 000; others: 15 000
- Sowing: December to May.
- **Germination :** At 18-20°C.









		Height	Habit	Pot size	Mini.	Code
1 ZUMULA	The true Cat grass! Used for pot sales in pet stores.	15-30 cm	upright	13-15 cm	5 g	G84.2051
2 GLABER GOULDE	Used for its green foliage. Very elegant in combined flower-beds.	50 cm	upright	11-15 cm	500 GN	G84.200KA
3 ALTERNIFOLIUS	Umbrella Papyrus cultivated as ornamental pot plant.	50-70 cm	upright	12-15 cm	0,25 g	R21.000
PAPYRUS CONTROL OF THE PAPPRUS CONTROL OF THE	The true Papyrus from the Nile river delta. Attractive plant with large flower heads, suitable for containers and plantings close to ponds.	50-80 cm	upright	12-16 cm	0,125 g	G84.115

## Dahlia ⊙ **\$**

- Asteraceae
- Dahlia variabilis
- Annual bedding and pot plant
- Seed count/gram:
- Sowing: From February to April.
- **Germination:** At 18-20°C, in 7 to 14 days.
- **Growth temperature:** Between 14 and 16°C.

**Voltz advice:** Crop time: 12 to 15 weeks.



















		Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 PICCOLO	Single-flowering. Compact and early, for packs and sales in pots.	25 cm	mounded	packs, 9-11 cm	5 g	<b>1.</b> Mix	E26.720		
2 AMORE	The best double-flowering variety. Early and homogeneous.	30 cm	upright	9-12 cm	5 g	<b>2.</b> Mix	E25.900		
3 DIABLO	Double flowers. Bronze foliage. Compact habit.	30 cm	upright	9-12 cm	5 g	<b>3.</b> Mix	E26.3001		
4 > 9	Large colour range. Regular and					<b>4.</b> Mix	E26.100	<b>5.</b> Orange Shades	E25.990
	compact habit. High percentage of	30 cm	upright	9-12 cm	250 GN	6. Red Shades	E25.994	7. Violet Shades	E25.996
	double flowers.					8. White	E26.000	9. Yellow Shades	E26.040
10 HARLEQUIN	Attractive variety with bicolour collars.	45 cm	upright	10-12 cm	250 GFC	<b>10.</b> Mix	E26.732GFC		

### Dierama 2 3 4 5

- **■** Iridaceae
- Dierama pulcherimum
- Perennial
- Seed count/gram: 75

■ Sowing: From July to September.

1-2 seeds/cell.

Germination: At 20°C in 10-21 days.

**■ Growth temperature:** 20°C day/ 16° night.

### **PULCHERRIMUM**

Indeciduous, half-hardy perennial for pot production. Requires dry habitat in winter and low humid in summer.

Height	Habit	Pot size	Mini.	Code
130-150 cm	upriaht	9-10,5 cm	250 GN	M71.500



## Delosperma 24 4 4 4 5 7 CEROUND COVER >

- Aizoaceae
- Delosperma cooperi
- Perennial for rock gardens
- Sowing: January-March or July-August.
- Germination:

20-22°C. Light germinator! Do not cover the seeds.

**▼ Voltz advice:**Use well drained, sandy soil.

### **TABLE MOUNTAIN**

Purple-red Mesembrianthemum-like flowers on flat growing plants. Drought tolerant ground cover plant with succulent, fleshy, cylindrical, medium green leaves.

Height	Habit	Pot size	Mini.	Code
10 cm	mounded	9-10 cm	1000 GE	M62.100E



## Delphinium ⊙>> ◆

- Ranunculaceae
- Delphinium consolida
- Annual for cutflower
- Seed count/gram:

Sowing: Direct sowing in field, from February to May or in October-November under shelter.

■ Germination:
At 10-12°C, in 18 to 25
days. Temperatures above 15°C can decrease the germination result.

**■ Growth temperature:** Between 5 and 10°C.

### Voltz advice:

Avoid excessive watering. When growing in greenhouse, ensure good ventilation. Crop period in spring: 2-3 months.























11. Salmon Beauty







Cutflower with filigran foliage and double flowers; for production of fresh or dried flowers.

80-100 cm

Height

5 g

Mini.

Colour **1.** Mix D26.770B D26.772B **3.** Mix D26.720 4. Blue Bell D26.400 **5.** Blue Spire D26.440 **6.** Carmine King **7.** Dazzler D26.520 **8.** Lilac Spire D26.600 9. Pink Perfection D26.580 **10.** Rose

D26.680 **12.** White Spire



Double flowered series for fresh or dry cut flowers. Suitable for outdoor and greenhouse production.

120 cm upright

Habit

# Delphinium 24

- Ranunculaceae

- Delphinium elatumDelphinium cultorumDelphinium grandiflorum
- Perennial bedding plant or cut flower
- Seed count/gram: 600

Sowing: From March to June.

- **Germination:** At 18-21°C in 14-20 days. Dark germinator!
- **Growth temperature:** Between 10 and 12°C.

Voltz advice:
 Avoid excessive watering. Prophylactic treatments recommended against mildew every 2 weeks.







		Height	Habit	Pot size	Mini.	Colour	Code
1 > 2 grandiflorum CHEER F1	This Delphinium grandiflorum proved to flower early, grows uniform and has dwarf spread shape. Blooms with 3 cm		unright	9-10,5 cm	250 GN	1. Blue	M61.2001
coulours de ville	flower diameter appear 120 days after sowing.	34-40 cm	aprignt	3 10,3 0111	230 011	<b>2.</b> Light Blue	M61.2011
3 elatum GUARDIAN F1	Genetically semi-dwarf plants suitable as cut-flower, in containers or flower-beds. Straight and strong stems with dense spikes. Flowering time: July to September.	75-100 cm	upright	3-51pot	100 GN	<b>3.</b> Blue	M64.950
DASANTE F1 / DELPHINITY	Flower spikes very straight. Intense blue flowers with white bee.	70-80 cm	upright	13-16 cm	100 GN	<b>4.</b> Blue	M64.940







Chelle West of the	PROPERTY OF THE PROPERTY OF THE PARTY OF THE	15 A	ALCOHOL:	-		S (2010) 400		THE RESIDENCE OF THE PARTY OF T	
CULTORU	M HIGH VARIETIES TO CUT 🍱	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
	Pacific-type, excellent in flower-beds. Green foliage. Due to its short, strong stems perfect for cut use as well as for large containers. With an early sowing date first year flowering is possible. Flowering time: July to September.		upright	it 3-51pot	500 GN	<b>5.</b> Mix	M64.4001	<b>6.</b> Cherry White Bee	M64.3701
5 \ 14 cultorum  MAGIC FOUNTAINS						<b>7.</b> Dark Blue Dark Bee	M64.2601	8. Dark Blue White Bee	M64.2801
						<b>9.</b> Lavender White Bee	M64.3001	<b>10.</b> Lilac White Bee	M64.3201
						11. Mid Blue White Bee	M64.3501	<b>12.</b> Sky Blue White Bee	M64.3601
						13. White	M64.3401	14. White Dark Bee	M64.3801
15 10	For large flower-beds. Green foliage. Flowering time: July to September.					<b>15.</b> Astolat	M63.400	<b>16.</b> Black Knight	M63.460
15  19  Cultorum PACIFIC GIANT		150 cm	upright	-	1 g	17. Blue Bird	M63.520	<b>18.</b> Galahad	M63.700
						<b>19.</b> King Arthur	M63.820		

## Dianthus barbatus ⊙⊙

- Caryophyllaceae
- Dianthus barbatus
- Annual or biennial for beddings

Seed count/gram: 900

■ Sowing: For annuals from March to April, for biennials from May to June.

**Germination:** At 18-20°C.

**■ Growth temperature:** Between 12 and 15°C.











HIGH VARIETIES TO CUT 🍱





					<b>1.</b> Mix	D27.995E	2. Black Cherry	D27.960E
	5				3. Coral	D27.950E	<b>4.</b> Deep Pink Maxine	D27.979E
1 ► 14 SWEET F1	For cut flower use. Rigid stems. Fragrant				5. Magenta Bicolor	D27.972E	6. Neon Purple	D27.981E
	flowers. For summer and winter production in greenhouse.	50-90 cm	upright	250 GE	<b>7.</b> Pink	D27.974E	8. Pink Magic	D27.976E
	production in greenhouse.				9. Purple	D27.975E	10. Purple White	D27.977E
					<b>11.</b> Red	D27.980E	12. Rose Magic	D27.978E
					13. Scarlet	D27.985E	14. White	D27.990E
15 > 17	For cut flower use. Rigid stems. Fragrant	50 cm	upright	5 q	<b>15.</b> Mix	M67.100	<b>16.</b> Scarlet	M66.920
SPRING CHARM	flowers. For summer and winter production in greenhouse.	50 0111	uprigiit	. 59	<b>17.</b> White	M67.040		
18 AURICULAEFLORA	Mix of colours with blooms with white rim. Flowering time: May to June.	60 cm	upright	5 g	<b>18.</b> Mix	M66.320		
19 SUPER DUPLEX	High percentage of double flowers. Flowering time: May to June.	60 cm	upright	5 g	<b>19.</b> Mix	M66.600		
20 SINGLE COLUMN	True Sweet William with single flowers for cutflower production; in several colours and bicolours.	60-70 cm	upright	10 g	<b>20.</b> Mix	M66.265B		













	COMPACT VARIETIES	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 DIABUNDA® F1	Compact variety, early and uniform in flower. Well branched, attractive plant habit. Uniform flowering, even without vernalization, 12–14 weeks after sowing.	15-20 cm	mounded	10-11 cm	250 GE	<b>1.</b> Mix	M66.520E		
2 BARBARINI®	Compact double-flowering variety suitable for annual production.	20 cm	mounded	9-11 cm	250 GN	<b>2.</b> Mix	M65.460		
3 ► 6 DASH™ F1	Compact and well branching sweet william series does not require PGR.	10.50		17.10	9 cm 250 GE	3. Crimson	M65.506E	<b>4.</b> Magician Plnk	M65.508E
	Flowers without vernalisation. Easy crop for cool cultivation.	40-50 cm	upright	13-19 cm		5. Pink	M65.500E	6. White	M65.504E

## Dianthus chinensis ①

- Caryophyllaceae
- Dianthus chinensis
- Annual for beddings and pot plant
- Sowing:
  From December to April
  for annual cultivation; or in
  September for biennial crop.
- **Germination:** At 16-20°C, in 7 to 14 days.
- **Growth temperature:** Between 12 and 16°C.

Voltz advice:
Grow at high light level and cool conditions. Harden plants before sales.
12-14 weeks crop time for culture without pinching. Pinching improves plant habit but prolongates cultivation time.
Earlier sales possible with additional light 14 hours per day. per day.















Very large blooms on compact plants. Early flowering series with exceptional colours. Can be grown with the 'Super Parfait'-colours.

Height	Habit	Pot size	Mini.	Colour	Code	
				1. Mixed	E30.680	2.
15-20 cm	mounded	9-11 cm	250 GN	3. Blueberry	E30.658	4.
						_

labit	Pot size	Mini.	Colour	Code	Colour	Code
			1. Mixed	E30.680	2. Picotee Mix	E30.684
ounded	9-11 cm	250 GN	3. Blueberry	E30.658	4. Lavender Picotee	E30.676
			5. Loving White	E30.671	6. Scarlet	E30.662

## Dianthus chinensis o



Height

1	<b>•</b>	7	
COL		JETTM	<b>E1</b>

Uniform growing series with extra large flowers;  $_{20\text{-}25\,\mathrm{cm}}$  mounded  $_{11\,\mathrm{cm}}^{\mathrm{packs}}$ 6-8 cm diameter.

500 GF

Pot size

Habit

Colour Code Colour Code **1.** Mix E30.616E **2.** Cherry Red E30.615E **3.** Purple E30.620E 4. Rose E30.611E **5.** Strawberry E30.613E 6. White E30.614E 7. White Purple Eyes E30.622E

## Dianthus hybridus ⊙ ⊙

- Caryophyllaceae
- Dianthus barbatus x chinensis
- Annual or biennial bedding plant

- Sowing: From March-April for annuals, or from May to June for
- Germination:
- **Growth temperature:** Between 12 and 15°C.

■ Voltz advice: The first cross breeding of Dianthus chinensis and Dianthus barbatus resulting in a long-lasting flowering and a good resistance to cold. Grow at cool conditions with as much light as possible.



















**FESTIVAL F1** 







 Tolerant to warm and cold conditions

and autumn

1		11	
FES	STIV	/AL	F1


Early flowering, floriferous, with good winter hardiness and summer heat-tolerance. For high-density production in spring and autumn in packs or pots.

20-25 cm mounded 9-11 cm, pack

Height Habit Pot size Mini.

Colour	Code	Colour	Code
<b>1.</b> Mix	E30.570E	2. Cherry	E30.552E
3. Cherry Picotee	E30.554E	4. Crimson	E30.553E
5. Lilac	E30.555E	6. Purple	E30.562E
<b>7.</b> Red	E30.550E	8. Rose	E30.556E
9. Violet Picotee	E30.564E	<b>10.</b> White	E30.566E
11. White Flame	F30.568F		





		Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 TELSTAR F1	Bushy and ball-shaped habit. Vigorous growth. For packs and beddings.	25-30 cm	mounded	9-11 cm	250 GN	<b>1.</b> Mix	E30.5001		
2 ▶ 5 J0LT F1	A new interspecific Dianthus genetics offering opportunities for additional sales: highly durable, withstands hot Summer conditions	40-50 cm		12-16 cm	100 GE	2. Cherry	D27.932E	<b>3.</b> Pink	D27.934E
colleurs & **	with few disease issues and continues to flower without setting seed. Strong dark green foliage. Ideal for summer sales.		upright	12-10 CIII	100 GE	4. Pink Magic	D27.936E	<b>5.</b> Purple	D27.938E
6 ► 9  ROCKIN'™ F1	Winterhardy, interspecific true perennial with durable performance flowering in vivid colours. Suitable for outdoor	40-60 cm	upright	12-16 cm	100 GE	<b>6.</b> Pink Magic	E30.977E	7. Purple	E30.978E
Sofilours 💸 🦭	production. Grow under high light and cool night temperatures to achieve most intense colours.		ирпупс	12-10 CIII	100 6 5	<b>8.</b> Red	E30.976E	9. Rose	E30.979E
10 > 13	Multi-uses series performs well as a bedding	/F 60		17 10	250.05	<b>10.</b> Neon Cherry	D27.890E	11. Neon Duo	D27.891E
AMAZON F1 👺	plant and for cutflower use. Excellent late-season performance.	45-60 cm	upright	13-16 cm	250 GE	<b>12.</b> Neon Purple	D27.892E	13. Rose Magic	D27.893E

## Dianthus caryophyllus ⊙ ⊙

- Caryophyllaceae
- Dianthus caryophyllus
- Annual or biennial bedding and pot plant and for cut-flower use
- Seed count/gram: 500
- Sowing:
  For annuals in January to April, for biennials from March to June.
- **Germination:** At 18-20°C, in 7 to 14 days.
- **Growth temperature:** Between 12 and 14°C.







		Height	Habit	Pot size	Mini.	Colour	Code
1 LILLIPOT	Double flowers. Genetically compact variety, perfect for sales in pots. Cultivated as an annual it is flowering June-July.	20 cm	upright	10,5-13 cm	100 GN	<b>1.</b> Mix	E29.221
CHABAUD MARTIN	Double fringed flowers. Strong stems. Flowering time: June to October. Cultivated as an annual.	50 cm	upright	-	1 g	<b>2.</b> Mix	E30.022
3 FLORISTANW 🞾	Unmatched flower size. Good vase life. Flowering time: June to July.	70 cm	upright	-	1 g	<b>3.</b> Mix	M67.900

## Dianthus 28

- Caryophyllaceae
- Dianthus deltoides
- Dianthus plumariusDianthus gratianopolitanus
- Perennial for rock gardens
- Sowing: From March to June.
- **Germination:** At 18-20°C.
- **Growth temperature:** Between 10 and 14°C.













1 deltoides BRILLIANT	Beautiful dwarf selection. Flowering time: June to August.	15 cm	mounded	9 cm	1 g	M68.900
2 deltoides WHITE	Excellent plant for borders. Flowering time: June to August.	15 cm	mounded	9 cm	1 g	M69.080
3 deltoides LEUCHTFUNK	Dark foliage. Flowering time: June to August.	20 cm	mounded	9 cm	1 g	M69.200
4 gratianopolitanus ROSE QUARTZ	Sweet scent; long flowering period; easy to produce! First Year Flowering without vernalization!	25-30 cm	mounded ground- covering	10-13 cm	250 GE	M69.320GE
5 plumarius SPRING JOY Mix	Mix of double flowers; very floriferous. Flowering time: May to July.	40 cm	upright	9-15 cm	1 g	M70.200

## Dichondra O WWW OFF

- **■** Convolvulaceae
- Dichondra sericeDichondra repens
- Annual for hanging baskets and ground-cover

■ Sowing: From December to March. Cover seed lightly.

- **Germination:** At 20-24°C in 5-10 days.
- **Growth temperature:** Between 16 and 18°C.





		Height	Habit	Pot size	Mini.	Code
1 EMERALD FALLS	Small green round leaves. Vigorous plant. Trailing habit for 12 cm pots, window boxes and hanging baskets. Ramifications until 90 cm. Multi-pelleted seeds.	10 cm	trailing	10-12 cm, baskets	100 GE	E31.191E
2 SILVER FALLS	Small silvery round leaves. Same characteristics as Emerald Falls. Ramifications: from 90 to 120 cm.	10 cm	trailing	10-12 cm, baskets	100 GN	E31.190

# Digitalis ⊕ 4 🕏 🦻

- Digitalis purpurea
  Digitalis x mertonensis
  Digitalis grandiflora
- Perennial or biennial bedding plant and cut flower
- Seed count/gram: 10 000

■ Sowing:
From January to February for the varieties flowering from the first year or from April to July for the perennial varieties.

■ Germination: At 20°C in 8-14 days.

**■ Growth temperature:** Between 14 and 18°C.

















		Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
	DWARF VARIETY								
1 > 4 grandiflora DALMATIAN	First year flowering. Early and uniform series with attractive colours.	40-50 cm	upriaht	15 cm	250 GE	<b>1.</b> Mix	M73.436E	2. Peach	M73.430E
grandifiora DALITATIAN	Flowering time: May to July.		aprigit 2-31pots	20002	<b>3.</b> Purple	M73.432E	4. White	M73.434E	
	HIGH VARIETIES								
5 MERTONENSIS	Unique strawberry colour. Flowering time: May to June.	80 cm	upright	9-10 cm or 2-3   pots	500 GN		M72.9001		
6 purpurea FOXY	Sowing from January for flowered plants in May. Flowering time: June to July.	100 cm	upright	9-10 cm or 2-3   pots	1 g	<b>6.</b> Mix	M73.100		
7 purpurea ALBA	Large flowers. Flowering time: June to July.	120 cm	upright	9-10 cm or 2-3   pots	500 GN		M73.2801		
8 purpurea SUTTONS APRICOT	Unique colour. Flowering time: June to July.	120 cm	upright	9-10 cm or 2-3   pots	500 GN		M73.3601		

### Dodecatheon 2 \*\*\* \* \*



- Primulaceae
- Dodecatheon meadia
- Perennial
- Seed count/gram: 2 300

■ Sowing: From mid-June to the end of July. 1 seed/cell.

- **Germination:** 22°C day/16°C night.
- **© Growth temperature:** 14°C day/10°C night.



### **DFI UXF** Mix

Eye-catching, cyclamen-like Flowers; plant diminishes in summer.

Height	Habit	Pot size	Mini.	Code
40-50 m	upright	9-12 cm	250 GP	M74.505GP

### Dolichos O W & D

- Dolichos lablab
- Climbing annual
- Seed count/gram:

■ Sowing: Sowing in pot or pack, from March to May. Direct sowing in bed: May.

■ Germination: At 18-20°C.

**■ Growth temperature:** Between 14 and 18°C.



### **RUBY MOON**

Purple foliage, purple flower, very ornamental. Flowering time: May to September.

Height	Habit	Pot size	Mini.	Code
300 cm	climbing	13-21 cm	10 g	E31.210

### Doronicum 4 \*\*\*\* 🕸 💱

- Asteraceae
- Doronicum orientale (caucasicum)
- Perennial bedding
- and pot plant Sowing:
- From February to May for nor-mal cultivation; in July for forced cultivation with sales for next spring.
- Germination:
- Growth temperature:
- Between 8 and 15°C. Voltz advice:

Compact Doronicum are easy to force (8-12°C for a flowering in March).



### Dorotheanthus oss



- Dorotheanthus criniflorus
- Annual bedding plant
- Seed count/gram: 3 000
- Sowing: From March to April. 3-5 seeds/plug
- Germination: At 18-20°C, in 14 to 20 days.
- Growth temperature: Between 10 and 12°C.
- Voltz advice: Growing period: 2 to 3 months. Needs a sunny location. Avoid excessive watering and too strong humidity, particularly at lower

temperatures.



### LITTLE LEO

Compact plant for sales in pots. Possible to force for a flowering in March. Flowering time: April to June.

Height	Habit	Pot size	Mini.	Code
30 cm	upright	10-13 cm	250 GN	M75.270

### **CRINIFLORUS** Mix

Large colour range. Ground-cover plant.

Height	Habit	Pot size	Mini.	Code
10 cm	mounded	9-11 cm	5 g	E46.000

### Dracaena o \*\*\*\* 4

- Agavaceae Cordyline indivisa
- Annual green

plant

- Seed count/ gram: 3 000
- Sowing: Sowing all year long according to production objec-
- At 20-24°C, in 20 to 30 days.
- Growth temperature: Between 18 and 20°C.
- Voltz advice: Protect from frost in winter. Container cultiva-
- tion is possible for bigger, high-qual-ity products. Beware of watering excess.



### **INDIVISA AUSTRALIS**

Green. Long and straight leaves.

Height	Habit	Pot size	Mini.	Code
60 cm	upright	16-19 cm	5 g	R15.040

### Echeveria O IIII 4 Q III

- Crassulaceae Echeveria peacockii
- Annual for plantings
- Sowing: From February to April.
- Germination: At 20-22°C, in 10 to
- Growth temperature: Between 8 and 10°C.
- Voltz advice: 7-months arowth to obtain clods. Avoid excessive watering and air humidity



Very slow growing succulent pot plant for indoors, but also for outdoor use such as grave yards, rock gardens and succulent gardens.

Height	Pot size	Mini.	Code
20 cm	6-8 cm; pack	250 GN	E31.498

## 







# The first F1 Echinacea single color collection from seed

- Echinacea purpurea Echinacea simulata
- Perennial bedding plant
- Seed count/gram: 300

Sowing:
Sowing from March to June.
For annual crop, sow
PowWow® in January, which
results in flowering end
of June. We recommend
a biennial cycle with a
sowing in July-August of the
previous year.

■ Germination: In 4 to 5 days, at 21-24°C. E. simulata: 8-14 days at 20°C.

**■ Growth temperature:** Between 14 and 16°C.

● Voltz advice:
Melliferous, attracts bees.
A biennial culture-cycle
for PowWow® will allow to
obtain an earlier flowering
with better branched plants.





### POWWOW®

- Very floriferous from the first year
- Excellent homogeneity between colours (habit and flowering)
- Excellent presentation and performance on sales location
- Drought resistant















		Height	Habit	Pot size	Mini.	Colour	Code
1 ► 2 ARTISAN®	The first F1 Echinacea single color collection from seed. Uniform plant habit and exceptional flower quality, long	30-60 cm	upright	11-13 cm	100 GN	1. Red Ombre	M76.661
	flowering period.					2. Soft Orange	M76.662
3 > 4	More flowers per plant than standard types, in both first and second year. Well-matched habit and flowering of the					3. White	M76.652
POWWOW <sup>®</sup>	different colours. Easy to grow; ideal for large pots and containers. Great looking plants at retail. Tolerates drought and heat. Flowering time: July to September.	40-60 cm	upright	13-17 cm	100 GN	4. Wild Berry	M76.650
5 POLLYNATION®	Very early first year flowering, well branching Echinacea with large flowers in striking colours.	60-65 cm	upright	11-13 cm	100 GP	<b>5.</b> Mix	M76.790GP
6 CHEYENNE SPIRIT	Vivid colour mix of a first year flowering Echinacea. Remarkably good plant habit and flower quality for a first year perennial.	60-80 cm	upright	13-17 cm	50 GN		M76.660
7 DOUBLEDECKER	Very unique double, two-tiered flowers with long, reflexed petals.	80-110 cm	upright	11-13 cm	100 GP		M76.710GP
8 GREEN TWISTER	Horizontally growing, green petals with distinct carminered ring, floriferous.	90-100 cm	upright	9-12 cm	250 GN		M76.7151
9 PURPUREA 🕽 🗷	Originate purple coneflower; produced also for medical	90-100 cm	upright	9-12 cm	5 g		M76.700B

## Echinacea 4 \*\*\*\* 🗳 🦻 🐵









		Height	Habit	Pot size	Mini.	Code
1 CARMINE ROSE 🞾	Common garden plant. Flowering time: July to September.	100 cm	upright	9 cm square 11-13 cm	5 g	M76.700
2 MAGNUS 🕽	The best for bedding use. Large flowers and hardy stems. Flowering time: July to September.	100 cm	upright	9 cm square 11-13 cm	1 g	M76.760
3 WHITE SWAN 3	Pure white with orange-green heart. Flowering time: July to September.	100 cm	upright	9 cm square 11-13 cm	250 GN	M76.7801
4 SIMULATA	Petals pendulous like E. Pallida, but lighter color of flower, with yellow pollen.	60-80 cm	upright	9 cm square 11-13 cm	250 GP	M76.890GP



- Asteraceae
- Echinops bannaticus Echinops ritro
- Perennial for cut flower
- Seed count/gram:
- **Sowing:** From February to June.

**Germination:** At 18-20°C.

**■ Growth temperature:** Between 16 and 18°C.

■ Voltz advice: Prefers soft soils, warm and full sun location.





		Height	Habit	Pot size	Mini.	Colour	Code
1 bannaticus BLUE GLOBE	More dwarf and smaller flowers than Ritro, but more elegant. Flowering time: July to September.	100 cm	upright	9 cm square 11-13 cm	5 g	<b>1.</b> Blue Globe	M76.900
2 RITRO	For cut and dried flowers. Flowering time: July to September.	120 cm	upright	9 cm square 11-13 cm	5 g	2. Violet Blue	M77.000

# Erigeron 2 \*\*\*\* 💝

Asteraceae Erigeron aurantiacus Perennial

bedding plant Sowing:
From March to
June.
Sow several seeds ■ Germination: At 18°C.

Growth temperature: Between 14 and 16°C.

■ Voltz advice: Prefers well-drained soils. Keep moderate



### **ORANGE**

per cell.

Flowers comparable with the blooms of an aster, for borders. Flowering time: June to August.

Height	Habit	Pot size	Mini.	Code
40 cm	upright	9-10 cm	250 GN	M79.8001

## Erigeron O \*\*\*\* (\*) (\*)

Asteraceae Erigeron karvinskianus

Perennial cultivated as an annual bedding plant and hanging basket

Sowing: Sowing in cells, from January to March.

**Germination:** At 16-18°C.

**■** Growth temperature: 3 to 4 months culti-vation at 15°C.

■ Voltz advice: Particularity: on the same plant, flowers of different colours appear: white, light and deep pink.



### **PROFUSION**

White-rose. Small chrysanthemum-type single flower. Green foliage.

Height	Habit	Pot size	Mini.	Code
25 cm		9-11 cm	500 GN	E31.5001
25 CIII	cushion	9-11 CM	500 GE	E31.500E

## 

- **■** Geraniaceae
- Erodium manescavi
- Perennial
- **■** Seed count/gram:

- Sowing: From February to March. 2 seeds/cell.
- Germination:
- At 20°C in 4-6 weeks.
- **Growth temperature:** 18°C day / 14°C night.

### **MANESCAVI**

First year flowering perennial; prefers sunny places.

Height	Habit	Pot size	Mini.	Code
40-45 cm	mounded	9 cm square 11-13 cm	100 GP	M90.800GP



# 









- Apiaceae
- Eryngium alpinum
  Eryngium planum
- Perennial bedding plant

**Sowing:** E. alpinum: from August to November. Needs a period of 15°C for its vernalization. E. Glitter: January-February, for a summer flowering in the same year or from July to August f or a flowering the next spring.

- **Germination:** E. alpinum : 4°C during 6 weeks, then 20°C. E. Glitter: 20°C
- Growth temperature:







Vigorous and floriferous plant. Flowering time: June to

Height Habit Pot size Mini. Code 80 cm upright 9 cm 250 GN M82.7001



Silvery-blue foliage. Long-lasting in vase. First year flowering. Flowering time: July to October.

2. Blue M83.110 100 GN 95 cm upright 9 cm 3. White M83.112



## Eschscholzia ⊙ > ● ●

- Eschscholzia californica
- Annual bedding plant
- Seed count/gram:
- Sowing: Direct sowing in pots or in place, in April-May.
- Germination: At 16-18°C.







1	ROSE	СНІ	FFON

2 > 3 CALIFORNICA

Large, semi-double flowers; sublimely shaded in Rose and Pink.Silver-blue foliage.

Californian Poppy flowering all season long; overwinters in

20-25 cm 1.000 GN E31.891 semi-upright 2. Orange E31.895B upright / semi-creeping 40 cm 5 g

Mini.

Habit

Height

Colour

Code

# **Erysimum** ⊙ **\*\*\* \$**

- Brassicaceae
- Erysimum x allioniiErysimum hieracifoliumErysimum linifolium
- Biennial bedding plant
- Seed count/gram: 500

Sowing: From June to September.

**■ Germination:** At 18-20°C, in 10 to 14 days.

### **■ Growth temperature:** Between 12 and 15°C.

E. Citrona is flowering in autumn the same year, 12 to 13 weeks after sowing.











1 > 2 allionii QUEEN
3 LINIFOLIUM (Little Kiss
4 > 5

hieracifolium  $CITRONA^{\circ}$ 

Very floriferous biennial. Flowering time: April to June.
Divergent habit with small flow

Lilac) Flowering time: March to June.

Flowers in autumn. Very floriferous. Well-branched. Bright colours. Flowering time: March to June.

	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
	30 cm	upright	9-11 cm	5 g	<b>1.</b> Orange	M83.300	2. Yellow	M83.600
	30 cm	upright	9-11 cm	1000 GN	3. Lilac	M83.5201		
_								

4. Orange

M83.660 **5.** Yellow

M83.661

100 GN

# **Eucalyptus** o

- Myrtaceae
- **■** Eucalyptus gunii
- Annual for cut-flower use
- Seed count/gram: 2 000

Sowing: From January to March, or year-round production.

**■ Germination:** At 22°C, in 14 to 20 days. Germinates with light. Do

### **■ Growth temperature:** Between 16 and 18°C.





Also suitable with 3 plants in 13 cm pot. Height Pot size Mini. Code 120 cm 9-11 cm 0,25 g M83.800

### Exacum o

- Gentianaceae
- Exacum affine
- Annual pot plant
- Sowing: From December to May.
- Germination: At 20°C, in 14 to 20 days.
- **© Growth temperature:** 14-16°C.

25-30 cm upright

10-12 cm

**■** Voltz advice:

Growing period: 5 months.









Height	Habit	Pot size	Mini.	Colour	Code	
				<b>1.</b> Deep Blue	R23.986E	
20 cm	mounded	8-11 cm	8-11 cm 25	250 GE	2. Deep Rose	R23.988E
				3. White	R23.990E	

## **Euphorbia** 0

Euphorbiaceae

Euphorbia marginata
 Euphorbia graminea

Annual bedding plant and cut flower

Outdoor sowing from April to May or under shelter in February

**■ Germination:** At 18-20°C, in 10-15

**■ Growth temperature:** Between 15 and 18°C.

Voltz advice:

Immerse the stems in hot water immediately after harvest for stop ping the flow of latex.







graminea GLITZ F1 🧆

Offering same performance than cutting raised varieties. Easy to grow without pinching!

Height Habit  $25-35\,\mathrm{cm}$  mounded  $10-13\,\mathrm{cm}$ 100 GN E31.930

araminea GLAMOUR F1 IMP.



Easy and cost-saving crop - no pinching required! A high value product for different pot sizes and baskets. The good basal branching and open habit is offering a nice structure in mixed containers.

35-60 cm mounded 10-13 cm 100 GN



White and blue-grey-green variegated foliage. Uniform growth, also very suitable for use as cutflower.

upright 9-10 cm

500 GN D28.405

## Euphorbia 4 \*\*\*\* 💗

Euphorbiaceae

- E. myrsinites E. polychroma E. wulfenii E. lathyris

Perennial for beddings


Seed count/gram:

90 E. myrsinites; 250 E. polychroma; 20 E. lathyris.

Sowing: From January to May.

**■ Germination:** At 16-18°C after a cold period of 5°C.

■ Growth temperature: Between 14 and 16°C.









		Height	Habit	Pot size	Mini.	Code
1 MYRSINITES &	Blue-green foliage. Flowering time: April to June.	20 cm	mounded	9 cm	1 g	M84.760
POLYCHROMA 🥾	Large yellow bracts. Flowering time: May to June.	40 cm	mounded	9 cm	1 g	M84.800
3 LATHYRIS	Yellow-green, decorative, crosswise arranged foliage. Also used as perennial.	90 cm	upright	9 cm square pot	5 g	M84.750
4 characias WULFENII 🦺	Yellow, large blossom stalks.	120 cm	upright	9 cm square pot	100 GP	M84.705GP

### Freesia os s







Freesia refracta

Biennial for cutflower use

Seed count/gram:

Sowing: From March to April.

**Germination:** At 20-25°C.

**■ Growth temperature:** Between 14 and 16 °C.

Voltz advice:
Cultivation period nearly
8 months from sowing to
flowering. Culture under
shelter. Excellent behaviour in vase.



### **IMPERIAL TETRA** Mix

Mix of colours. Good flower quality for small bouquets.

Height	Habit	Pot size	Mini.	Code
50 cm	upright	11-13 cm	1 a	D31.890

## Foeniculum o .... • \*



Ornamental herb for beddings

Perennial cultivated as an annual

Seed count/gram: 350

■ Sowing: From January to March. Outdoor sowing: May.

**■ Germination:** At 15-20°C, in 10-14 days.





		Height	Habit	Pot size	Mini.	Code
1 BRONZE	Yellow flowers. Purple foliage. Ornamental herb, not forming bulbs. Use as solitaire or in bedding background.	100 cm	upright	10-13 cm	1 g	T39.020
2 DULCE	Yellow flowers. Green foliage. Ornamental herb not forming bulbs. Use as solitaire or in bedding background.	100 cm	upright	10-13 cm	1 g	T39.010

## Gaillardia 4 \*\*\*\* 🕸 👺

■ Gaillardia aristata ■ Gaillardia grandiflora

Perennial bedding plant and cut flower

Seed count/gram: 350

Sowing:
 From January to February for annual production.
 From June to September for biennial production.

**Germination:** At 16-20°C.

**■ Growth temperature:** Between 14 and 16°C.

















		Height	Habit	Pot size	Mini.	Colour	Code
	Uniform and early. Gives masses of ø 10 cm flowers.					1. Apricot	M86.622GFC
1 > 3 grandiflora ARIZONA	Long flowering period. Early flowering from the first year. Heat-resistant. To cultivate as an annual, in ø 11 to 19 cm	30-35 cm	upright	11-16 cm	250 GN	2. Red Shades	M86.625GFC
granamora	pots. Flowering time: May to July.					<b>3.</b> Sun	M86.620GFC
4 grandiflora MESATM F1	Perennial cultivated as an annual, flowering from the first year. Very floriferous, well branched. Early flowering. Very contrastful colour. Very uniform series. Flowering time: May to October.	35-40 cm	upright	11-16 cm	100 GN	<b>4.</b> Yellow	M86.630
5 aristata KOBOLD	ø 5 cm flowers. Greyish-green lanceolated foliage. Drought resistant. To cultivate in ø 11 to 16 cm pots. Flowering time: June to July.	35 cm	upright	11-16 cm	5 g	<b>5.</b> Red & Yellow	M86.600KA
6 aristata AUREA	Large, clear yellow flowers. Flowering time: May to June.	60 cm	upright	12-19 cm	5 g	<b>6.</b> Golden Yellow	M86.200KA
7 aristata BURGUNDER	Large flowers. Bright red petals, red stamen, small yellow centre. Flowers May-June.	60 cm	upright	12-19 cm	5 g	7. Wine Red	M86.400KA
8 aristata TORCH	Large flower diameter. Yellow petals with red inner ring. Flowers May to June.	60 cm	upright	12-19 cm	5 g	8. Red & Yellow	M86.250KA

## Gaillardia o \*\*\*\* \$

Asteraceae **■** Gaillardia pulchella Annual bedding and pot plant

Seed count/gram: 500

Sowing: From March to May.

■ Germination: At 15-16°C.

**■ Growth temperature:** Between 14 and 16°C.

1 ► 2 PLUME

Double flowers. Compact and floriferous.

Height	Habit	Pot size	Mini.	Colour	Code
0.5		10.15		<b>1.</b> Red	E32.100
25 cm	upright	12-15 cm	1 g	2. Yellow	E32.106





Onagraceae

**■** Gaura lindheimeri

Perennial for beddings

Seed count/gram:

Sowing: In January for sales May/ June; or July to September for sales the following year.

Germination:

**© Growth temperature:** 15°C.

■ Voltz advice: Can be cultivated as an annual.





1 SPARKLE White

Excellent branching, very uniform, very early in full bloom. First year flowering.

Height Habit Pot size Mini. Code 60-70 cm upright 100 GN M87.905 M87.800 80 cm upright 13 cm 1 g

2 LINDHEIMERI

White-rose. Used as an annual, very attractive in beddings centres. Flowering timé: July to October.

## Geranium 4 \*\*\*\* 💝

- **■** Geraniaceae
- Geranium sanguineum
  Geranium pratense
- Perennial bedding plant

Sowing:
From March to June for rom March to June for sales in autumn. From June to August for sales in pots flowering next spring. Use 2 to 3 seeds per pot. We offer primed seeds for faster and more uniform germination.

- Germination:
- In 14 days at 18-20°C.
- **Growth temperature:** 12 to 15°C in greenhouse. 3 to 5°C under shelter, frost free.

■ Voltz advice: Vernalization is highly recommended to ensure flower initiation.









		Height	Habit	Pot size	Mini.	Code
1 > 2	Compact plant with large flowers. Pot 1 plant in a 11-13 cm pot,	30-40 cm		11 17	100.00	<b>1.</b> Hellrosa M90.601GP
Compact plant with large flowers. Pot 1 plant in a 11-13 cm pot, or 3 plants in a 15-19 cm pot.w Flowering time: May to September.	3U-4U CM	cushion	11-13 cm	100 GP	<b>2.</b> Violet M90.600GP	
3 pratense DARK REITER	Red plumlike coloured foliage; compact habit.	25-30 cm	cushion	11-13 cm	100 GP	M90.505GP
4 pratense BLUE	Continiously flowering; large flowers.	50 cm	cushion	11-13 cm	100 GP	M90.500GP
5 pratense STRIATUM	White flowers with blue spots and stripes.	50 cm	cushion	11-13 cm	100 GP	M90.604GP

## Gazania ∘ • •

- Asteraceae
- Gazania rigens
- Annual bedding and pot plant

■ Sowing: From January to February for flowering in May. Cover slightly the seeds.

### **■ Germination:** At 18-20°C, in 7-14 days.

## ■ **Growth temperature:**Between 18 and 20°C by day. Between 16-18°C at night.

■ Voltz advice: 3 to 5 months cultivation period. Crop time can be influenced by light levels.























Larger flowers and shorter peduncles than previous varieties. Bred to make a more compact and bulkier plant with bigger flowers, New Day is also easier to produce for growers and offers better retail holdability. Excellent performance in landscapes, containers and baskets. For packs and pots. 'New Day' is not suitable for overwinter production in low light level areas like North Europe. Grown in areas with low light levels or during period of low light intensities, the crop time can be longer.

Height	Habit	Pot size	Mini.	Colour	Code
				1. Bronze Shades	E32.660GFC
				2. Clear Orange	E32.662GFC
				3. Pink Shades	E32.663GFC
	upright	pack,		4. Red Shades	E32.661GFC
				5. Red Stripe	E32.666GFC
20 cm		10-12 cm	250 GFC	6. Rose Stripe	E32.664GFC
				7. White 8. Yellow Imp.	7. White
					8. Yellow Imp.
				9. Tiger Mix	E32.672GFC
				10. Total Mixed	E32.670GFC































Mini.

Colour

1. Flame Mix



1	<b></b>	4					
FROSTY							
KIS	S F	1					

Silvery foliage. Large flower. Naturally compact. No need of growth regulator. Good tolerance to warm and dry conditions. Flowers are opening even in low light 12. It is a property of the conditions of th are opening even in low light conditions.

250 GN

Habit Pot size

Colour Code Code E32.345 2. Total Mix E32.352

**5** ▶ 9 **BIG KISS F1**  Huge blooms held high above the foliage; love the heat. Full bushy plants fill containers quickly.

20-30 cm upright 11-14 cm

Height

**4.** Red 3. Orange Flame E32.341 E32.343 E32.512 E32.510 5. Flame Mix 6. Total Mix 100 GN **7.** Orange Flame E32.503 8. White Flame E32.500 9. Yellow Flame E32.502 10. Total Mix E32.320 11. Clear Orange E32.322 E32.324 12. Clear Vanilla 13. Clear Yellow E32.326 250 GN **14.** Orange with Ring E32.332 15. Red with Ring E32.328 E32.330 16. Yelllow with Ring



Very large flower size, improved plant habit, dark green foliage, strong, sturdy stems.

20-30 cm upright 10,5-13 cm

E32.320GFC 11. Clear Orange 10. Total Mix E32.322GFC **12.** Clear Vanilla E32.324GFC 13. Clear Yellow E32.326GFC 250 GFC 14. Orange with Ring E32.332GFC 15. Red with Ring E32.328GFC 16. Yelllow with Ring E32.330GFC

### Gerbera o

- Asteraceae
- Gerbera jamesonii
- Annual pot plant
- **Sowing:** From January to May.

**■ Germination:** At 20-22°C, in 14-20 days

Light germinator! Do not

Growth temperature:

■ Voltz advice: 4 to 5-months growing period. Germinates with

### FESTIVAL F1 Total Mix

Early and uniform flowering window. The mix contains colours with green centre and with dark centre.

Height	Habit	Pot size	Mini.	Code
30 cm	upright	10,5-15 cm	100 GFC	R31.400GF



### Geum 4 sur 🕸 🦻







- Geum coccineum
  Geum hybridum
- Perennial bedding plant and cutflower
- Seed count/gram:

**Sowing:** In groups, from February to June.

**Germination:** At 18-20°C.

**■ Growth temperature:** Between 15 and 18°C.







		Height	Habit	Pot size	Mini.	Code
1 coccineum KOI	Very bright, intense orange flowers on short stems flowering from May to July. Well shaped with small, shiny leaves 'Koi' is the most compact alternative.	20 cm	upright	9-11 cm	250 GP	M91.050GP
2 hybridum LADY STRATHEDEN	Double flowers. For cut-flower use and bedding. Flowering time: May to July.	50 cm	upright	12-15 cm	1 g	M91.200
3 hybridum MRS BRADSHAW Fireball	Double flowers. For cut-flower use and bedding. Bright red flowers. Flowering time: May to July.	50 cm	upright	12-15 cm	1 g	M91.100

## Godetia ⊙∞ 🕸

- Onagraceae
- Clarkia amoena
- Annual pot plant or cut flower use
- Sowing: From January to April. Outside, from February to March for flowering at July to August.
- Germination:
- At 18°C, in 10 days. Dark germinator.
- Growth temperature:



### **GRACE F1** Mix

Cutflower with large, unusual blooms. Year round production possible; good vase life.

Height	Habit	Mini.	Code
75.cm	upright	250 GN	D32 2/40

## Gossypium 23

- Malvaceae
- Gossypium herbaceum
- Annual pot plant



### **HERBACEUM**

Fast growing, slightly branching Cotton-Plant belonging to the same family than Hibiscus. This thermophilic genus is used as pot plant, and in warmer regions also as cutflower. Trilobate foliage.

Height	Habit	Pot size	Mini.	Code
60-80 cm	upright	10-12 cm	5 g	E24.500

# Gomphrena ∘ ❖

- **■** Onagraceae
- Gomphrena globosa Gomphrena haageana
- Annual bedding and pot plant and dry flower
- Sowing: From March to May.
- **Germination:** At 18-20°C, in 14-21 days.
- **Growth temperature:** Between 15 and 17°C (not below 10°C).

Voltz advice:
2 to 3 months cultivation
period. Avoid excessive
humidity. Grow at good
ventilated and not too hot
conditions. Plant distance:
20-25 plants/m².







	DWARF VARIETY	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 > 3 globosa BUDDY	Compact variety for pack- and potsales and	15		0.11	500 ON	1. Purple	R38.0001KA	2. Rose	R38.0401KA
globosa BUDDY	Compact variety for pack- and potsales and use in beds. Easy to cultivate if late sowing.	15 CM	mounaea	9-II cm	500 GN	3. White	R38.2001KA		















	MEDIUM TO HIGH VARIETIES	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 > 4	Series composed of 3 very attractive colours.			10.17	050011	<b>1.</b> Mix	D33.208	<b>2.</b> Pink	D33.200
globosa LAS VEGAS	Good drought-resistance. Attracts butterflies.	45 CM	45 cm upright		250 GN	3. Purple	D33.202	4. White	D33.204
globosa FIREWORKS	Upright habit. Vigorous variety with bright rose flowers. More floriferous than other varieties from the same type. Good drought-tolerance. For use as solitaire in beddings as well as cutflower.	120 cm	upright	13-16 cm	100 GFC		D33.250GFC		
6 > 8 haageana QIS	Very large flowers of 5 cm. Series with high					6. Carmine	D33.3101	<b>7.</b> Orange	D33.3001
couleurs Des	performance.	60 cm	upright	10-13 cm	250 GN	<b>8.</b> Red	D33.3201		



# Grasses

## Agrostis o

- Poaceae
- Agrostis nebulosa
- Annual grass
- Seed count/gram: 10 000

- Sowing: Sowing in nursery or in place, in September.
- **Germination:** At 10-12 °C.



### **NEBULOSA**

Bronze foliage. Well-branched. Very fine spikes adding ornamental value.

Height	Habit	Pot size	Mini.	Code
30 cm	upright	10-12 cm	5 g	G80.000

## Briza o

- Poaceae
- Briza maxima
- Annual grass
- Seed count/gram:
- Sowing: Sowing in greenhouse or in place, in March-April or in September.
- **Germination:** At 10-12 °C.



### **AMOURETTE**

Pinecone-shaped hanging inflorescences. Clean seeds.

Height	Habit	Pot size	Mini.	Code
40 cm	upright	10-12 cm	5 g	G80.600

## Carex 4 WW 4 8 Q 33

- Cyperaceae
- Carex buchananii
  Carex comans
  Carex flagellifera
  Carex species
  Carex testacea

- Perennial grass
- Seed count/gram: C. buchananii and C. comans: 1400; C. flagellifera: 1500; C. testacea: 1000
- Sowing: From January to April.
- **Germination:** At 18-20°C.
- Kulturdauer: Croptime young plant: 6-7 weeks. Croptime potting to sales: 8-9 weeks. Choice of varieties for summer-, autumn- and winter sales.













		Height	Habit	Pot size	Mini.	Code
buchananii RED ROOSTER	Red-Bronze foliage with upright spiky habit and curled tips.	60 cm	upright	12-16 cm	0.5 g	G82.9931
2 comans AMAZON MIST	Fine silvery-green foliage, semi-trailing. Twisting tips and arching habit.	25 cm	semi-trailing	11-13 cm	0.5 g	G82.9941
3 comans BRONCO	Fine brown-bronze foliage, semi-trailing to mounded habit.	35-40 cm	mounded	11-13 cm	0.5 g	G82.9971
4 flagellifera BRONZITA	Fine red-bronze foliage, semi-trailing.	30-40 cm	semi-trailing	11-13 cm	0.5 g	G82.986
5 species FROSTED CURLS	Dignified subtile, silver green, upright, slightly contorted foliage.	25-35 cm	upright	12-19 cm	250 GN	G83.070
6 tostacoa PRAIRIE FIRE	Green and bronze foliage, with mounded to upright habit.	40 cm	mounded	11-13 cm	0.5 g	G82.978



## Calamagrostis 25

- Poaceae
- Calamagrostis brachytrida
- Perennial grass

■ Sowing: From November to March. Sow 3 to 4 seeds per cell.

■ Voltz advice: 16 to 22 weeks cultivation.

### **BRACHYTRICHA**

Very fine foliage. Silvery-white flower spikes with pink reflect, accented by cold nights.

Height	Habit	Pot size	Mini.	Code
100-120 cm	upright	11-16 cm	250 GN	G82.5001



## 











Perennial grass

Corynephorus canescens

■ Sowing: From January to April, 6 seeds per plug.

Germination: At 18-20°C.

■ Voltz advice: Prefers dry and sandy soil, deficient in lime. Plant with good drought tolerance.



### **SPIKY BLUE**

Ball-shaped ornamental plant. Spiky and bristly foliage, matures to

Height	Habit	Pot size	Mini.	Code
15 cm	mounded	9-12 cm	500 GN	G84.1101

## Deschampsia 2 🦻




Deschampsia

Perennial grass

Sowing: From February to April.

**■ Germination:** At 18-20°C.



### **CESPITOSA**

Silvery-grey. Elegant plant with small flowerheads. Flowering time: July to September.

Height	Habit	Pot size	Mini.	Code	
100-150 cm	upright	9-13 cm	500 GN	G84.300KA	

## **Eragrostis** • •



Eragrostis elegans Eragrostis spectabilis

Annual grass Seed count/gram: 2 300 Sowing: From March to April, and in September.

Germination: At 15-18°C.







The Purple Love grass offers very attractive purple-red flower racemes on dense compact clumps. Late flowering; needs a warm summer to come into flower. Very drought resistant.

50 cm upright 10-12 cm 500 GN



Beautiful grass with small, delicate inflorescences

50 cm upright 9-11 cm

G84.800



■ Festuca amethystina
■ Festuca glauca

Perennial grass

Sowing: From April to June.

Seed count/gram:

**■ Germination:** At 16-18°C, in 8 to 10 days.







		neight	nubit	FUL SIZE	riiii.	Code
1 AMETHYSTINA	Deep green foliage. Airy habit. Curved inflorescence. For beddings or associations.	20 cm	upright	9-10 cm	500 GN	G84.9901
2 glauca FESTINA	Bluish foliage. To use in association with other plants. Very cold-hardy variety.	25 cm	mounded	9 cm	1 g	G85.0101
3 valesiaca var. glaucantha BUDDY BLUE	Uniform selection of silver-blue Festuca. Ideal for sales period autum-winter.	30 cm	mounded	9-10 cm	500 GN	G85.011

# Gynerium (Cortaderia) 4 3 8

Poaceae **■** Cortaderia selloana

Perennial grass

■ Sowing: From February to April with 4-5 seeds per plug.

Germination: At 18-20°C.



White or pink plumes along the stems. To cultivate alone.

Height	Habit	Pot size	Mini.	Code
000		11 15	500 ON	<b>1.</b> Rose G84.1001KA
200 cm	upright	11-15 cm	500 GN	2. White G84.0001KA





## Hordeum o

- Poaceae
- **■** Hordeum jubatum
- Annual grass
- Seed count/gram: 500

■ Sowing: Sowing in greenhouse in pots or outdoor March-April or in September-October.

**■ Germination:** At 10-12°C.

### **JUBATUM**

Green spikes with long rose beards.

Height	Habit	Pot size	Mini.	Code
60 cm	upright	9-11 cm	5 g	G86.700





## Isolepis o

- Cyperaceae
- Isolepsis cerna (Scirpus cernuus)
- Annual grass
- Sowing: In January to March.

### ■ Germination: In 6 to 8 days, at 22-24°C.

Do not cover seeds, keep moisture.

**■ Growth temperature:** Between 18 and 20°C.

■ Voltz advice: 8-12 weeks cultivation depending on pot size.

### **LIVE WIRE**

Unique looking grass with flowers which resemble fiber optic strands. Compact, mounded habit. Grows upright when young and drapes as it matures. Performs well in wet conditions.

Height	Habit	Pot size	Mini.	Code
15-20 cm	mounded	9-12 cm	100 GE	E39.340E



### uncus 4 🎟 💝 🗯



Juncus

Perennial grass

Sowing: From February to April.

**■ Germination:** 10-14 days at 18-25°C. Do not cover seeds. Irrigate well so that the whole pellet to be dissolved.

■ Growth temperature: 19-23°C at day. 15-18°C at night.

■ Voltz advice: Medium soil with 3 kg/m³ long term fertilizer recommended. pH 6-7.







### 1 SPIRALIS **TWISTER**

Small, curly dark green leaves offer interesting and funny foliage texture. Economical and easy to grow.

Height Mini. Habit Pot size Code 25-30 cm upright 11-15 cm 100 GE M86.816E 90 cm 11-15 cm 100 GE M86.820E upright

100 GE

M86.815E

2 FUSEABLES® **TWISTED ARROWS MIX** 

Juncus inflexus Blue Arrows + Juncus effusus Spiralis Twister. Contrast between blue and green foliage. Perfect for combined plantings. Multipelleted seeds.

### Very high and stately green grass. Performs in a wide range of environmental conditions. Stiff foliage. 3 JAVELIN 120-150 cm upright 9-12 cm

## Koeleria 4 🌢 💝



Koeleria glauca

Perennial grass

Sowing:

From January to April.
Do not cover the seeds.

**■ Germination:** At 18-20°C.



### **COOLIO**

Upright, blue-green grass, is ideal for dry locations as ground-cover.

Height	Habit	Pot size	Mini.	Code
25 cm	mounded	9-11 cm	1000 GN	G86.9001

## Lagurus O HOUR DE



Annual grass for dry flower

Seed count/gram:

Sowing: From March to May.

Germination: At 18-20°C.



### **OVATUS**

Cream. Flower to dry.

Height	Habit	Pot size	Mini.	Code
40 cm	upright	9-12 cm	1 g	G87.300



■ Luzula nivea ■ Luzula sylvatica

Perennial grass

and cut green

**Sowing:** 3 to 5 seeds per cell. From

July to September for sales in March-April, or at the end







		Height	Habit	Pot size	Mini.	Code
sylvatica <b>STARMAKER</b>	The large, mounded annual grass has broad, glossy green leaves and produces brown flowers in early spring.	40-60 cm	upright	11-16 cm	250 GN	G87.810

nivea LUCIUS

Evergreen grass with mid-green, hairy foliage.

60 cm upright 11-16 cm 250 GN G87.8001

## Melinis o sur 💝 🗯

Melinis nerviglumis

Annual grass

Sowing:
From December to March for sales in May for green plants. From March to May for sales in flowered plants starting from April.

■ **Germination:** At 21-24°C in 7 to 14 days. Cover slightly the seeds.

■ Growth temperature: 20 to 22 weeks cultivation, at 14-16°C.



### **SAVANNAH** (Rhynchelytrum)

Beautiful, amethyst-pink flowers that open up fluffy plumes.

Pot size	Habit	Mini.	Code
11-13 cm	upright	250 GN	G87.900

## Millium O William & Quin

Millium effusum aureum

Annual grass

Sowing: From March to June.

■ Germination: At 20°C, in 7 to 14 days.

■ Growth temperature: From 14 to 16°C, lower later to 8-12°C



### **FLASHLIGHTS**

Elegant, arching grass with bright golden yellow leaves for semishade; flowers from June to August.

Height	Habit	Pot size	Mini.	Code
25 cm	upright	11-13 cm	500 GN	G87.952

## Miscanthus 24 1888 4 199

- Poaceae
- **■** Miscanthus sinensis
- Perennial grass

**■ Sowing:** From January to April, or from August to September.

Germination: At 16-20°C.

### **SINENSIS**

Long green straight leaves. Silvery brown, featherlike flowers.

Height	Habit	Pot size	Mini.	Code
2 m to 2,50 m	upright	12-16 cm	500 GN	G88.0001





## Pennisetum 04

- Pennisetum alopecuroides
  Pennisetum glaucum
  Pennisetum macrourum
  Pennisetum setaceum

- Pennisetum thunbergii
  Pennisetum villosum
- Perennial or annual grass
- Seed count/gram: 700

- Sowing: From February to April.

- Germination: At 20-25°C, in 3-5 days. Cover the seeds with vermiculite.
- **Growth temperature:** 18-22°C at day; 18-19°C at night.

♥ Voltz advice: Cultivation time 14-18 weeks depending on pot size. P. thunbergii: if no germination after 4 weeks, cool down under 10°C for 2-4 weeks.









	ANNUAL VARIETIES	Height	Pot size	Mini.	Code
PURPLE BARON F1	Foliage more purple than Jester. Young plants are green, mature in full sun to purple colour. Large thick flower spikes.	60 cm	12-15 cm	50 GN	G88.760
2 glaucum JESTER F1	Attractive foliage. Good heat tolerance. Flowers 7-10 days later than Purple Baron.	60-70 cm	12-15 cm	50 GN	G88.910
3 glaucum  JADE PRINCESS F1	Upright ball-shaped habit. Bright lemon-green foliage. Floral spikes without pollen. Needs high temperatures for an optimal growth.	60-70 cm	12-15 cm	50 GN	G88.740
4 glaucum PURPLE MAJESTY	Very ornamental purple foliage. Clean seeds. Young plants are green. Turns purplein full sun after about 8 leaves have developed. 3 plants in 3-5 l pot recommended.	100 cm	3-51 pot	50 GN	G88.750





	ANNUAL VARIETIES	Height	Pot size	Mini.	Code
1 MACROURUM 🧆 💝	Tender perennial African feather grass. Blooms June-August with green to yellow-green, sometimes tinged with purple, flower spikes.	40-70 cm	13-16 cm	0.5 g	G88.650
2 VILLOSUM	Woolly white inflorescences. Clean seeds.	60-80 cm	13-16 cm	250 GN	G88.807







	PERENNIAL VARIETIES	Height	Pot size	Mini.	Code
alopecuroides VIRIDIS 🦺 💝	Intense salmonrose coloured florescences in a cyclincric shape, flowering August/September. Foliage broader than the native species.	50-60 cm	13-16 cm	250 GN	G88.6451
alopecuroides COMPRESSUM	Flowering in August-September. Green foliage.	80 cm	13-16 cm	250 GN	G88.6401
3 THUNBERGII 🧶 👺	Bright reddish spikes tipped white, later straw-coloured; dense clusters.	80-90 cm	10,5-13 cm	250 GN	G88.7101



## Oryza 🛚 🗪

- Poaceae
- Orvza sativa
- Annual grass
- Sowing: From March to May.
- Germination: Between 20-24°C in 15-20 days.
- Growth temperature: 15-20°C. Keep soil humid. Irrigate very often, especially in summer.



### **BLACK MADRAS**

Ornamental grass with green purple leaves. Attractive aspect more than 4 months. Easy cultivation.

Height	Habit	Pot size	Mini.	Code
40 cm	upright	11-16 cm	500 GN	G92.2001

### Panicum 0 4 mm > 8 0 0 13

- Panicum virgatum
- Annual or perennial
- Sowing: From February to April.
- **Germination:** At 12-15°C.



### **FOUNTAIN**

Perennial cultivated as an annual for cut flower use. Upright spikes.

Height	Habit	Pot size	Mini.	Code
100 cm	upright	11-15 cm	500 GN	G84.8101KA

## Phalaris O WW >> >>

- Poaceae
- Phalaris canariensis
- Annual grass to dry
- Seed count/gram: 150
- Sowing: February to May.
- **Germination:** At 12-18°C.



### **CANARIENSIS**

Green. Pinecone-shaped short stems with white-green stripes. Flowers heads on upright stems, ca-80 cm.

Height	Habit	Pot size	Mini.	Code
60-80 cm	upright	9-13 cm	10 g	G91.300

## Sorghum o

- Sorghum nigricans
- Annual grass
- Seed count/gram: 50
- Sowing: From March to May.
- **Germination:** At 18-22°C.

### **NIGRUM**

Vigorous growth. Big black spikes of 25 to 40 cm.

Height	Habit	Pot size	Mini.	Code
100 cm	upright	11-13 cm	10 g	G93.300

## Setaria O EGILIUTS

- Poaceae
- Setaria italica Setaria macrochaeta
- Annual grass
- Seed count/gram: S. italica: 360; S. macrochaeta: 500
- **Sowing:** From March to May.
- Germination: At 15-20°C.
- **▼ Voltz advice:** Crop time: 12-16 weeks.





1	MACROCHAETA
_	

Fast growth.

Height Habit 30-35 cm upright 9 cm; 11-15 cm

Pot size G92.500

# 

Poaceae

- Stipa barbata
  Stipa capillata
  Stipa pennata
  Stipa tenuissima
  Stipa aundinacea

■ Perennial grass

Sowing:
In March-June or in September-November.

**■ Germination:** 12-15°C. S. tenuissima: 18-20°C. Do not cover the seeds.

■ Voltz advice: Cultivation time 10-12 weeks, depending on pot size and season.











		Height	Habit	Pot size	Mini.	Code
1 arundinacea SIROCCO (Anémanthèle)	Colourful American Feather-grass for full sun location. The colour turns to shades of copper and pink under cool conditions, natural sunlight and maturity.	30-35 cm	upright	11-13 cm	100 GE	G94.010E
2 tenuissima PONY TAILS (Nasella)	Green with yellowish ends. Clean seeds. Silky green flowers.	40 cm	upright	10-13 cm	250 GN	G94.009
3 PENNATA	Long silvery beards. For peaty garden soils.	70 cm	upright	10-13 cm	50 GN	G94.0001
4 barbata SILVER FEATHER	Silvery flower heads.	80 cm	upright	12-15 cm	50 GN	G93.8001
5 CAPILLATA	Gorgeous flower heads with beards.	120 cm	upright	15-19 cm	250 GN	G93.9001

## Gypsophila 2 \$ \$

- Caryophyllaceae
- Gypsophila paniculataGypsophila repens
- Perennial bedding and pot plant and cut flower
- Seed count/gram: 1200
- Sowing: From April to July.

**© Growth temperature:**16-18°C at day; 10-14°C at night. In winter it needs 8 weeks with a temperature below 4°C for optimum flower bud initiation.

### ■ Voltz advice:

In winter grow under light conditions as high as possible.









		Height	Habit	Pot size	Mini.	Code
1 repens WHITE ANGEL	First year flowering July to August. Uniform and homogeneous.	20 cm	mounded	11-13 cm	5 g	M94.910
2 repens ROSEA	Compact plant for borders. Flowering time: May to June.	25 cm	mounded	11-13 cm	500 GN	M95.0001
3 PANICULATA White	Single flowers. Large plant for borders or use as cutflower. Flowering time: June to August.	100 cm	upright	-	5 g	M94.700
4 paniculata SNOWFLAKE Double	About 60% of double flowers. Flowering time: June to August.	100 cm	upright	-	1 g	M94.800

## Gypsophila os

- Caryophyllaceae
- Gypsophila elegans
  Gypsophila muralis
- Annual bedding
- Seed count/gram: 1000

■ Sowing: From February to May; 4-5 seeds per pot.

Germination: At 15°C in 14-20 days, or at 18-20°C in 5 days.

**■** Growth temperature: 8-15°C.





Height



Colour



Easy to grow, short crop time; eye-catching at retail; stays in constant bloom. Compact, neat mounded habit. Airy, rich 15-20 cm mounded flowering plant.

1. Deep Rose E32.928E 11-15 cm 250 GE 2. White E32.940E

Mini.

10 g

Pot size



Large flowers. Upright habit. Best commercial variety for cut

upright

Habit

D34.500

Code

## Helenium o

- Asteraceae
- Helenium amarum

**DAKOTA GOLD** 

- Annual bedding plant
- Sowing: In February-March.
- Germination: At 18-22°C. Cover seeds with vermiculite.
- Growth temperature: 12-15°C. 3-4 weeks for plug production; transplanting to sale 5-7 weeks.

Bright golden yellow flowers and delicate foliage. Easy and fast to produce. Insensitive variety, tolerates full sun as well as cool and rainy weather periods.

Height	Habit	Pot size	Mini.	Code	
30-35 cm	upright	9-13 cm	100 GE	M95.580E	



## 

### Asteraceae

Perennial for bedding and cutflower production

Sowing: From February to June.

### Germination: At 16-20°C.

**■ Growth temperature:** Between 12 and 16°C.

### Voltz advice:

Fits ordinary, cool and humid soils. Watering is requested if weather is dry when plants begin to flower. For sturdy plants, cut clumps every 2-3 years back.



### **RED & GOLD HYBRIDS**

Large daisy-like flowers in shades of yellow, orange to deep red appéar in láte summer through to autumn.

Height	Habit	Pot size	Mini.	Code
130-150 cm	upright	10-13 cm	100 GN	M95.6001

# Helichrysum microphyllum

Asteraceae

H. microphyllum (Plectostachys serphyllifolia)

Annual bedding plant

Sowing: From January to March.

**■ Germination:** At 22-24°C. Do not cover seeds.

■ Growth temperature: 15-18°C.



### **SILVER MIST**

Plant width: 45 to 60 cm. Variety from seeds with better basal branching than varieties from vegetative propagation. Pinching is not necessary. Ball-shaped covering habit, attractive silvery-grey foliage and stems.

Height	Habit	Pot size	Mini.	Code
15-20 cm	cushion	11-13 cm	100 GE	E33.400E

## Helichrysum bracteatum O > 3

### Asteraceae

■ Helichrysum bracteatum

Annual for fresh and dry cut-flower production


Seed count/gram:

Sowing: From March to May.

**■ Germination:** At 18°C, in 10 to 20 days.

**■ Growth temperature:** Between 15 and 20°C.

▼ Voltz advice:
2 months after sowing the plants are ready for sale. Transplant outside only after first frost. Avoid excessive watering. Plantation at 20 x 25 cm,



















Height	Habit	Mini.	Colour	Code	Colour	Code
		<b>1.</b> Mix	D37.960	2. Golden Yellow	D37.640	
	-	3. Orange	D37.680	4. Rose	D37.720	
80 cm	upright	5 g	5. Salmon	D37.760	6. Scarlet	D37.800
			7. Violet Rose	D37.840	8. White	D37.920

## Helianthus (for pots) ⊙ ❖

- Annual bedding and pot plant
- **Sowing:** From January to May.
- **Germination:** At 20-24°C, in 7 days.
- Growth temperature: 18-22°C by day. 16-18°C at night.
- **▼ Voltz advice:** 9-11 weeks cultivation for summer.
- 12-15 weeks cultivation for spring or autumn.













		Height	Habit	Pot size	Mini.	Code
1 SUNTASTIC® F1	1-2 weeks earlier than Sunsation; pollenless. Genetically compact; the many side stems do flower as well. Requires much less PGR than competing varieties!	20-30 cm	upright	9-13 cm	250 GN	E33.046
2 SUNRAY F1	Best branching pot variety producing many stems with strong holding, pollenless flower discs.	25-35 cm	upright	12-14 cm	250 GFC	E33.056GFC
3 BERT® Imp. F1	Large flowers, broad petals, very good habit, with lush green foliage. Pollenless	35 cm	upright	11-13 cm	250 GN	E33.080
4 DWARF EARLY	Dwarf sunflower yellow; also used for edible seeds and petals.	40-60 cm	upright	12-14 cm	5 g	E33.090B
5 TIGER EYE F1	Flowers burning bright with golden yellow petals and deep red ring around the disc floret.	50-60 cm	upright	12-14 cm	250 GN	E33.007
MRS MARS	Low growing, vigourously branching plant with merlot-pink coloured blooms on purple-red stems.	50-75 cm	mounded	13-16 cm	5 g	E33.008

## Helianthus (cut flowers) O \*\*\*\* >>

- Asteraceae
- Helianthus annuus
- Annual bedding and pot plant

■ Seed count/gram: Zohar F1: 20; Sunking F1: 25; Autumn Beauty: 50

■ Sowing:
Under shelter from March to August.
Direct sowing outdoor from April to July; in warmer areas mid-March to mid-August the latest.

 $\ensuremath{\text{\fontfamily Germination:}}\xspace$  18 to 22°C in 7 days. For early sowing outdoors, cover with plastic to maintain a good temperature.

**■ Growth temperature:** 21-24°C by day. 18-20°C at night.

Density for direct sowing: 7-8 cm between each plant and 75 cm between each row. Around 9 weeks cultivation in summer 11-12 weeks cultivation in spring or autumn.










DMR: resistant against most common known strains of Downy Mildew (Plasmopora halstedii); therefore less chemicals required! We recommend the use of Sunrich F1 DMR in areas and seasons with high risk of affection, e.g. for the late sowings flowering late summer and autumn.



		Height	Habit	Mini.	Colour	Code
	For outdoor production in summer (sowing week 15-28) the				1. Limoncello	D36.2721G0
1 > 4	'Summer' selections of the Sunrich type do flower 5-8 days earlier	150 cm	single	250 GC	2. Orange	D36.275GC
SUNRICH® SUMMER F1	and produce shorter stems. The colour "Summer orange" is also	130 CIII	stem	230 66	3. Provence	D36.2671G0
	available as DMR variety.				4. Orange DMR	D36.2791G
5 6 SUNRICH® F1	All colours with black centre. In the early sowing period Sunrich	170 cm	single	250 GC	<b>5.</b> Orange	D36.2701G0
SUNKICH*FI	flowers 10-14 days before other hybrids.	170 CIII	stem	230 00	<b>6.</b> Orange DMR	D36.2761G
7 PLEIN AIR F1 DMR	Pollen-free, orange-yellow flowers 12-15 cm diameter. For secure and economic production.	120-160 cm	single stem	250 GN		D36.011
8 ZOHAR F1	Pollenless F1 variety for the professional cut flower grower. Good experience with greenhouse and summer outdoor production. Nice dark green, uniform foliage, single stem. 2 rows of golden orange petals and dark disc are offering a lot of colour.	120-140 cm	single stem	10 g		D36.036B
9 TIFFANY F1	Pollen-free flowers 12-15 cm diameter. The orange petals are densely placed in several rows.	120-160 cm	single stem	250 GN		D36.365
10 ZIGGY F1	Pollenless, single stem bicolour variety: Sowing to flower 55-60 days.	150-160 cm	single stem	250 GC		D36.240G0
11 DOUBLE SUNKING F1	Highly double quality flowers with 15-22 cm diameter.	160 cm	single stem	10 g		D36.006
12 GOLDY DOUBLE F1	Golden Double Sunflower is available in organic seeds! Sturdy branching plants producing 5-6 stems. Flowers open up semidouble, then mature to fully double, sowing to flower 45-50 days.	150-180 cm	single stem	250 GN		D36.030B

## Helianthus (cut flowers) ① \*\*\*\* >>>













		Height	Habit	Mini.	Code
1 PRADERA F1 Gold	Long flowering window with 12-14 stems per plant! 3 Plants per m² are sufficient to attract bees for many weeks; beautiful colour with dark disk. Due to the many side shoots and therefore long flowering window 'Pradera' Gold is much more interesting for flower meadows than single stem varieties	110-140 cm	branched	250 GN	D36.22B
2 RING OF FIRE	Bicolour petals with a dark red base and golden yellow tips.	120 cm	branched	250 GN	D36.4401
3 TANJA F1	Well branched, small flowered (10 cm diameter), pollenless, with intense orange Colour. Florists love it for bouquets. 1x pinching at a height of 20 cm improves number and quality of side stems.	120 cm	branched	250 GN	D36.1361
4 TALL SUNGOLD Yellow	Large golden double blooms; branching.	140-160 cm	branched	25 g	D36.000B
5 GUMMY BEAR	Innovative colour, georgeous lemon-yellow, double flowers contrast with lush green foliage. Plants are well-shaped, uniform and show excellent growing performance. Sowing to flower 60-70 days.	140-170 cm	branched	250 GN	D36.501
6 AUTUMN BEAUTY Mix	Mix of bronze, purple, red, yellow and pastel shades.	180 cm	branched	10 g	D36.400

## 



Heliopsis helianthoides var. scabra

Perennial bedding plant and cut flower

**Sowing:** From February to June.

Germination: At 20°C.

**■ Growth temperature:** Between 12 and 16°C.

■ Voltz advice:
In general quite tolerant to drought, but needs important watering when plants are in flower. Fits moist to moderate dry soils.







Semi-double, bright bicoloured flowers. Dark coloured, sturdy stems. Flowering the first year.



Light golden yellow. High percentage of double flowers. Flowering time: July to September.

Height	Habit	Pot size	Mini.	Code	
100-120 cm	upright	12-19 cm	500 GN	M97.310	
120 cm	upright	-	500 GN	M97.3001	

## 





- Heliotropium peruvianum
- Annual for bedding and pot plant
- Sowing:
  From January to April.
- Seed count/gram: 1700
- Germination:
- At 20-22°C, in 14 to 20 days.
- **Growth temperature:** Between 15 and 18°C.
- **Voltz advice:** 3 to 4 months cultivation
- period. Sensitive to calcareous



- Annual for dry flower
- Seed count/gram: 700
- **Sowing:** From April to June.
- Germination:
- **Growth temperature:** Between 12 and 15°C.



### **MARINE**

Deep blue. For borders, flower beds and potted plants.

Height	Habit	Pot size	Mini.	Code
40 cm	upright	10,5-13 cm	1 g	E33.501

### TIMELESS Rose

Rose with dark ring. Insensitive to day length. Uniform flowering. Perfect for dried flowers.

Height	Habit	Mini.	Code
40 cm	upright	5 g	D56.400

### Herniaria 24 CONTROL OF COROUND COVER )







- Caryophyllaceae
- **■** Herniaria glabra
- Perennial for ground cover
- Seed count/gram: 14 000
- **Germination:** 20°C.
- Voltz advice: Dark-germinator! Tiny seeds, mix with finest sand or talcum for an even sowing.

### **GLABRA**

Low growing ground cover forms a dense, green carpet. Ideal for rock gardens, cemetery plantings or as lawn alternative. Evergreen. White flowers in July-August.

Height	Habit	Pot size	Mini.	Code
8-15 cm	groundcover	10,5-12 cm	5 g	P00.500



## 

- Brassicaceae
- Hesperis matronalis
- Biennial or perennial for beddings and cut flowers
- Seed count/gram: 500
- Sowing: From May to July.
- Germination:

### **MATRONALIS**

Fragrant cluster flowers. Flowering time: April to July.

Height	Habit	Pot size	Mini.	Colour	Code
00		10	_	1. Violet	P01.000
80 cm	upright	12 cm	5 g	2 White	P01 100





## Heuchera 4 \*\*\*\* 💝

- Saxifragaceae
- Heuchera americanaHeuchera micrantha
- Heuchera sanguinea
- Perennial bedding plant
- Sowing:

From February to May. June-July for overwintering culture.

### Germination:

20-22°C. Do not cover the seeds.

■ Growth temperature: Between 15 and 18°C.

Voltz advice: Prefers rich, humus and fresh soils.









		Height	Habit	Pot size	Mini.	Code
sanguinea LEUCHTKÄFER  (Firefly)	Bright intense red flowers. Flowering time: May to July.	40 cm	mounded	10-13 cm	1000 GP	P02.100GP
2 sanguinea MELTON FIRE	Beautiful large plant, strong curled leaves with intense purple-red colour and a blood red centre. Flowering time: April to May.	45 cm	mounded	10-13 cm	250 GE	P01.840E
3 americana DALE'S STRAIN	Ornamental marbled leaves. Flowering time: June to August.	50 cm	mounded	11-15 cm	1000 GP	P01.700GP
4 micrantha PALACE PURPLE	The creamy-white flowers are less important. Variety used for its bright purple foliage. Flowering time: May to July.	50 cm	mounded	11-15 cm	1000 GP	P01.900GP

### Hibiscus 4 1988

- Malvaceae
- Hibsicus acetosella
- Perennial bedding and pot plant
- Sowing:

Cover heavily with plug media or vermiculite to prevent seedlings from tipping.

Germination:

12-14 days at 21-24°C; or 14-21 days at 18°C. The first cotyledons might appaer already after 3-5 days.

■ Growth temperature: 18-21°C day / 17-19°C night

Voltz advice:
Mostly used as an annual plant for its ornamental foliage. But plant could flower when grown under 12 hours day length or shorter. When day length is longer than 12 hours, flower initiation will be significantly delayed or will never occur

### **MAHOGANY SPLENDOR**

Awesome Colour and dramatic height. Deep burgundy, maple-shaped leaves with serrated edges. Drought and heat resistant ideally suited to the landscape and for large container plantings.

Height	Habit	Pot size	Mini.	Code
100-150 cm	upriaht	13-19 cm	100 GN	F33.775



## Hibiscus 4 1998



■ Hibiscus moscheutos ■ Hibiscus trionum

Annual bedding and pot plant

Germination: 20-25°C.

Sowing: From January to April.

Growth temperature:









Favoured plant due to its creamy, open flower with yellow throat and black centre.

50-80 cm upright 10-12 cm 100 GN E33.820

Colour

**SIMPLY LOVE** 

1 trionum

2 > 6 moscheutos LUNA F1

Deciduous perennial for temperate and protected conditions, with caduc foliage cultivated as an annual. Upright habit. Large attractive flowers of 15-20 cm. Bushy and wellbranching plant without pinching. Likes heat and is drought resistant if the plant is already established in the flower-bed.

60-90 cm upright 13-18 cm 100 GN

E33.810 3. Pink Swirl E33.802 2. Mix **4.** Red E33.804 **5.** Rose E33.806 6. White E33.808

## Hypericum 2 4 4 5

- **■** Clusiacea
- Hypericum calycinumHypericum perforatum
- Perennial
- Seed count/gram: H. calycinum: 2 100; H. perforatum: 7 600
- Sowing: H. calycinum: June-September.
- H. perforatum: March-April and September-October, light germinator. 2-3 seeds/cell
- **Germination:** At 20-22°C, in 14 to 21 days.
- **Growth temperature:** 18°C day /12° night.





1 calycinum

ROSE DE SHARON

A small, creeping, stolon-spreading shrub with semi-evergreen, leathery leaves and cup-shaped, bright yellow flowers.

15-25 cm creeping 10-13 cm 250 GP P07.400GP

Pot size

Mini.

Code

2 PERFORATUM

Used for sales in pots for rock and herb garden as well as medical plant. But also in long lasting flower meadows the yellow flowers of this dry- and heat resistant plant are attracting the pollinators and bees the whole summer long.

 $\begin{array}{ccc} & 9\,\text{cm} \\ 30\text{-}40\,\text{cm} & \text{upright} & \text{square} & 5\,\text{g} & \text{P07.750B} \\ & 10\text{-}11\,\text{cm} & \end{array}$ 

## Hypoestes • •

- Acanthaceae
- Hypoestes phyllostachya
- Annual bedding and pot plant
- Sowing:
  All year long.
- **Germination:** At 20-22°C, in 10 to 20 days.
- Growth temperature:
- Between 18 and 20°C.
- **■** Voltz advice:
- The brightness of leaf colour depends on the light conditions.





Habit

Height







1	<b>•</b>	5	SPLASH SELECT
			OF LASII SELECT

Branched and compact habit.

Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
	mounded	nded packs, 10 cm	250 GN	<b>1.</b> Mix	R40.205	<b>2.</b> Pink	R40.096
10 cm				<b>3.</b> Red	R40.100	4. Rose	R40.160
				5. White	R40.200		

## lberis (Thlaspi) 21 🕸 👺

- Brassicaceae
- Iberis sempervirens
- Perennial for borders
- Seed count/gram: 250
- Sowing: From May to June.
- Germination: At 16-20°C.
- **Growth temperature:** Between 12°C and 16°C.
- Voltz advice: Cut stems slightly back after flowering.





1 SNOW FLURRIES Homogeneous selection with large flower umbels. Vernalization required! 25-30 cm mounded 10-15 cm 250 GFC P09.420GFC SNOWFLAKE Compact plant with large flowers. Flowering time: May to June. 30 cm mounded 9-10 cm 1g P09.400

## Impatiens x walleriana ©

- Balsaminaceae
- Impatiens x walleriana
- Annual bedding and pot plant

**Sowing:**Sowing in warm greenhouse from mid-December to April. Light germinator.

**● Germination:**At 18-22°C in 10-14 days, or at 22-25°C in 9-12 days. Do not cover the seeds. Keep the moisture.


### Growth temperature:

Between 14 and 16°C.

Voltz advice:
 2-3-months cultivation period. Requires shade in young plant stage.

## BEAC IMPATIENS

High resistance to Downy Mildew + best long lasting flower the Winner in the garden!





















A completely new genetic! Resistant against all currently known populations of Plasmopora which cause Impatiens Downy Mildew: uniform series with best plant structure! Offers high uniformity in young plant stage as well as in production and when planted out.

Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
				1. Formula Mix	E35.970GFC	2. Blue Pearl	E35.971GFC
20-25 cm	mounded	9-10 cm; pack	250 GFC	3. Bright Red	E35.960GFC	4. Coral	E35.961GFC
				5. Orange	E35.962GFC	6. Rose	E35.969GFC
				7. Salmon	E35.963GFC	8. Violet Shades	E35.965GFC
				9. White	E35.966GFC		

## Ipomoea o 🗯 🕸 🗓

- **■** Convolvulaceae
- Ipomoea imperialis
   Ipomoea quamoclit
   Ipomoea tricolour
   Ipomoea purpurea
   Ipomoea luteola
- Climbing annual
- Seedcount/gram: 40
- Sowing: From March to May.
- **Germination:** At 18-20°C, in 15 days.
- **© Growth temperature:** Between 12 and 15°C.
- **Voltz advice:** 3 months cultivation period.





























		Height	Habit	Pot size	Mini.	Code
1 imperialis SUNRISE SERENADE	Large semi-double, cherry red flowers with a white throat.	until 3-4 m	climbing	16-25 cm, 5 l pot	5 g	E38.8451
2 <sub>luteola</sub> SUNSPOT	Bright orange-red flowers with orange throat are making «Sunspot» so different to other Ipomoea.	200 cm	climbing	16-25 cm, 5 l pot	250 GN	E38.830
	Colourful mixture of large, unique striped bicoloured flowers.					<b>3.</b> Mix E38.815
3 > 5 purpurea VENICE	Blue-white striped, cone shaped flowers.	160-180 cm	climbing	16-25 cm, 5 l pot	10 g	<b>4.</b> Blue E38.821
	Pink-white striped, cone shaped flowers.					<b>5.</b> Pink E38.822
6 purpurea <b>PARTY DRESS</b> Magenta Pink	Eye-catching bright Magenta Pink with red stripes and white throat.	200 cm	climbing	16-25 cm, 5 l pot	250 GN	E38.819
7 purpurea MILKY WAY	Large white flowers with rose veins.	250 cm	climbing	16-25 cm, 5 l pot	10 g	E38.811
8 purpurea TRICOLOR MIX	Use for its trailing attractive tricolour foliage. Late flowering.	250 cm	basket	16-25 cm, 5 l pot	10 g	E38.820
9 tricolour FLYING SAUCERS	Large, porcelain-white flowers with lavender vein.	250 cm	climbing	16-25 cm, 5 l pot	10 g	E38.808
10 tricolour GRANDPA OTT	Deep blue flowers with a red star and white throat.	250 cm	climbing	16-25 cm, 5 l pot	10 g	E38.809
11 tricolour HEAVENLY BLUE	Huge, light blue flowers with white throat.	250 cm	climbing	16-25 cm, 5 l pot	10 g	E38.810
12 tricolour PEARLY GATES	Pure white flowers.	250 cm	climbing	16-25 cm, 5 l pot	10 g	E38.812
13 tricolour SCARLET O'HARA	Large, intense rose flowers with white throat.	250 cm	climbing	16-25 cm, 5 l pot	10 g	E38.814
14 QUAMOCLIT Red	Intense red flowers and nice, dignified foliage.	300 cm	climbing	16-25 cm, 5 l pot	10 g	E38.860

### Iresine O GROUND COVER







- Amaranthaceae
- Annual for flower-beds and hanging baskets
- Sowing: From February to April.
- **Germination:** At 22-24°C.
- **Growth temperature:** Between 16 and 18°C.

■ Voltz advice: 10-12 weeks cultivation. Keep moderate moisture. Nor pinching neither use of growth regulator required. Áphid control necessary.

### **PURPLE LADY**

Used for combined plantings for its ornamental foliage and as a groundcover.

Height	Habit	Pot size	Mini.	Code
15-20 cm	creeping	10-11 cm	100 GN	E38.900



### Sotoma (Laurentia) 4 🚟 🕸



Campanulaceae Isotoma axillaris

Perennial for beddings

and as pot plant **Sowing:** From December to March.

■ Germination: At 22-24°C.

■ Growth temperature: Between 18 and 20°C.

Voltz advice:

14 to 16 weeks cultivation.

Prefers to grow in cooler

conditions. Warmer

temperatures above 21°C could delay flowering.

### **GEMINI F1** Blue

The F1'Gemini' series is more vigorous and free-flowering for excellent garden performance. Easy-to-grow plants are well-matched for éarlinéss and uniformity.

Height	Habit	Pot size	Mini.	Code	
20 cm	mounded	10-13 cm	250 GE	E39.370E	



## Knautia 4 🕸 👺





Dipsacaceae Knautia macedonica

Perennial bedding

and pot plant

Sowing:
From March to June.

Germination:

**■ Growth temperature:** Between 12 and 16°C.

### **MELTON PASTELS** Mix

Double scabious-type flowers. Robust and long-lasting; winter hardy. Flowering time: May to September.

Height	Habit	Pot size	Mini.	Code
80 cm	upright	9 cm square 11-13 cm	250 GN	P14.3101



## Kochia o www



■ Kochia trichophylla

Annual for beddings

■ Seed count/gram: 1000

Sowing: From March to May.

### Germination:

At 18-20°C. Light germi-

Growth temperature: Between 12 and 15°C.

■ Voltz advice:

2 months cultivation period. 1 or 2 plants per pot. Sensitive to frost.







2 TRICHOPHYLLA

Vigorous. Foliage stays green during the whole season.

Green foliage, becoming red in autumn.

Height	Habit	Pot size	Mini.	Code
90 cm	upright	11-13 cm	5 g	E39.180
90 cm	upriaht	11-13 cm	5 a	E39.200

## Lathyrus latifolius 4 \$ \$ \$ \$ \$





### **■** Fabaceae

Lathyrus latifolius

Climbing perennial for cutflower use

Seed count/gram: 20

Sowing: From April to June.

**■ Germination:** At 18-20°C. One day before

sowing, place seeds in mild water; emergence will be quicker and you will safe some germination days.

Growth temperature:

### **■** Voltz advice:

Water carefully: plant should not be wet for long time; best is no irrigation from

### **PEARL** Mix

Flowers of 2,5 cm with stems of 25-30 cm. Flowering time: July to September.

Height	Habit	Pot size	Mini.	Code
200 cm	climbing	11-13 cm	5 g	P15.400



## Lathyrus odoratus 🌣 👺 🗓







**■** Fabaceae

Lathyrus odoratus

Annual bedding plant and cut flower

Seed count/gram:

Sowing: Forcing under shelter: from october to January. Outdoors: direct sowing in pots in February or in fields, from March to

■ Germination:
At 15-20°C, in 14 days. One day before sowing, place seeds in mild water; emergence will be quicker and you will safe some germination days.

### **■ Growth temperature:** Between 8 and 10°C.

■ Voltz advice: 2 to 3 months cultivation period. Plant spacing : 10-15 cm. Use wire fence to allow plant growing upwards.



### **MAMMOUTH** Mix

Many large flowers on long stems. Specially for cut-flower use.

Height	Habit	Mini.	Code
180 cm	climbing	10 g	D40.400





Lavatera trimestris

Annual bedding plant and cut flower

**Seed count/gram:** 150

Sowing:
Sowing in pot, from February to
March, 3 to 5 seeds per 12 cm pot or
in packs. For cutflower variety direct sowing in bed is recommended; outdoor from april onwards.

**■ Germination:**Between 15 and 18°C, in 7 to 14 days.

**■ Growth temperature:** Between 12 and 15°C.

■ Voltz advice:

3 months cultivation. Direct sowing gives better results. Avoid too much water. Remove withered blooms to prolongate the flowering period.











		Height	Habit	Mini.	Code
1 MIXTURE	Mix of 3 colours.	50 cm	upright	5 g	D40.900
2 MONT BLANC	Pure white, funnel-shaped flower.	50 cm	upright	5 g	D40.960
3 RUBY REGIS	Intense deep rose colour.	50 cm	upright	5 g	D40.930
4 SILVERCUP	Light bright Pink, faintly rose veined.	50 cm	upright	5 g	D40.940
5 LOVELINESS PINK CONTROL OF THE PROPERTY OF T	Large glistening flowers with bright rose slightly veined.	70-90 cm	upright	5 g	D40.942B

## Lavandula 2 4 4 4

- Lamiaceae
- Lavandula angustifolia Lavandula stoechas Lavandula vera
- Perennial bedding and pot plant
- Seed count/gram:
- Sowing: From March to June.
- **Germination:** Between 18 and 20°C.
- **Growth temperature:** Between 12 and 15°C.

■ Voltz advice:
For the varieties Ellagance and Lavance: sowing in February/
March for flowering in June to August in the same year;
or sowing from June to July with flowering in May to June
the next year. Do not water too often. In cool regions cut
back the foliage in autumn, but do not cut too deep into the
wooden base.

















		Height	Habit	Pot size	Mini.	Colour	Code
angustifolia SPEAR BLUE F1	A superb lavender with larger and longer inflorescences than any other seedling lavender. The upright flower stems are kept close together for best results. Very fragrant.	25-30 cm	upright	10-15 cm	250 GP		P16.156GP
2 angustifolia LAVANCE®	Green foliage. First-year flowering variety. Compact plant. Ideal for pack production.	30 cm	upright	9 cm, pack	250 GP	<b>2.</b> Deep Purple	P16.152GP
3 > 4	Green foliage. First-year flowering.					<b>3.</b> Purple	P16.192GP
angustifolia <b>ELLAGANCE</b>	Grows also well under low light conditions. Flowering time: June to September.	S. 40 cm upright		10-13 cm	250 GP	4. Snow	P16.196GP
5 angustifolia HIDCOTE BLUE STRAIN	Grey foliage. First-year flowering. Flowering time: June to August.	40 cm	upright	10-15 cm	1000 GN		P16.1001
angustifolia VERA	Real lavender. Flowering time: June to August.	50 cm	upright	9-12 cm	5 g		P16.000
7 > 8 stoechas BANDERA	The new generation of Lavandula stocheas with excellent branching, an abundance of flower spikes, and long flowering period. Easy to grow: 16-20 weeks from sowing to sales.	20 cm	mounded	10-13 cm	250 GN	7. Deep Purple 8. Deep Rose	P16.2151



## Layia ⊙ **\*\*\*\*** 🕸

- Asteraceae
- Layia platyglossa
- Annual bedding plant
- Seed count/gram: 1200
- Sowing: From February to April.
- **Germination:** At 20°C, in 7 to 10 days.
- **Growth temperature:** Between 16 and 20°C.



### TIDY TIPS Yellow/White Tips

Unique colour combination, simple daisy flower. Produces masses of flowers even in cooler summers.

Height	Habit	Pot size	Mini.	Code
30-45 cm	upright	9-11 cm	1 g	E39.480

### Leonuruso

Leonurus sibiricus

Annual bedding plant

Seed count/ gram: 750

May.

Germination: At 18-22°C, in 14 to 28 days. Light germinator; do not cover the seeds.

 Growth temperature: 16°C day / 12°C night.

■ Voltz Advice: Partly used as medicinal plant.



### **SIBIRICUS**

Attracts bumblebees and bees; long flowering period; can be used as cutflower. Partly used as medicinal plant.

Height	Habit	Pot size	Mini.	Code
80-100 cm	upright	11-13 cm	5 g	D25.130

## Leontopodium 2 💗

- Asteraceae
- Leontopodium alpinum
- Perennial for rock gardens
- Sowing: From March to June.

**Germination:** At 10-14°C.

Growth temperature: Between 10 and 14°C.

### **EVEREST®**

First year flowering Edelweiss with excellent pot performance. Uniform selection with improved germination! Flowers June-September.

Height	Pot size	Mini.	Code
8-10 cm	9-11 cm	250 GN	P18.005



## Leucanthemum 2

- Leucanthemum maximum
- Perennial for beddings
- Seed count/gram: 800 to 1000
- **Sowing:** From May to June.
- Germination:
  At 18-22°C in 10-14 days.
- **Growth temperature:** Between 15 and 18°C.









		-				1
		Height	Habit	Pot size	Mini.	Code
1 MADONNA F1 White	Madonna offers better uniformity in height and habit than other F1 shasta daisys. More salable plants.	20-25 cm	upright	10,5 cm 12-16 cm	250 GN	E19.626
2 WHITE LION F1	First year flowering perennial flowers under natural short days. Can be grown in short days! (10-hour daylength requirement)	20-25 cm	upright	10,5-13 cm	250 GN	E19.628
3 SILVER PRINCESS	Bushy and compact plants. Flowering time: June to August.	40 cm	mounded	11-13 cm	1 g	M56.100
4 CRAZY DAISY Double White	High percentage of double flowers. Flowering time: June to August.	60 cm	upright	16-19 cm	1 g	M55.960
5 ALASKA DE	Early. Giant flowers. Flowering time: June to August.	80 cm	upright	16-19 cm	5 g	M56.000

### Lewisia 4 1997 4 8

- Portulacaceae
- Lewisia cotyledon
- Perennial bedding plant

Sowing: From January to February for annual culture. May to July for biennial culture.

**■ Germination:** Between 20 and 22°C.

# ■ Growth temperature: Between 17 and 20°C day, 15°C night. After 8 weeks (transplanting) grow at 10-15°C.

### **■** Voltz advice:

Lewisia has a tap-root that should not be damaged when transplanting. Keep warm during germination; does not bear low temperature in germination stage.











First year flowering Lewisia! This variety needs no vernalization thus offering a substantially shorter cultivation period. With improved germination 'Elise' brings an excitingly new, heat tolerant annual for rockeries, beds and containers.

Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
		0.40	050.00	<b>1.</b> Mix	P18.801GP	2. Ruby Red	P18.802GP
12-15 cm	mounded	9-12 cm	250 GP	3. Ultra Violet	P18.804GP	4. White	P18.803GP



- Asteraceae
- Liatris spicata
- Perennial bedding plant
- Sowing: From February to June.
- **Germination:** At 20°C.
- Growth temperature: Between 16 and 18°C.
- **■** Voltz advice:
- Flowers surprisingly open from plant's top to bottom. Resists to drought.





1	2	
		<b>FLORISTAN</b>

Long flowers stalks. Flowering time: July to September.

Height Mini. Habit Pot size Colour Colour 13-16 cm 500 GN 1. Violet P20.2001 2. White P20.3001

## Ligularia 28

- Asteraceae
- Ligularia dentata Ligularia przewalski
- Perennial bedding plant and cut flowers
- Seed count/gram: 650.
- Sowing:
  L. dentata: from March to
- L. przewalski: from June to September. 2-3 seeds/cell.

### Germination:


L. dentata: between 18 and 20°C.

L. przewalski: at 18-22°C in 14-28 days.

### Growth temperature:

L. dentata: between 16 and 18°C. L. przewalski: 16°C day / 12°C night.









Yellow-orange. Green foliage. Flowering time: August to September.

70-80 cm upright 9-13 cm 250 GN P21.2001

100 cm

upright

Pot size



Impressive golden-yellow flower spikes; plants for semishadow places.

Code

P21 000

### Limonium os

- Plumbaginaceae
- Limonium sinuatua Limonium sinensisLimonium suworowii
- Annual for dried cut flowers
- Seed count/gram: 5 000

**Sowing:** From February to March for flowering starting from June. From September to October for flowering starting from March.

■ Germination: At 16-20°C, in 7 to 14 days.

**■ Growth temperature:** Between 12 and 15°C.

■ Voltz advice: 3-4 months cultivation. Stems are ready to harvest when 60-70% of the blooms are open.

















Mini.

1 q



Code

1	suworowii 🥞
2	sinensis CONFETTI

Many floral spikes, long and hardy. Clean seeds. Very floriferous. Clean seeds.  $10~g/m^2$ .  $600~to~800~flower~stems/100~m^2$ .

Height Habit Potsize 70-80 cm upright 9 cm 80 cm upright 1.000 GN

Colour Code 1. Lilac Rose

D42.700KA D42.500KA

Colour





Early and uniform. Long stems. Varied 70-90 cm upright colours.

250 GN

<b>3.</b> Mix	D41.920		
4. Apricot Shades	D41.900	5. Dark Blue	D41.600
6. Deep Rose	D41.640	7. Heavenly Blue	D41.680
8. White	D41.880	9. Yellow	D41.840

## Limonium 238 4 \$

- Plumbaginaceae
- Limonium perezii
- Limonium tataricum
- Perennial for dry flower production
- Seed count/gram: 1000
- **Sowing:** From February to March for a flowering in June. From


September to October for a flowering in March.

Germination:

At 16-20°C, in 7 to 14 days.

Growth temperature: Between 12 and 15°C.

■ Voltz advice: 3-4 months cultivation. Best time to harvest the cutflower stems when 60-70% of the flowers are open.







Cutflower for fresh and dry use. This hardy perennial develops large flower umbels. Draught tolerant.





Cutflower for fresh and dry use. For production in unheated tunnel or greenhouse; in warmer aréas also outdoor production possible.

Height Habit Mini. 50 cm upright 1000 GN D43.9201KA 250 GN D42.900KA upright

## Linum os

- Linum grandiflorumLinum usitatissimum
- Annual bedding plant and cut flowers
- Seed count/gram: 250

• Sowing: Direct sowing starting from end of March/ April.

**■ Germination:** At 15°C in 7-14 days.

**Voltz advice:**Avoid humid and rich soils.







		Height	Habit	Mini.	Code
1 grandiflorum BLUE DRESS	Multiple use for summer bouquets or in annual mixtures for direct sowing. Also suitable for rockeries and beddings with dry soil.	50 cm	upright	1000 GN	D44.4941
2 grandiflorum RUBRUM	Bright red colour, for summer bouquets as well as for flower meadows.	50 cm	upright	10 g	D44.500B
3 USITATISSIMUM 🦺 🥸	Long stems. The best choice for dried flowers.	60 cm	upright	10 g	D44.600

## Linum perenne 4 4 4 4 5

### Linaceae

**■** Linum perenne

**■** Campanulaceae

■ Lobelia siphilitica ■ Lobelia x speciosa ■ Lobelia fulgens

Sowing:
From January to March for flowering starting in June.
From August to October for

flowering April-May of the following years.

**Sowing:** From April to June.

**Germination:** At 15-18°C. Perennial bedding plant

### **NANUM SAPHIR**

Light blue. Compact and floriferous. Flowering time: July to August.

Height	Habit	Pot size	Mini.	Code
25 cm	upriaht	10-11 cm	500 GN	P24,4001



## 









**Germination:** At 20°C, in 7 to 14 days. **■ Growth temperature:** Between 15 and 18°C.

### Perennial bedding plant

Voltz advice:
 Sowing week 15-17 for summer and fall sales: grow plugs for 8-9 weeks under 10 hour short day conditions!

















		Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 > 2 SIPHILITICA	Strong upright flower spike. Flowering June-August.	60 cm	upright	12-16 cm	1000 GP	<b>1.</b> Blue	P25.601GP	2. White	P25.602GP
3 fulgens QUEEN VICTORIA	Annual flowering perennial used as cutflower and for beddings, containers and for sales in large pots.	90 cm	upright	12-15 cm	250 GE		P25.400E		
<u> </u>	Ideal for annual crop in containers; very uniform in habit and flowering time.	50-60 cm	upright	12-16 cm	250 GE	<b>4.</b> Blue	P25.513E	<b>5.</b> Burgundy	P25.515E
4 > 8 speciosa						6. Rose	P25.509E	7. Scarlet	P25.510E
STARSHIP F1						8. Scarlet Bronze Leaf	P25.517E		

## Lobelia erinus o

- Campanulaceae
- Lobelia erinus Lobelia pendula
- Annual for beddings and pot plant
- Seed count/gram: 25 000
- Sowing:
  From December to March.
  Light germinator.
- **Germination:** At 20°C, in 7 to 14 days.
- **Growth temperature:** Between 12 and 14°C.

Voltz advice:
10 to 12 weeks cultivation.
White varieties
contain a small percentage
of blue flowers.





















CO	MPACT VARIETIES	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 CRYSTAL PALACE	Dark foliage. Late flowering. The best bedding plant variety.	10-15 cm	mounded	9 cm	1000 GE		E42.300E		
2 RAPID	Deep violetblue on green foliage. Slightly earlier than Riviera.	12-15 cm	mounded	8-9 cm; packs	1000 GE	<b>2.</b> Blue	E42.020E		
		10.15	mounded	9 cm -	1000 GE	<b>3.</b> Blue	E42.310E	<b>4.</b> Blue Eye	E42.420E
3 > 6						<b>5.</b> Royal	E42.582E	6. White	E42.580E
PALACE	Closed and regular habit. Early.	10-15 cm			10 000 GN	<b>3.</b> Blue	E42.3101	<b>4.</b> Blue Eye	E42.4201
						<b>5.</b> Royal	E42.5821	6. White	E42.5801
	Very early series with compact habit. Homogeneous between colours.	10 cm	mounded	9 cm, pack <sup>-</sup>	1000 GE	<b>7.</b> Mix	E42.154E	8. Blue Eyes	E42.128E
						<b>9.</b> Marine Blue	E42.142E	<b>10.</b> Midnight Blue	E42.144E
						11. Rose	E42.146E	<b>12.</b> Sky Blue	E42.120E
7 > 13						13. White	E42.150E		
RIVIERA					10 000 GN	<b>7.</b> Mix	E42.1541	8. Blue Eyes	E42.1281
						<b>9.</b> Marine Blue	E42.1421	<b>10.</b> Midnight Blue	E42.1441
						11. Rose	E42.1461	<b>12.</b> Sky Blue	E42.1201
						13. White	E42.1501		



		_								
1 ► 6 REGATTA	Very early (4 weeks before traditional varieties). Trailing habit, for hanging baskets.					1000.05	1. Mixture	E42.774E	2. Marine Blue	E42.7621
					1000 GE	<b>3.</b> Midnight Blue	E42.764E			
		traditional varieties).	15-20 cm	semi- trailing	9-10 cm		1. Mixture	E42.7741	2. Marine Blue	E42.7621 E42.7651
		Trailing habit, for hanging baskets.				10 000 GN	<b>3.</b> Midnight Blue	E42.7641	4. Rose	E42.7651
						5. Sky Blue	E42.7661	6. White	E42.7681	


# Lupinus 43 \$ \$

**■** Fabaceae Lupinus polyphyllus Perennial bedding plant and cut flower

Sowing:
January-May for annual crop;
July to August for flowering
following year.

**■ Germination:** At 18-20°C in 7-12 days.

**■ Growth temperature:** 15°C.



		Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
	Uniform compact series with 5 colors					1. Blue Shades	P28.810GFC	2. Pink Shades	P28.811GFC
1 ► 6 LUPINI	in the series, including unique Red.	28-40 cm	-40 cm upright	15-21 cm	250 GN	3. Red Shades	P28.812GFC	4. White	P28.813GFC
	Flowering time: June to August.					5. Yellow	P28.814GFC	6. Mixed	P28.815GFC
						<b>7.</b> Mix	P27.6002	8. Chandelier	P27.7002
7 > 13	Very long spikes. Floriferous. Very	100		1 plant in	0.5	9. Chatelaine	P28.0002	10. Governor	P28.1002
RUSSELL HYBRIDS	rich colours. Flowering time: June to August.	100 cm	upright	1 plant in 17 cm	' 25 g	11. My Castle	P27.8002	12. Noble Maiden	P28.2002
	nagaot.					<b>13.</b> Paae	P27.9002		

## Lobularia o 🕸 💹

- Brassicaceae
- Annual for beddings and pot plant
- Seed count/gram: 3 500
- Sowing: From February to April; sow 5 to 8 seeds per cel.

**■ Germination:** At 18°C, emergence in 9 to 14 days.

■ **Growth temperature:**After potting or planting, place plants into the greenhouse under moderate temperatures from 12 to 15°C.

● Voltz advice:
6 to 8 weeks of cultivation. After germination place in an airy location with high light intensities. From the 4th week of cultivation on, technical the intensities. treat with fungicide when watering.















1 > 5							
EASTER BONNET							
6							
SNOW CRYSTALS							

Mounded, compact and uniform habit. Fast and homogeneous flowering. For

Ground covering habit. Mid-green foliage. Tetraploid variety with very big white flowers of 5 mm.

7 > 10 **CLEAR CRYSTAL®**  A tetraploid series that is more vigorous, with longer flowering period than Easter Bonnet Series. Large, fragrant flowers. We recommend this genetics!

Height	Habit	Pot size	Mini.	Colou
				1. Mixed
15 cm	mounded	9 cm, pack	k 5000 GN	<b>3.</b> Deep F
				5. White

15-25 cm mounded 9-10 cm 1000 GFC

1000 GFC 6. White

7. Mixed

9. Purple

Shades

3. Deep Rose E02.4361 5. White E02.4821

E02.5401

E02.032GFC 10. White

Colour

E02.0001

E02.040GFC 8. Lavender E02.028GFC

Colour

2. Deep Pink

4. Violet

Code

E02.4401

E02.4801

E02.036GFC

**VOLTZ** HORTICULTURE

15-25 cm mounded

## 

1 ALBA

<sup>2</sup> VIOLET

Lunaria biennis

Biennial for beddings and cut flowers

Seed count/gram:

Sowing:
From April to June.

**■ Germination:** Between 15 and 20°C.

Growth temperature: Between 12 and 15°C.

	Height	Habit	Pot size	Mini.	Code
For fresh and dried bouquets. For plant sales without flowers grow in 9 cm square pot. Flowering time: April to May.	100 cm	upright	9 cm	5 g	P26.600
For fresh and dried bouquets. For plant sales without flowers grow in 9 cm square pot. Flowering time: April to May. Pure white selection.	100 cm	upright	9 cm	5 g	P26.700





## Malva 4 60 1916 & 8







- **■** Malvaceae
- Malva moschataMalva mauritiana
- Perennial bedding and pot plant
- Seed count/gram: M. moschata: 450 M. mauritiana: 235
- Sowing: M. moschata: From March
- to June.
  M. mauritiana: From March
  to May.

2 seeds/cell. Perennial plant cultivated as an annual.

■ Germination: M. moschata: At 16-20°C. M. mauritiana: 20°C day / 14°C night, in 7-12 days.

■ Growth temperature:
M. moschata: Between 14
and 18°C.
M. mauritiana: 16°C day /
10°C night.





		Height	Habit	Mini.	Code
1 MOSCHATA	Free flowering bushy plants with attractive flowers. Can be grown as an annual.	60-70 cm	upright	1 g	P32.800B
2 MAURITIANA	Veined purple flowers in long spikes.	90-100 cm	upright	1 g	P32.903B

# Melampodium o

- Asteraceae
- Melampodium paludosum
- Annual bedding and pot plant

Sowing:
From January to May.

**■ Germination:** At 20-24°C, in 7 to 15 days.

Growth temperature:

■ Voltz advice:
3 months cultivation period. Requires high temperatures.







		Height	Habit	Pot size	Mini.	Code
1 GOLDEN GLOBE CONTROL OF STREET	Most compact habit. Flowers of 5 cm. Bright colours.	18 cm	mounded	9-10 cm, pack	250 GN	E45.508
2 DERBY®	Small foliage, compact plant. Flowers of 5 cm. Bright colours.	20 cm	mounded	9-10 cm	250 GN	E45.510
3 SHOWSTAR®	Green foliage, covered with many yellow flowers.	25 cm	mounded	9-11 cm	250 GN	E45.500

# Matthiola ⊙⊙ SS

- **■** Brassicaceae
- **■** Matthiola incana
- Annual or biennial for pot and bedding plants and cut flowers

Sowing:
For early crop in greenhouse: from
mid-November onwards. For protected outdoor
production: from February onwards.
For outdoor production: from April onwards.

## **■ Germination:** At 18°C, in 8 to 14 days.

**■ Growth temperature:** At 10°C or outside.

■ Visual selection:
Select young plants on yellowish-green foliage which stands for double flowers. Place the plants at least for 17 hours at low temperatures (7-10°C) and in darkness. For non-selectable varieties remove the weak and very small seedlings.

























	ANNUAL DWARF VARIETIES	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 > 5						<b>1.</b> Mix	E91.1001	<b>2.</b> Pink	E91.0601
	100% of fragrant double flowers (if sorted). Selectable after cold period.	25 cm	mounded	9-11 cm	1000 GN	<b>3.</b> Purple	E91.0201	<b>4.</b> Red	E91.0701
CINDERELLA	Selectable after cold period.					5. White	E91.0801		
6 HOT CAKES	Very well branched series with green foliage and bright colours. For flower beds. Excellent performances, even under cool conditions. Selectable on foliage colour.	25 cm	mounded	9-11 cm	500 GN	<b>6.</b> Mix	E91.1381		
<u></u>	Eroo flowering veriety often grown as a					7. Fruits Rouges Mix	E91.148	8. Crimson	E91.1411
7 > 13	Free-flowering variety, often grown as a half-hardy annual. Lance-shaped, grey-green	35 cm upr		11 cm	E00.0N	<b>9.</b> Lavender	E91.1431	<b>10.</b> Pink	E91.1441
HERITAGE de ville	leaves. For outdoor use, flowering in summer;		upright		m 500 GN	11. Scarlet	E91.1421	12. Violet	E91.1461
	sturdy, upright stems.					13. White	E91.1401		



















	ANNUAL HIGH VARIETIES 🎥	Height	Habit	Mini.	Colour	Code
1 ► 2 <sub>AIDA</sub>	Very uniform flowering and plant performance; Spring flowering	60-70 cm		500 GN	1. Purple	D47.363
AIDA	group 2. Plant density in greenhouse: 65-75 plants/m².	60-70 CIII	upright	200 GN	2. White	D47.364
					<b>3.</b> Purple Violet	D47.370
3 ► 5 OPERA	Very uniform flowering and plant performance; Spring flowering group 2. Plant density in greenhouse: 65-75 plants/m².	60-70 cm	upright	500 GN	<b>4.</b> Red	D47.372
		group 2.1 failt definity in groominades. 66 76 plante/inf .				<b>5.</b> Rose
AIDA/OPERA (non illustrated)	Mix of Aida and Opera colours; all flowering group 2.	60-70 cm	upright	500 GN	Mix	D47.380
6 FIGARO	Forcing-Matthiola group 2, suitable to combine with Aida and Opera. Plant density in greenhouse: 65-75 plants/m².	75 cm	upright	500 GN	<b>6.</b> Lavender	D47.365
	Dense spikes of nice Cream Yellow, fits perfect to Aida and				<b>7.</b> Blue	D47.378
7 > 9 MATHILDA	Opera flowering group 2. Plant density in greenhouse:	80 cm	upright	500 GN	8. Lavender	D47.379
	65-75 plants/m².				9. Yellow	D47.376



ы	ΕN	NI	AL	V/	\RI	Εī	ГΥ

### **VINTAGE** Mix

Excellent behaviour in beddings. Good cold-tolerance. Most important variety for South Europe winter plantings.

Height	Habit	Pot size	Mini.	Code
40-50 cm	upright	9-11 cm	1000 GN	E91.2091

# Mentha 4 GROUND COVER & GROUND COVER &



■ Mentha requienii

First year flowering perennial

Sowing:
 March-May. Direct sowing in 10 cm pot possible with 1 multipellet per pot.

**■ Germination:** At 18-21°C in 5 to 7 days.

Fertilization: EC below 0,7.

**© Growth temperature:** 20°C day, 16°C night.

**▼ Voltz advice:** Crop time 5-8 weeks.

### **CORSICAN MINI MINT**

Highly fragrant, small leaved, robust and fast developping groundcover. For sales in pots and baskets, but also used as groundcover one graves, or even as alternative to lawn.

Height	Pot size	Habit	Mini.	Code
3-5 cm	9-11 cm	carnet-growing	100 GE	G87 930E



## Mimosa ⊙ 558

- Mimosa pudica
- Annual bedding
- Seed count/gram: 200
- Sowing: From January to April.

**■ Germination:** At 20°C, in 20 to 30 days. Light germinator.

Growth temperature: 12°C; High light level and well ventilated conditions.

**Voltz advice:** 6 to 7 months cultivation period. Direct sowing in



### **PUDICA**

Sensitive foliage, leaves fold up at the slightest touch.

Height	Habit	Pot size	Mini.	Code
30-40 cm	upright	12-16 cm	5 g	R42.000

## Mimulus o

- Scrophulariaceae
- Mimulus x hybridus
- Annual bedding and pot

- **Sowing:** From February to April.
- Germination: At 20°C, in 7 to 14 days.

# ■ Growth temperature: From 14 to 16°C, lower later to 8-12°C for hardening the

## ■ Voltz advice: 6-8 weeks cultivation. Easy to steer for flowering at mother's day. Can be cutted back for second







Mini.

1	<b></b>	2			
MAGIC F1					

Vigorous, compact and early plant.

250 GF 15 cm mounded 9 cm, pack

Pot size

Height Habit

Code E46.930E

2. Blotch Mix F46 940F

3 **MAXIMUS F1** 

The best Mimulus grandiflora series ever selectionned. Large flowers of 6 cm. More vigorous series, with a habit more upright than Magic series. Ideal for 10.5 cm pots culture. Stands very low temperatures around 5-8°C.

30 cm mounded 10-11 cm

250 GE E46.950E

## Mina lobata 🔾 📟 🕸 🗓









- Convolvulaceae Mina lobata
- Climbing annual for flowerbeds and treillis
- Seed count/gram: 50
- Sowing:

Direct sowing with 4-5 seeds per pot, from January to March.

- Germination: At 20°C.

**■ Growth temperature:** Between 16 and 18°C.

**■ Voltz advice:** 12 weeks cultivation period.



# Moluccella os

- Lamiaceae
- Moluccella laevis
- Annual bedding plant and cut flower
- Seed count/gram:

Sowing:
Direct sowing from February to April.

■ Germination: 12°C, in 14 to 30 days. Cold germinator. Keep cool until emergence of the seedlings.

- **Growth temperature:** Between 12 and 15°C.
- Voltz advice:

Pinching delays flowering but results in higher yield per sqm. After harvesting before drying remove the leaves between the blooms. Planting distance 25 cm row distance.



### **EXOTICA** Red Bicolour

Red bicolour. Climbing plant. Grape-shaped flowers.

Height	Habit	Pot size	Mini.	Code
300 cm	climbing	12-18 cm	5 g	R42.500

### **LAEVIS**

Green inflorescences with greenish, round-shaped bracts.

Height	Habit	Mini.	Code
50-90 cm	upright	5 g	D48.000

## Musa O

- Musaceae
- Musa ensete ventricosum
- Annual bedding and pot plant
- Sowing: Soak seeds for 24 h in water of 25°C. Sowing from January to March.
- **Germination:** At 20°C, often incertain.
- Growth temperature: Between 16 and 18°C.
- Voltz advice:
- Exposure : In full sun, protected from wind to avoid damage on the leaves. A rich and humid soil, Well drained peat and a regular fertilisation increases the plant development.

### **ENSETE**

Light green foliage. Ornamental plant.

Height	Habit	Pot size	Mini.	Code
100 cm	upright	12-16 cm	25 GN	R43.100



# Monarda ₄>≥ ♦ ♦

- Monarda didyma
- Perennial bedding plant or cutflower
- Seed count/gram: 2 000

■ Sowing: From March (for first year flowering varieties) to August. 1 to 3 seeds per cell.

- **Germination:** At 20°C.

**■ Growth temperature:** Between 14 and 16°C.





1 > 2 PANORAMA

Upright habit. Solitary planting possible. Flowering time: June to September.

Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
110 cm	upright	19-23 cm	500 GN	<b>1.</b> Mix	P35.0001	2. Red Shades	P35.0101

# $Myosotis \ \odot$

- Myosotis alpestrisMyosotis sylvatica
- Biennial bedding plant
- Seed count/gram: 1600

■ Sowing: From June to August.

**■ Germination:** From 15-20°C, in 14 to 20 days.

Growth temperature: 10-12°C.















		Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 > 4	Requires no vernalization. Therefore can be				1000 GN	<b>1.</b> MIx	P36.003		
			15-20 cm mounded			<b>2.</b> Blue	P36.000	<b>3.</b> Pink	P36.002
sylvatica MON AMIE	spring pansies without the need to overwinter plants.	nter plants.		250 GN	4. White	P36.004			
5 sylvatica ULTRAMARINE	Compact variety with small flowers.	15 cm	mounded	9-10 cm	1 g		P36.200		
6 sylvatica MIRO	Dwarf compact. Early flowers which do not fade.	15 cm	mounded	9-10 cm	500 GN		P36.1101		
7 sylvatica	Compact and uniform. The best variety for packs and beddings.	15 cm	mounded	9 cm, pack	1 g		P36.120		

# Myosotis ⊙






















1	<b>•</b>	2
sylvo	ıtica	VICTORIA

Uniform, compact and floriferous. Ball-shaped habit.

Height	Habit	Pot size	Mini.	
15 cm	mounded	9-10 cm	1 g	1.
				3.
		9 cm		4







Very floriferous and uniform selection.

500 GN 20 cm mounded

upright

P36.500



Special selection with longer stems for flower bouquets.

30-35 cm mounded 10-11 cm 1 g

1 g

8. Blue Indigo P35.800 P35.802 9. Carmine King 10. White P35.804

8 > 10 ALPESTRIS couleurs de ville

Strong growing, carpet-forming species from the mountains, producing plenty of small flower umbels.

Nepeta 2 \*\*\*\* \* \* \*









Lamiaceae

Perennial bedding plant

Seed count/gram:

Sowing: From March to June. **■ Germination:** At 20°C.

**■ Growth temperature:** Between 15 and 18°C.

### FAASSENII Light Blue

Light blue. Fragrant blue-grey foliage. Flowering time: May to August.

Height	Habit	Pot size	Mini.	Code
30 cm	cushion	9-12 cm	5 a	P38.100



## 

- Solanaceae
- Nicotiana alata
   Nicotiana mutabilis
   Nicotiana langsdorfii
   Nicotiana sylvestris
- Annual bedding and pot plant
- Seed count/gram: 8 000
  - Sowing: From January to March. Do not cover the seeds.
- **Germination:** At 20-24°C, in 14 to 20 days. Light germinator.
- **Growth temperature:** From 16 to 18°C.

▼Voltz advice:
9 to 12 weeks cultivation.
Planting outdoor: 25 x 25 cm
(16 plants per m²).

















Very early and compact, with large flowers.

ALATA DWARF VARIETY

25-30 cm upright

500 GE 9-12 cm

Co	lour	Code	Colour	Code
<b>1.</b> Mix	Е	48.775E	2. Appleblossom	E48.783E
3. Lime	E	48.785E	4. Purple Bicolour	E48.787E
5. Red	Е	48.781E	6. Rose	E48.786E
7. White	e E	48.780E		

















1	<b>&gt;</b>	8			
PERFUME F1					

Vigorous plant. Homogeneous series with medium hewight.

upright

11-13 cm

500 GE

Colour	Code	Colour	Code
<b>1.</b> Mix	E46.606E	2. Antique Lime	E48.607E
3. Blue	E48.602E	4. Bright Rose	E48.601E
5. Deep Purple	E48.606E	6. Lime	E48.604E
<b>7.</b> Red	E48.600E	8. White	E48.605E

# Nicotiana ⊙\$







	ALATA HIGH VARIETIES	Height	Habit	Pot size	Mini.	Code
BABY BELLA F1 Antique Red	Vigorous plant, well branched and floriferous. Good tolerance to diseases. Upright habit. Large red flowers. Quasi a compact version of Tinkerbell.	60 cm	upright	11-13 cm	500 GC	E49.600GC
2 WHITE COULDERS	Large fragrant flowers; ideal for flower beds.	60-80 cm	upright	11-13 cm	0,25 g	E48.700
TINKERBELL F1	An ornamental breakthrough; excellent choice for plant architecture. Vigorous plants producing masses of small deep red flowers with green back.	90 cm	upright	11-13 cm	500 GN	E48.505







	OTHER VARIETIES	Height	Habit	Pot size	Mini.	Code
1 langsdorfii LEMON TREE	Hanging flowers with lime green, trumpet-shaped, hanging flowers.	80 cm	upright	11-13 cm	250 GN	E49.625
2 mutabilis MARSHMALLOW	Unusual and visually stunning variety. Masses of wiry stems covered with blooms in White, Pink and Rose on the same plant.	120 cm	upright	12 cm/ 17-23 cm	500 GE	E49.610E
3 sylvestris ONLY THE LONELY	Very fragrant. Ideal as solitaire for the bed's centre.	150 cm	upright	12 cm/ 17-23 cm	500 GE	E49.620E

# Nemesia os

- Scrophulariaceae
- Nemesia strumosa
- Annual bedding and pot plant
- Sowing:
  December-February for sales in March-April.
  June-July for sales in late summer/fall.
- **Germination:** 15-20°C, in 14 to 20 days.
- Growth temperature: 10°C.
- Voltz advice: Avoid excessive heat. Crop time 12 to 14 weeks.





		Height	Habit	Pot size	Mini.	Code
1 SUNDROPS F1 Mix	Large colour range. Early and compact in packs.	20 cm	mounded	9-12 cm	250 GN	E48.010
_	Spectacular long flowering series with large flower size and well branched habit. Offering a lot of extra colour in mixed plantings					

2 NEBULA F1 Mix

Spectacular long flowering series with large flower size and well branched habit. Offering a lot of extra colour in mixed plantings and containers. Tolerates low temperatures even down to  $0^{\circ}\mathrm{C}$ , therefore sales in spring and early autumn. Easy to grow: 12 weeks from sowing to sales.

20-25 cm upright 10,5-12 cm 250 GN E48.110

# Nigella ⊙≫

- Ranunculaceae
- Nigella damascenaNigella hispanicaNigella orientalis
- Annual bedding and pot plant and cut flower

■ Seed count/gram: 400 N. damascena; 800 N. hispanica; 300 N. orientalis

Sowing: Direct sowing in 9 cm pots, packs or outdoor-sowing from March till May.

**■ Germination:** At 18°C, in 14 to 20 days.

■ Growth temperature: 12°C.

**Voltz advice:**For cutflower production outdoor in beds:
Space 20 x 30 cm (16 plants per sqm).



















		Height	Habit	Mini.	Code
1 orientalis TRANSFORMER	Small yellow flowers followed by very ornamental capsules.	50 cm	upright	10 g	D49.900
2 > 3	The heat calcution for out and dried flower	40 cm	upright	10 g	<b>2.</b> Mix D49.400
The best selection for cut and dried flower.		40 0111	upright	10 g	<b>3.</b> Blue D49.000
4 damascena MIX	Best variety for cut flower production.	40-45 cm	upright	5 g	D49.400B
5 damascena GREEN POD	Green capsules, used for cut and dried flower.	80 cm	upright	10 g	D49.424
6 damascena BLACK POD	Red capsules, used for cut and dried flower.	80 cm	upright	10 g	D49.420
7 hispanica BLUE CROWN	Single-flowering with large flowers. Capsules of the same colour. Fresh and dry flower.	45 cm	upright	10 g	D49.800
8 hispanica AFRICAN BRIDE	Large pure white flowers with contrasting almost black seed pods.	80 cm	upright	10 g	D49.802
9 hispanica MIDNIGHT	Large, velvet dark purple flowers with deep purple buds. Florists love it.	80 cm	upright	10 g	D49.804

# Oenothera 2

- Oenotheraceae
- Oenothera missouriensis
  Oenothera speciosa
- Perennial bedding and pot plant
- Sowing: Between 18 and 20°C.
- **Growth temperature:** Between 12 and 15°C.





1	MISSOURIENSIS
(mac	rocarpa)

Compact plant. Flowering time: June to August.

20 cm upright 10-11 cm

500 GN Golden Yellow P39.1001



Very fragrant. Flowers during the day and the night. Flowering time: June to August.

40 cm upright 10-12 cm

500 GN Light Pink

P39.3001

# 

- Onobrychis vicifolia
- Perennial
- Seed count/gram: 55
- Sowing: From March to August. 2-3 seeds/cell.

**■ Germination:** At 18 and 20°C, in 14-28 days.

**■ Growth temperature:** 16°C day / 12°C night.

### **VICIFOLIA**

The deep-rooted, perennial, long flowering plant is primarily used as in flower mixtures and park meadows; attractive for insects as well as a soil conditioner. However, it is also used as a cut flower for summer bouquets.

Height	Habit	Mini.	Code
40-70 cm	upright	10 g	M71.100B



# Osteospermum • \*\*\*\* \$

- Asteraceae
- Osteospermum ecklonis
- Annual pot plant
- **© Sowing:** From March to June.
- **Germination:** At 18 and 20°C.

■ Growth temperature: From 13 to 18°C by day. 10-12°C at night.

■ Voltz advice: 10-12 weeks cultivation in spring. 7-9 weeks cultivation in autumn. Additional light with 3 000 lux 16 hours a day encourages flowering.

















Well branched plants deliver excellent performance in packs and pots as well as in the landscape. «no-pinch» growing and 7-10 day flowering window makes this series the best for mechanized production.

30-35 cm	upright	9-12 cm	100 GI

Height Habit Potsize Mini.

Colour	Code	Colour	Code
1. Grand Canyon Mixture	E50.577	2. Mixture	E50.575
3. Sunset Shades	E50.578	4. Daisy White	E50.576
5. Lavender Shades	E50.571	6. Purple	E50.572
7. White Purple Eye	E50.574		

# Origanum 4 \*\*\*\* 🗣 🕸 💝 💖

Lamiaceae

Origanum hybridum

Annual flowering perennial

Sowing: End of February to end of March, with 4 seeds per plug. **■ Germination:** At 18-22°C in 4-5 days.

Fertilization:

Growth temperature:

**■** Voltz advice: Crop time potting to sales: 9-11 weeks.

### **KIRIGAMI**

Eve-catching, large purple-green bracts changing colour depending on temperature and light. Very heat and drought tolerant! Requires long day: critical daylength 14 hours.

Height	Habit	Pot size	Mini.	Code
20-25 cm	semi- trailing	10,5-12 cm	250 GN	E08.520



# Pardancanda 48

- **■** Iridaceae
- Pardancanda norrisii
- Perennial bedding plant
- Seed count/gram: 50

Sowing: From April to July.

Germination:

**■ Growth temperature:** Between 12 and 15°C.

■ Voltz advice: Avoid humidity and excessive watering.



# Passiflora 2 9 10



- Passiflora caerulea
- Climbing perennial
- Seed count/gram: 120

Sowing: From January to March.

Germination:

At 18-20°C, in 20 to 30 days.

**■ Growth temperature:** Between 14 and 16°C.

**Voltz advice:** 5 to 7 months crop time.



### **NORRISII** Mix

Can be cultivated as an annual. Flowering time: June to August.

Height	Habit	Pot size	Mini.	Code
70 cm	upright	9 cm / 11-13 cm	5 g	P42.900

### **CAERULEA**

White petals with eye-catching ring of blue filaments. Easy cultivation. Véry fancy flowers. Flowering time: Juné to Séptember.

Height	Habit	Pot size	Mini.	Code
200 cm	climbing	11-13 cm	5 g	R35.000

# Papaver ⊙≫

### **BE CAREFUL!**

In some areas, Papaver somniferum cultivation is strictly controlled. Ask your local administration for information.



Annual bedding plant and cut flower

Seed count/gram: 2 000

Sowing: From February to April.

**■ Germination:** At 16°C, in 14 to 20 days.

Growth temperature:

**▼Voltz advice:**Crop time about 5 month.
Best results in well fertilized, chalky soil.





	Height	Habit	Pot size	Mini.	Code	
About 50% of large capsules surrounded by smaller capsules.	80 cm	upright	9-12 cm	5 g	D51.200	
Variety with large capsules, very ornamental.	80 cm	upright	9-12 cm	5 q	D51.100	

2 MAXI (BLUE MOON)

Variety with large capsules, very ornamen

# Papaver ⊙ 4 🕸

- Papaveraceae
- Papaver orientale
  Papaver rhoeas
- Biennial or perennial bedding and pot plant
- Seed count/gram: P. nudicaule: 6-8 000; P. orientale: 3 500; P. rhoeas: 6 000
- **Sowing:** From June to August.
- **Germination:** At 15°C.
- **Growth temperature:** Between 8-10°C.

















500 GN



nudicaule GARTENZWERG	
2 > 9 <sub>nudicaule</sub> CHAMPAGNE BUBBLES F1	

Bright colours. Compact and very floriferous. Flowering time: June to July.

40-50 cm upright 10-12 cm

30 cm upright 9-11 cm

**1.** Mix P41.4001 2. Fruits 3. Citrus P41.722GP P41.719GP Rouges Mix Mix P41.720GP **5.** Orange **4.** Mix P41 710GP 6. Pink P41.711GP **7.** Scarlet P41.714GP P41.712GP **9.** Yellow P41.713GP 8. White

Large range of bright colours. Large flowers. Hardy stems. Early, abundant and uniform flowering.

ICELAND PAPAVER

W		No
		が温
- 100		
		1



ORIENTAL PAPAVER	Height	Habit	Pot size	Mini.	Code
orientale ALLEGRO Floriferous with large flowers. Flowering time: June to July.	40 cm	upright	9-12 cm	1g	P42.200

orientale PIZZICATO 🦃

Up to 20 strong flower stems per plant with huge, approx. 15 cm diameter, flowers in bright colours. Flowering time: June to July.

50-60 cm upright 10,5-12 cm 500 GE P41.880E



### RHOEAS PAPAVER SIMPLY RED COLLEGE

For dry flower production (capsule) and for colouring bee-attractive Flower Mixtures.

Height	Habit	Mini.	Code
F0 00		5 g	P41.182
50-60 cm	upright	5 g	P41.182B

# Pelargonium zonale 0

- **■** Geraniaceae
- **■** Pelargonium x hortorum
- Annual bedding and pot plant

Sowing:

**■ Germination:** At 20-22°C, in 7 to 15 days.

**■ Growth temperature:** Between 16-18°C.

■ Voltz advice: Ensure good ventilation in winter to keep humidity low to avoid botrytis. All varieties are being delivered in highest seed quality as filmcoated seeds.









22	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
					<b>1.</b> Mix	E52.390GFC	2. Lavender	E52.260GFC
1 > 8 MULTIBLOOM F1	20 cm	mounded	10-11 cm	100 GFC	3. Pink	E52.280GFC	4. Red Imp.	E52.300GFC
Bright colours. For pot and bedding plants.	20 0111	mounted	10-11 0111	100 6FC	<b>5.</b> Salmon	E52.340GFC	<b>6.</b> Scarlet Eye	E52.370GFC
					<b>7.</b> Violet	E52.345GFC	8. White	E52.380GFC
9 BULL'S EYE F1 Deep bronze foliage with green edge. Responds well to growth regulator.	25 cm	mounded	10-12 cm	100 GFC	<b>9.</b> Mix	E52.690GFC		
					<b>10.</b> Mix	E51.726GFC	11. Orange	E51.710GFC
m. m			<b>12.</b> F	<b>12.</b> Pink	E51.712GFC	<b>13.</b> Quicksilver	E51.709GFC	
10 > 21 MAVERICK F1 CONTROL	30 cm			<b>14.</b> Red	E51.714GFC	<b>15.</b> Rose	E51.721GFC	
Uniform and early series. Ideal for high density production. Responds well to growth regulator.	30 0111	mounaea	10-12 0111	100 6FC	<b>16.</b> Salmon	E51.716GFC	17. Scarlet	E51.718GFC
Responds wente growth regulator.					<b>18.</b> Scarlet Picotee	E51.724GFC	<b>19.</b> Star	E51.720GFC
					20. Violet	E51.723GFC	<b>21.</b> White	E51.722GFC
LANDSCAPER F1 Bright scarlet-red, large flower umbels on vigorous, well branched plants with zoning foliage.	30-40 cm	mounded	11-13 cm	100 GFC	<b>22.</b> Scarlet	E52.506GFC		

# Pelargonium peltatum o

- **■** Geraniaceae
- **■** Pelargonium x
- Annual bedding and pot plant
- Seed count/gram: 200
- Sowing:
  November to February.
- Germination: At 20-22°C, in 7 to 15 days
- **Growth temperature:** Between 16 and 18°C.

### **Voltz advice:** 3,5-4 months cultivation

period. If seeds are sown in December, harden plants at 12°C. Good aeration and low humidity in winter prevent plants from Botrytis.

### TORNADO® F1 Mix

Well branched without pinching; strong foliage; bright

Height	Habit	Pot size	Mini.	Code
30-35 cm	trailing	10,5-12 cm	50 GFC	E53.190GFC



## Penstemon 2 3 5







- Penstemon barbatusPenstemon digitalis
- Perennial bedding plant and cut flower

from mid-January to May. For winter production: July to August.

**■ Germination:** At 18-20°C, in 7 to 14 days.

## **■ Growth temperature:** Between 12 and 15°C.

Space potted plants as early as possible at a cool, airy place with high light.













First year flowering perennial with taller flower stems than existing varieties. For the striking red colour, the new plant habit and the superb flowering performance during the first year.

Height Habit Pot size Colour Colour Code P43.721 2. Purple P43.722 70-80 cm 13-15 cm 250 GN upright 3. Scarlet P43.720 150 cm upright 16-23 cm 500 GN 4. Red P43.7001

250 GN 5. Lavender P43.850

Vigorous plant for borders. Flowering time: June to August. **COCCINEUS** 

digitalis MYSTICA 📚

Bronze foliage making a beautiful contrast with light lavender floral spikes. Flowering time: June to August.

75 cm

upright

13-16 cm

## Pentas os

- Rubiaceae
- Pentas lanceolata
- Annual bedding and pot plant

Sowing: From January for a flowering in May;

or sowing every 3 weeks for offering pot plants the whole year round.

**■ Germination:**At 22-25°C. Maintain a high hygrometry.
Do not cover the seeds.

**■ Growth temperature:** Between 18 and 20°C (not below 15°C).

■ Voltz advice:
16 to 18 weeks for the growing period.
High light conditions are requested for a massive flowering.







		Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 GRAFFITI® OG F1	Good heat tolerance. Good outdoor pewrformance. Large umbels on strong stems.	35 cm	upright	10-11 cm	100 GE	1. Red Velvet	R46.029E		
						<b>2.</b> Mix	R46.019E	<b>3.</b> Cranberry	R46.046E
2 > 11	More uniform and better branched than					<b>4.</b> Flirty Pink	R46.009E	<b>5.</b> Fuchsia	R46.045E
	former Graffiti® OG series. The flower umbels have highly developed petals for a	35-40 cm	upright	10,5-13 cm	100 GE	<b>6.</b> Lavender Pink	R46.018E	7. Lazer Pink	R46.013E
GRAFFITI® 20/20 F1	strong visual impact.					<b>8.</b> Ruby	R46.012E	9. True Pink	R46.014E
						<b>10.</b> Ultra Violet	R46.016E	11. White	R46.017E
						<b>12.</b> Mix	R46.092E	13. Dark Red	R46.080E
12 > 19	Very early with a uniform flowering, very	70 75 am	mounded	10,5-13 cm	100.05	<b>14.</b> Deep Pink	R46.082E	<b>15.</b> Lavender	R46.084E
<b>LUCKY STAR® F1</b>	homogeneous between the colours.	30-35 CIII	mounded	10,5-15 0111	100 65	<b>16.</b> Lipstick	R46.087E	<b>17.</b> Pink	R46.086E
						18. Violet	R46.088E	19. White	R46.090E

# Petunia o

- Solanaceae
- Petunia grandifloraPetunia multifloraPetunia milliflora
- Annual bedding and pot plant
- Sowing:
  January to March.
- **Germination:** At 20-22°C, in 5 -8 days. Keep pellets very moist.
- **© Growth temperature:** 15-18°C.
- Voltz advice: 10 to 12 weeks cultivation. For very early sowings (December): 12 to 16 weeks.

**PACTA PARADE:** early and compact for packs!

E55.220E

### **LIMBO GP F1**





SINGLE FLOWERED GRANDIFLORA VARIETIES



Height



Also available in MIX

					I. Blue Picotee	E55.ZZ3E	2. Blue vein	E55.ZUIE
	The new F1 generation of genetic				<b>3.</b> Burgundy Picotee	E55.207E	4. Deep Purple	E55.203E
	compact growing, large flowering Petunia for high density culture				<b>5.</b> Mid Blue	E55.211E	6. Peach	E55.216E
	AND good garden performance!				<b>7.</b> Picotee Mix	E55.221E	8. Plum Vein	E55.214E
<u></u>	Suitable for cold growing.  No PGRs required (depending				9. Red Picotee	E55.217E	10. Red Vein	E55.218E
1 > 22	on growing regime). A selected	20 cm	mounded 9-10 cm,	500 GE	11. Rose Morn	E55.219E	12. Rose Picotee	E55.209E
PACTA PARADE F1	series using those genetics who	20 0111	mounded pack	300 GE	13. Salmon	E55.208E	<b>14.</b> Silver Blue	E55.215E
	offer a genetically compact habit in pack and pot and also have an				<b>15.</b> Sky Blue	E55.213E	<b>16.</b> Blue	E55.204E
	enhanced, longer performance in				17. Deep Pink	E55.212E	<b>18.</b> Red	E55.200E
	beds and landscapes. A tight blooming window lets you				<b>19.</b> Rose	E55.210E	<b>20.</b> White	E55.202E
	sell all colours at the same time.				<b>21.</b> Burgundy	E55.206E	<b>22.</b> Rose Star	E55.222E

### PARADE: reliable quality for the segment flower beds!



## Petunia o



# Petunia hybrida O

- Solanaceae
- Petunia pendula
- Annual pot plant
- **Sowing:** From January to March.

**■ Germination:** At 20-22°C, in 14 days.

Growth temperature:  $16-18^{\circ}\text{C}$ .

**▼ Voltz advice:** 8 to 13 weeks cultivation, depending on the pot size and the period of the year.

It's Early, it's Efficient, it's the Evolution of Easy Wave®...it's E3!



### **E3 EASY WAVE™**

### HEIGHT 15-30 CM • WIDTH: 60-80 CM





Early series already flowering at 10 h daylength; a uniform spreading series for economic production.

Height	Habit	Potsize	MINI.	Colour	
				<b>1.</b> Mix	E
15. 70	semi-	10 5 15		3. Coral	E
15-30 cm	semi- trailing	10,5-15 cm	100 GE	<b>5.</b> Red	E5

Colour	Code	Colour	Code
<b>1.</b> Mix	E55.859E	<b>2.</b> Blue	E55.851E
3. Coral	E55.852E	4. Pink Cosmo	E55.854E
5. Red	E55.858E	6. Sky Blue	E55.850E
7. White	E55.855E		

# Petunia hybrida \circ

## **EASY WAVE™**

## HEIGHT: 25 CM • WIDTH: 70 CM





Trailing habit. Large-flowering series. Flowering under short-day conditions allows early sales.

Colour	Mini.	Pot size	Habit	Height
1. Formula Mix				
3. Berry Veloui				
<b>5.</b> Burgundy S				
<b>7.</b> Coral Reef				
9. Neon Rose	100 GF	11-15 cm,	semi-	25 cm
11. Pink Passio	IUUGE	baskets	trailing	25 0111
<b>13.</b> Red				
15. Rose Fusio				

Colour	Code	Colour	Code
1. Formula Mix	E55.665E	2. Great Lakes Mix	E55.676E
3. Berry Velour	E55.686E	4. Blue	E55.667E
<b>5.</b> Burgundy Star	E55.668E	6. Burgundy Velour	E55.687E
7. Coral Reef	E55.669E	8. Lavender Sky Blue	E55.656E
9. Neon Rose	E55.677E	<b>10.</b> Pink	E55.662E
11. Pink Passion	E55.658E	12. Plum Vein	E55.671E
<b>13.</b> Red	E55.661E	14. Red Velour	E55.688E
<b>15.</b> Rose Fusion	E55.664E	16. Rosy Dawn	E55.673E
17. Silver	E55.659E	18. Violet	E55.675E
19. White	E55.660E	20. Yellow	E55.685E













E55.650E

E55.654E

E55.655E



Trailing habit. Very good resistance to wind, rain and high temperatures.

Height Habit Pot size Mini. 1. Cherry E55.651E 2. Hot Pink 3. Purple E55.653E 4. Red Velour 12-15 cm, baskets 30-60 cm trailing 100 GE 5. Silver

# Perilla O

- Lamiaceae
- Perilla frutescens
- Annual bedding plant
- Seed count/gram: 750

Sowing: In March-April.

**■ Germination:** At 15°C, in 14 to 21 days.

Growth temperature: Between 12 and 15°C 10-12 weeks cultivation.

### **RED SKIN**

Red. Bright deep purple foliage. Serrated foliage. Pyramidal growth.

Height	Habit	Pot size	Mini.	Code
60 cm	upright	9-12 cm	5 g	E54.900



Also available in Mix

## Perovskia 4 \*\*\*\* \* \* \*











Perovskia atriplicifolia

Perennial bedding plant

Sowing:
March for annual culture
for sales in summer.
Beginning of May for sales in
September. Sowing July for biennial crop for sales the following spring.

■ Germination: At 18-20°C.

■ Growth temperature: Between 12 and 15°C.

■ Voltz advice:
Daylength-neutral! Does not require vernalisation but high light conditions! Pinch once after 4th nodium. Grow 1 plant in a 11-12 cm pot; or 3 plants in a 15-16 cm pot.





1 BLUESETTE

The first and only compact, branching and early Perovskia from seed.

Height Habit Pot size Mini. Code 35-50 cm 100 GN P44.607 upright 10,5-14 cm



First year flowering perennial with aromatic, silvery foliage carrying clouds of small blue flowers on strong silver stems. Comparable to the vegetative leader. 60-90 cm upright 11-16 cm 100 GN Heat and drought tolerant, very hardy.

## Phaseolus os •

- Phaseolus multiflorus
- Climbing annual

Sowing:
From February sow in pot or directly in place from March-April as soon temperatures are warm enough.

Seed count/gram:
2

## **Germination:** 15-20°C.

Before sowing, soak seeds the day before in water to neutralize dormancy and gain some days in germination.

■ Growth temperature: Between 8 and 10°C.

● Voltz advice: 8-12 weeks cultivation.Plant with a distance of 10 -15 cm in the line with wire netting.



### coccineum GOLIATH Red

Red. Climbing plant. Bright green foliage.

Height	Habit	Mini.	Code
200-300 cm	climbing	50 g	E32.960

## Phlomis 2 \$ 8

- Lamicaceae
- Phlomis samis
- Seed count/gram:

Sowing:
From February to October. 2 seeds/cell.

**■ Germination:** 26°C day/18°C night, in 21-28 days.

**Growth temperature:** 20°C day/16°C night.



### **SAMIS (RUSSELIANA)**

Flower heads appear on different levels along the strong stems.

Height	Habit	Pot size	Mini.	Code
80-100 cm	upright	9-11 cm	100 GP	P45.600GP

# Phlox **○ \$ 3 3**

- Polemoniaceae
- Phlox drummondii
- Annual bedding plant
- Seed count/gram: 450
- Sowing: From January to April.
- Germination: At 18-20°C, in 7 to 14 days. Dark germinator. Cover seeds with vermiculite.

### Growth temperature:

Between 12 and 16°C by day, and 10-13°C at night.

■ Voltz advice:
10 to 14 weeks growing period. Flowering can be forced by additional lighting to a day-length of 16 hours.





	DWARF VARIETIES	Height	Habit	Pot size	Mini.	Code
1 ETHNIE Mix	Compact and floriferous.	15 cm	mounded	pack, 9 cm	500 GN	E60.7201
2 21ST CENTURY F1 Mix	Vigorous plant, ideal for not plants. Day-length-neutral	30 cm	mounded	9-10 cm	250 GP	E60.610GP







	VARIETIES TO CUT ☐⊯	Heiaht	Mini.	Code
3 BLUSHING BRIDE	Tireless perennial in delicate white and pink pastel shades. Dense cushions at a height of 25 cm; very pretty as a bed border, in the rock garden or in the balcony box. It is also particularly suitable for small bouquets.	22-28 cm	10 g	D50.510
4 CHERRY CARAMEL	Strong and pleasantly fragrant vanilla-coloured flowers with a pink eye. When blooming still strong cherry-coloured, later the colour changes to different caramel tones.	35-40 cm	10 g	D50.512
5 SUGAR STARS	A beautiful and unusual phlox variety with fragrant flowers! Flowers open with light star or dark star, completely blue or in delicate light blue. Some are strongly contrasted, some with harmonious transitions of all colours.	35-40 cm	10 g	D50.514

# Physalis 238

Solanaceae

Physalis alkekengi

Perennial for dry flowers

Seed count/gram:

Sowing: From March to May.

Germination: At 18-20°C.

Growth temperature:

Between 14 and 18°C; 12-15°C at night.

**▼ Voltz advice:** Cultivation time 16-18 weeks.

**FRANCHETII** 

Lantern-shaped bright orange fruits, in September.

Flowering time: July to September.

Height	Habit	Pot size	Mini.	Code
90 cm	upright	9 cm 13-15 cm	5 g	P47.500



# Physostegia 2 3 3

Lamiaceae

Physostegia virginiana

Perennial bedding plant

From December to March for annual culture. June to August for biennial crop.

Growth temperature:

Voltz advice:

High nutrition level required. Caution: NH4-based fertilzers can cause root damage. pH 6-7.







1 CRYSTAL PEAK

Very dense white floral spikes covering the plant all summer long. Well branched plant. Ideal for mass plantation or in association. First year flowering.
Flowering time: July to September.

Height

40 cm upright 9-11 cm 100 GN

Pot size

1. White P48.120



Long spikes with bell-shaped flowers. Flowering time: July to September.

70 cm upright 13-17 cm 250 GN

P48.0001 P48.1001

## Plectranthus o

■ Plectranthus argentatus

Annual bedding and pot plant

Sowing: In February-March.

At 18-22°C, in 5 to 7 days.
Do not cover seeds, they need light for germination.

■ **Growth temperature:**Between 18-24°C by day and 16-20°C at night. 12 to 14 weeks cultivation.

### **SILVER SHIELD**

Hardy and vigorous plant. Large silvery grey leaves. Small blue flowers at the end of summer. Comparable to varieties usually available from cuttings, but offering undeniable advantages: plants are more branched and homogeneous.

Height	Habit	Pot size	Mini.	Code
80 cm	upright	10-12 cm	100 GE	E61.202E



- Campanulaceae
- Perennial bedding and pot plant
- Sowing: From February to May.
- **Germination:** At 20-22°C.

- **Growth temperature:** Between 16 and 20°C.
- Voltz advice: 12 to 16 weeks cultivation.





Height Habit Potsize

1 ASTRA F1	Large single flowers. Large colour range. Compact. Produce 1 plant in 10 cm or 3 plants in 13-14 cm pot. Flowering time: June to August.	15 cm	mounded	11-13 cm
2	Rest branching and most compact plant habit: fast and easy to grow.			

POPSTAR F1

tight flowering window.

				Blue	P50.5601
15 cm	mounded	11-13 cm	250 GN	Rose	P50.5641
				White	P50.5681
				Blue	P50.4221
5-18 cm	mounded	10,5-13 cm	250 GN	Pink	P50.4231
				White	P50.4201

Mini.

Colour

# Potentilla 2/8

- Potentilla atrosanguineaPotentilla nepalensis
- Perennial bedding plant
- **Sowing:** From March to June.
- **Germination:** At 18-20°C.
- **Growth temperature:** Between 14 and 16°C.





1				
ı	nepalensis MISS	WIL	LMOTT	Rose

Beautiful plant for garden. Flowering time: June to July.

Pot size upright 10-13 cm 500 GN P53.8001 40 cm

Height Habit

2 ATROSANGUINEA Scarlet

Beautiful plant for borders. Flowering time: June to July.

60 cm upright 10-13 cm 500 GN P53.5601

# Portulaca ∘ • •

- Portulacaceae
- Annual bedding and pot plant
- Seed count/gram: 10 000
- **Sowing:** From February to April.
- **Germination:**At 20-22°C, in 7 to 14 days.
  Do not cover seeds.

## **■ Growth temperature:** Between 16 and 20°C.

■ Voltz advice: 10 to 14 weeks crop time. Needs light to grow, do not let in a shady location. Heat and drought-resistant.

### TRAILING HABIT


### **HAPPY TRAILS F1** Mixture

The Happy Trails series takes Portulaca to a new level... trailing Portulaca in brilliant colours! With fantastic spreading in the garden, Happy Trails gives the most vivid colour assortment on the market today. Growers will love this new portulaca series with the shortest photoperiod on the market today: 10 hours! Very bright mix.

Height	Pot size	Mini.	Code
15-25 cm	9-10 cm	250 GE	E62.270E











	COMPACT HABIT	Height	Pot size	Mini.	Code
1 SUNDIAL F1 Mix	Compact and early. Double and semi-double flower.	10 cm	8-10 cm	1000 GN	E62.2201
SUNDIAL FI Mix	Few photosensitive.		0-10 0111	250 GE	E62.220E
2 HAPPY HOUR F1 Mixture	8 bright colours flowering uniformly across the series. Well branched, mounded plants for easy production and shipment. Great for hot, dry, full sun conditions.	10-15 cm	9 cm, pack	250 GE	E62.005E
3 DOUBLE Extra Mix	Well double flowers. Very vigorous. Excellent plant habit.	20-25 cm	9 cm, pack	1 g	E62.400

# Primula x elatior 🔾 💴

- Primulaceae
- Primula x elatior
- Biennial bedding and pot plant
- **Sowing:** From June to August.
- **Germination:** At 15-18°C, in 15 to 20 days. **■ Growth temperature:** Between 10 and 12°C.

■ Voltz advice:
Cover seeds with vermiculite after sowing. Use a special Primula substrate. Place sowing boxes at a shady sowing boxes at a snapy llocation to avoid drying out. Avoid too cold and too chalky water. pH 6,5-7. To improve flower initiation a period of low temperature at high light

conditions is necessary.

### **Culture scheme for Primula elatior**

	Varieties	Pot size	A	М	J	J	A	s	0	N	D	J	F	М
mid-early	Supernova F1	10,5-12 cm												
	Sibel® F1	10,5-13 cm												
	Crescendo® F1	10,5-12 cm												

Sowing Transplant Potting

Flower period





Large showy umbels on sturdy multiple stems. Autumn flowering when potted early; spring flowering when potted late and grown cold.

Height	Mini.	Colour	Code	Colour	Code
		<b>1.</b> Mix	P54.970	2. Andalou Mix	P54.972
		3. Castille Mix	P54.973	4. Catalan Mix	P54.974
		<b>5.</b> Galice Mix	P54.976	6. Blue	P54.958
05	250 GN	7. Cream	P54.960	8. Orange	P54.955
25 cm	250 GN	9. Pink	P54.963	<b>10.</b> Purple Bicolor	P54.957
		<b>11.</b> Red	P54.964	12. Rose Bicolor	P54.967
		13. Sky Blue	P54.959	14. White	P54.968
		15. Yellow	P54.961		









Florescence with large flowers on strong stems. Very decorative in pots and arrangements. Also suitable for outdoor plantings.

Height	Mini.	Colour	Code	Colour	Code
20-25 cm	250 GN	<b>1.</b> Lime	P55.301	2. Scarlet & Yellow	P55.302
		<b>3.</b> Mix	P55.240GP	4. Citrus Mix	P55.235GP
		<b>5.</b> Firenze Mix	P55.250GP	6. Milano Mix	P55.252GP
		7. Sicila Mix	P55.254GP	8. Venezia Mix	P55.256GP
25 cm	250 GP	9. Bellarosa	P55.100GP	10. Blue Shades	P55.000GP
		11. Bright Red	P55.120GP	12. Orange	P55.080GP
		13 Pure White	P55 200GP	14 Rose Shades	P55 160GP

**15.** Wine

P55.030GP **16.** Yellow

3 ► 16 CRESCENDO® F1

Ideal for beddings. Winter-resistant. Many large flowers.

P55.050GP

### Primulaceae

### Primula acaulis

Biennial bedding and pot plant

Sowing:
For early series: from
May to June.
For late sowing: From
June to mid-July. See
culture table.

■ Germination: 15-18°C, in 15 to 20 days. Cover seeds with ver-miculite after sowing.

Use special sowing substrate. Place sowing boxes at shady location to avoid drying out. Avoid too cold and too hardy water (chalk). pH for sowing substrate: 6.5 -7.

Growth temperature:
Between 12 and 14°C,
shade and ventilate if
necessary. To improve
flower initiation a period
of low temperatures at
high light conditions is
required.

## **Culture scheme for Primula acaulis**

Precocity	Varieties	Pot size	A	М	J	J	A	S	0	N	D	J	F	М
	Athena F1	9-10,5 cm												
very early	Bonneli® F1	10,5-11 cm												
	Fruelo F1	10,5-12 cm												
early	Fruelo - Elcora	10,5-12 cm												
	Salome® F1	10,5-11 cm												
	Perle d'Alsace	10,5-12 cm												
	Unistar® F1	10,5-12 cm												
mid early	Unistar® F1 - Elcora	10,5-12 cm												
	Double Queen F1	10,5-12 cm												
1.4.	Eblo® F1	10,5-12 cm												
late	Eblo® F1 - Elcora	10,5-12 cm												
very late	Esna®	9-10,5 cm												
very early	Everlast F1	10,5-12 cm												













		Height	Mini.	Colour	Code
1 ATHENA F1	Heat tolerant primrose for extra early flowering and suitable for early autumn flowering. Excellent plant habit and good range of bright colours. Requires no cold for flower induction.	15 cm	500 GN	<b>1.</b> Mix	R51.630
2 BONNELI® F1	Very beautiful flowers highlighted with a dark green foliage, slightly waffled. Flowering from mid-November to end of January allowing to obtain a quality product.	13-15 cm	500 GC	<b>2.</b> Mix	R55.890GC
3 > 4 FRUELO F1	Early type with large flowers, for early flowering in December and January.	15 cm	500 GC	3. Mix 4. Elcora Mix	R55.530GC R55.535GC
5 SALOME® F1	Compact mid-late variety. Large uniformity for planned harvesting.	15 cm	500 GC	<b>5.</b> Mix	R56.720GC
6 PERLE D'ALSACE	Very large-flowering series. Leading variety on the French market. Late flowering.	15 cm	500 GC	<b>6.</b> Total Mix	R56.594GC















		Height	Mini.	Colour	Code
7 ► 8 UNISTAR® F1	Mid-early and homogeneous variety. Compact habit.	15 cm	500 GC	7. Mix	R55.450GC R55.452GC
<u> </u>				8. Elcora Mix	K55.4526C
9 ESNA® F1	Latest type with a genetically compact habit.	15 cm	500 GC	<b>9.</b> Mix	R57.800GC
10 ► 11 <sub>EBL0® F1</sub>	Compact late type. For low temperatures production.	15 cm	500 GC	<b>10.</b> Mix	R55.948GC
				11. Elcora Mix	R55.950GC
mult. EVERLAST F1	Very floriferous with natural look; ideal for beddings and city parcs. Plantings in autumn are very winterhardy and start flowering very early in spring. Flowers in autumn and very early in spring even under low light conditions! For cultivation in winter for spring sales do NOT use any PGR.	8-12 cm	500 GN		R58.118
13 DOUBLE QUEEN F1	Large, fully double flowers in shiny colours. For prodution of premium quality plants.	15-20 cm	250 GN	<b>13.</b> Mix	R54.030

## Primula obconica o

- Primulaceae
- Biennial bedding and potted plant
- Sowing:
  All year long.

Germination:

Between 7 to 9 days, at 22-24°C. Maintain the soil humid with a layer of vermiculite.

Growth temperature: Between 15 and 18°C. 17 to 24 weeks cultivation.



## **ORIGINAL F1** Mix

Large umbels. Vigorous and healthy growth.

Height	Habit	Pot size	Mini.	Code
25-30 cm	upright	12-13 cm	500 GN	R62.694

# Ptilotus Om .

- Annual for pot plant
- Sowing: From January to April.

■ Germination: In 5 to 7 days, at 24-26°C. Cover seeds with a layer of vermiculite.

■ **Growth temperature:** Between 18 and 21°C. 12 to 16 weeks cultivation. Avoid temperatures lower than  $10^{\circ}\text{C}$ .



### **JOEY®**

Fancy plant with large bright rose spikes with silvery shimmer. Short culture period. Australian plant resistant to heat and drought. Plant with an unusual shape and colour.

Height	Habit	Pot size	Mini.	Code
30-40 cm	upright	10-12 cm (1 plant) 17-19 cm (3 plants)	100 GP	E62.894GP

## Pulsatilla 2 \$ \$

- Ranunculaceae
- Anemone pulsatilla
- Perennial for rockeries
- **Sowing:** From April to May.
- Germination: At 15° C.

■ Growth temperature: Between 16 and 18°C.

Voltz advice: Cover seeds lightly with vermiculite. Roots can stay in place several years. Protect plants in winter.







Code

1		3			
vular	rie F	PIN	WН	FFI	

Popular plant with high applicability for rock gardens.

Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
50-70 cm		11 15	250 GN	1. Blue Violet	P59.001KA	2. Dark Red	P58.921KA
	cushion	11-15 cm		3. White	P59.101KA		

# Pyrethrum o \*\*\*\*

- Asteraceae
- Tanacetum parthenium
- Annual for flower beds and mosaic plantings
- Seed count/gram: 10 000
- Sowing: From January to May. Germination:
- Growth temperature: Between 14 and 16°C.





Golden yellow. Finely lobed leaves, perfect for mosaic plantings.

Height Habit Code 10 cm mounded 9-10 cm E62.800



Fine and deeply insisted, silvery foliage. Drought tolerant.

35-40 cm upright 10,5-12 cm 250 GN E62.901

- Ranunculaceae
- Ranunculus hybrida
- Biennial bedding and pot plant and cut flower

Sowing:
Mid August to begin
of October.

Germination: From 12 to 15°C in 14-21 days. Never above 18°C. Cover seeds with a slight layer of vermiculite

- Voltz advice: Flowers approx. 5 months after sowing resp. 3 1/2 months

### ■ Growth temperature: 10 to 12°C at day; 5°C at night. Avoid excessive heat.

after potting. Grow seedlings at a day-length below 13 hours to avoid bulb induction.

- Ratibida columnifera
- Perennial bedding plant
- Seed count/gram:
- Sowing:
  Almost year round possible;
  early sowings are flowering
  first year. 3 seeds per cel.
- Germination: 12-18 days at 18-20°C.
- **© Growth temperature:** 14-18°C
- Voltz advice:

Crop time germination to transplant: 4-8 weeks; transplant to finish 6-10 weeks. 1 plant in 9 cm or 2 plants in 11/12 cm pots.

# Ranunculus o | Ratibida o ••• | Rhodochiton





- Scrophulariaceae
- Rhodochiton atrosanguineum
- Climbing annual
- Sowing: From November to June.
- Germination: At 15-20°C, in 14 days.
- Growth temperature: Between 12 and 18°C.
- **■** Voltz advice: 4 to 5 months growing period in hanging baskets or in pots on a trellis.



### MACHÉ F1 Mix

Uniform. Strong flower stems. Good response to growth regulators. Very good bloom quality.

Height	Habit	Pot size	Mini.	Code
30-40 cm	mounded	10-12 cm	250 GE	R64.553E



### PULCHERRIMA Red & Yellow



Height	Habit	Pot size	Mini.	Code
70 cm	upright	9-12 cm	1 g	P60.802



### **RHODOS**

Red-violet. Bracts are staying longer on the plant. Climbing plant or for hanging baskets.

Height	Habit	Pot size	Mini.	Code
100 cm	climbing	10-12 cm	50 GC	R65.000GC

# Ricinus os

- Euphorbiaceae
- Ricinus communis
- Annual bedding and pot plant
- Seed count/gram:
- **Sowing:** From January to April or direct sowing in sales pot.
- **Germination:** At 20°C, in 14 to 20 days.
- Growth temperature: From 12 to 14°C in cold greenhouse.
- Voltz advice:
- Toxic plant. Handle seeds with caution.

### **BE CAREFUL: POISONOUS SEEDS. KEEP OUT OF REACH OF CHILDREN**

These seeds contain ricin, a poisonous substance which can have fatal effects on health or elicit hypersensitivity in case of absorption or direct contact.

It is recommended to wear gloves and avoid any contact with the skin.









1 2 CARMENCITA Yellow flowers. For large beddings and containers.



Large deep purple foliage as well as purple stems. Needs a bit higher temperature for germination than other Ricinus.

	Height	Habit	Pot size	Mini.	Colour	Code
	150		10.10	50 ON	1. Pink	E63.5801
	150 cm	uprignt	12-19 cm	50 GN	2. Red (Impala)	E63.6001
t	150-200 cm	upright	12-15 cm	5 g	3. Purple	E63.610

# Rudbeckia o

- Asteraceae
- Rudbeckia hirta
- Annual for beddings and pot plants and cut flower
- Seed count/gram: 1800
- Sowing: From February to April.
- **Germination:** At 18-22°C, in 10 to 15 days.
- Growth temperature: Day temperature: 18 to 20°C. Night temperature: 14 to 16°C.

■ Voltz advice: Crop time: 14-18 weeks in spring, 12-14 weeks in summer. Additional HID light reduces the crop time. Prefers full sun.













	DWARF VARIETIES	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 ► 4 <sub>T0T0®</sub>	Floriferous and rustic. Well branched. Flower	20		11 17	500 GE	<b>1.</b> Mix	E64.958E	<b>2.</b> Gold	E64.950E
	size 5 cm.	20 cm	mounded	11-13 cm	500 GE	<b>3.</b> Lemon	E64.954E	4. Rustic	E64.962E
5 SONORA	The very large flowers (12-15 cm) and unique colour combination makes Sonora a great impulse item at the retail level and an instant winner in the garden. Dark green foliage.	30-35 cm	upright	13-17 cm	250 GE		E64.946E		
6 AMARILLO F1	Alluring huge flowers on short stems similar to Prairie Sun, but more compact and short flower stems. Very well suited for pots and beddings.	30-35 cm	upright	12-19 cm	250 GE	<b>6.</b> Gold	E64.952GE		

























	HIGH VARIETIES	Height	Pot size	Mini.	Code
1 MAYA	Double flowers.	45-50 cm	16-23 cm	250 GE	E64.960E
2 SAHARA	Good heat tolerance; great for cutflower use for direct sales. Flowers are semi double to double. Mix of caramel and soft pink/red blooms.	50 cm	16-23 cm	250 GN	E64.615
AUTUMN COLOURS COLOURS	Flamed colours, very attractive. Single, perfectly round flowers.	50-60 cm	16-23 cm	250 GE	E64.945E
hirta GOLDILOCKS de ville	Semi-double flower with black centre.	50-60 cm	16-23 cm	1 g	E64.800
hirta MARMALADE	Single flowers.	50-60 cm	16-23 cm	1 g	E64.900
6 DENVER DAISY	Stand up under extreme weather variations. Extreme heat tolerance. Flower power all summer long.	55-65 cm	16-23 cm	250 GE	E64.710E
7 CHERRY BRANDY	Outstanding garden performance, producing a mass of attractive, cherry-coloured blooms all summer long. Heat and drought tolerant.	60 cm	16-23 cm	250 GN	E64.605
8 CHIM CHIMINEE	Tubular petals. Mix of yellow, bronze and orange shades.	60 cm	16-23 cm	250 GN	E64.840
9 hirto INDIAN SUMMER	Single flower of 12 cm large. Good vaselife.	60 cm	16-23 cm	1 g	E64.850
10 CAPPUCCINO	Tetraploid variety with huge 15 cm diameter, conker coloured blooms; long flowering period; well branched plants.	60-80 cm	16-23 cm	500 GN	E64.949
PRAIRIE SUN PRAIRIE SUN	Very large flower. Unique colours.	70-80 cm	17-23 cm	250 GE	E64.700E
12 CHEROKEE SUNSET	Semi-double and double flowers of 10 cm diameter. Range of colours from golden yellow to orange and bronze. Vigorous plant with strong and well branched stems.	75 cm	17-23 cm	250 GN	E64.830

# 

- Asteraceae
- Rudbeckia fulgida
   Rudbeckia laciniata
   Rudbeckia triloba
- Perennial bedding plant
- Seed count/gram:

Sowing: From March to June.

**■ Germination:** In 14-20 days, at 18-22°C.

**■ Growth temperature:** From 10 to 16°C.









		Height	Habit	Pot size	Mini.	Colour
1 fulgida GOLDSTURM	Large flowers. Vernalization. Flowering time: July to October	70 cm	upright	13-16 cm	1 g	P63.500
2 fulgida GOLDBLITZ	Will flower fully as an annual crop if sown in early spring in natural conditions.	60-70 cm	upright	11-16 cm	250 GFC	P63.502GFC
3 triloba PRAIRIE GLOW	Beautiful display of true indian summer and autumn colours: Yellow with large red eye, changing colour to orange-red and bronze. Flower stems with lot of side branches. Flowering time: July-October	90-100 cm	upright	-	250 GN	E64.7051
4 laciniata LIGHT YELLOW	Known as «Cutleaf»-coneflower. Flowering August-September.	130-150 cm	upright	-	0,5 g	P63.501

## Rumex 4 \*\*\*\* \*\*

- Polygonaceae
- Perennial bedding plant
- Seed count/gram: 3 500
- Sowing: From January to March.
- **Germination:** 10-14 days at 20°C.




### **BLOODY DOCK**

Dark green foliage with bright red veins, giving a beautiful contrast in flower beds. Heat-resistant. Place in the full sun.

Height	Habit	Pot size	Mini.	Code
35 cm	upright	10-12 cm	1 g	E65.000

# Sagina 🛚 🦻

- Caryophyllaceae
- Perennial for flower beds and rock gardens
- Sowing:
  From March to June.
- **Germination:** From 18 to 20°C.
- **Growth temperature:** From 16 to 18°C.



### **SUBULATA**

White. Ground-cover plant with green tufts and small flowers. Flowering time: June to July.

Height	Habit	Pot size	Mini.	Code
5 cm	trailing	9-10 cm	1000 GN	P64.5001









# Salvia argentea 4 1997 💝 💖

- Lamiaceae
- Salvia argentea
- Perennial bedding plant

■ Sowing: From April to May. Sow 2 seeds per cell.

**■ Germination:** At 20°C, in 2 to 3 weeks. Cover lightly the seeds.

**■ Growth temperature:** Between 12 and 14°C.

### **ARTEMIS**

Plants of this species are grown primarily for their large, woolly leaves and not for their flowers. In the first year, 'Artemis' features a large rosette of soft, broad oval, downy, silver-gray leaves.

Height	Habit	Pot size	Mini.	Code	
60 cm	mounded	9-12 cm	250 GN	P65 0001	



# Salvia coccinea O

- Lamiaceae
- Salvia coccinea
- Annual for beddings and pot plant
- **Sowing:** From January to March.
- Germination:
- Growth temperature:
- Voltz advice:
- 3 months cultivation. Pinching can replace growth regulators but delays flowering.









Height



Mini.

**1 FOREST FIRE** Contrasting brown black stems.

40-60 cm 10-13 cm 500 GN upright 9-13 cm 500 GN

2. Lavender E66.866 3. Pink E66.862 **4.** Red E66.860 5. White E66.864

F66.8501



Early series with good branching habit. Large flowers. Continuous flowering. This dwarf sized, compact plant has a prolific bloom count throughout the growing season. Commercial growers will appreciate the earliness, excellent pack performance and uniformity.

# Salvia farinacea 👓 🕸

- Lamiaceae
- Annual bedding plant Seed count/gram: 900
- **Sowing:** From December to April.
- **Germination:** At 20°C, in 12 to 20 days.
- **Growth temperature:** Between 15 and 18°C.
- Voltz advice:
  Do not place in final container too early: sensitive to frost.













	DWARF VARIETIES	Height	Habit	Pot size	Mini.	Colour	Code
1 CIRRUS	Deep green foliage. Both spike and blooms are silvery-white.	30 cm	upright	10-13 cm	500 GN	1. White	E67.2481
2 STRATA	Green foliage. Compact habit. Early.	30 cm	upright	10-13 cm	500 GN	2. Blue/White	E67.2441
3 MID conjents	Mid-green foliage. Excellent performance in flower beds.	35 cm	upright	9-13 cm	1 g	<b>3.</b> True Blue	E67.240
4 ► 5 EVOLUTION®	Compact branched habit.	/ [	45 cm upright 1	ght 10-13 cm	500 GN	4. Violet	E67.210
EVOLUTION®	The dark green foliage contrasts with the white flower.	45 CIII				5. White	E67.205
6 FAIRY QUEEN	Panicles in unique colours. Excellent performance from summer to first frosts.	45 cm	upright	10-13 cm	500 GN	<b>6.</b> Blue	E67.215









	HIGH VARIETIES	Height	Habit	Pot size	Mini.	Colour	Code
1 > 2 VICTORIA	Green foliage. Flowering all summer long. For beddings	50-60 cm	upright	10-12 cm <sup>-</sup>	500 GN	1. Blue	E67.2001
VICTURIA de VILE	backgrounds.	50-60 0111	uprigiit	10-12 0111	1 g	2. White	E67.201
3 BIG BLUE F1	Vigorous growing and strong flowering, low-maintanance variety for sales in large pots and containers. Large, sales-inspiring blue spires continiously flowering from end of june to first frost. Attracts bees, butterflies and more. 15-20 days after potting pinch at 4th nodium.	60-90 cm	upright	12-19 cm	100 GN		E67.800
4 BLUE BEDDER / EPIS BLEUS	Same type as Victoria, but higher and more vigorous.	80 cm	upright	10-12 cm	1 g		E67.400

## Salvia horminum 🔾 😘

- Lamiaceae
- Salvia horminum
- Annual bedding plant
- Sowing: From March to April.
- **Germination:** At 18°C, in 12 to 20 days.
- **Growth temperature:** Between 15 and 18°C.
- **▼ Voltz advice:** 2 to 3 months cultivation. Do not place in final container too early: sensitive to frost.





1		4	
MA	RBI	E	ARCHE

The colourful floral bracts have a long life period. Surprisingly attractive for beneficial insects.

Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
		upright 9-12 cm 1 000 GN		<b>1.</b> Mix	E67.6901	<b>2.</b> Blue	E67.6001
40 cm	upright	9-12 cm	1000 GN	3. Rose	E67.6401	4. White	E67.6801

## Salvia 2 🕸 🦻

- Lamiaceae

- Salvia canariensis
  Salvia nemorosa
  Salvia patens
  Salvia roemeriana
  Salvia sclarea
- Perennial for bedding and pot plant

### Seed count/gram:

(S. roemeriana: 500)

Sowing: Sowing from March to June.

**Germination:** At 18-20°C.

Growth temperature: In the begining, between 14 and 18°C then lower to 10-12°C.

■ Voltz advice: 3 to 4 months cultivation. Container cultivation is possible for big varieties.

















		Height	Habit	Pot size	Mini.	Colour	Code
1 > 2 nemorosa	Well branched plant. Homogeneous habit between the	25 cm	upright	11 17 om	250 GFC	1. Blue	P68.650GFC
NEW DIMENSION™	two colours. Flowering time: June to August.	25 0111	upright	11-13 Cm	250 6F6	2. Rose	P68.660GFC
3 > 4 patens PATIO CONTROL	Compact and well branched plant. Flowers until first	30 cm		9-11 cm	100 GN	<b>3.</b> Deep Blue	P65.110
patens PATIO de vius	frosts. Flowering time: June to October.		upright	9-11 CM	IUU GN	<b>4.</b> Sky Blue	P65.112
patens BLUE ANGEL	Perennial in protected location which flowers from the first year. Flowering time: June to October.	70 cm	upright	10-13 cm	1 g		P65.100
6 SCLAREA	Very ornamental biennial. Flowering time: June to July.	100 cm	upright	13-16 cm	250 GN	<b>6.</b> Lilac	P65.3001
7 roemeriana HOT TRUMPETS	No vernalization required for flowering the first year.	30-35 cm	upright	13-17 cm	250 GN	<b>7.</b> Red	P65.250
8 canariensis LANCELOT	Very beautiful sage with silvery foliage and large, deep purple flower umbels. Very attractive to bees and pollinators.	60-80 cm	upright	13-15 cm	100 GN		E66.700

# Salvia splendens 👓 🍪

Lamiaceae

Salvia splendens Annual bedding plant Sowing:
From January to March.

**■ Germination:** At 22°C, in 7 to 14 days.

**■ Growth temperature:** Between 15 and 18°C.



























		Height	Day length sensivity	Pot size	Mini.	Colour	Code	Colour	Code
1 REDDY	Early and compact. Perfect for packs.	10-15 cm	no	pack, 9-10 cm	500 GN	<b>1.</b> Mix	E68.037		
2 SENTRY	Compact & early type with excellent garden performance. Intense red and very dense flower spike. Dark green broad heart shaped leaf.	10-15 cm	no	9-10 cm, pack	500 GC	<b>2.</b> Red	E68.115GC		
3 MOJAVE	Compact plant with excellent performance in bedding. Excellent tolerance to high temperatures. Dark green foliage.	25 cm	no	9 cm, pack	500 GC	<b>3.</b> Red	E68.530GC		
						<b>4.</b> Mix	E68.524	5. Lavender	E68.514
4 > 10	Dark green foliage. Excellent behaviour in			9-10 cm,	500.01	6. Purple	E68.516	<b>7.</b> Red	E68.512
VISTA	beddings. 5-7 days flowering window across the colours.	25 cm	yes	pack	500 GN	8. Red & White	E68.520	9. Salmon	E68.518
	the colours.					10. White	E68.522		
11 > 12 LIGHTHOUSE	Tall, bush, heat-resistant plants ideal for low-maintenance landscaping use. Also good in large patin containers	50-60 cm	yes	10,5-13 cm	500 GN	<b>11.</b> Purple	E68.135	12. Scarlet	E68.130

### Sanvitalia o

- Asteraceae
- Sanvitalia speciosa
- Annual bedding and pot plant
- Seed count/gram: 980

■ Sowing: Under greenhouse conditions from March. Direct sowing in place from April.

- Germination: Between 15 and 18°C, in 7 to 14 days.
- **Growth temperature:**Between 14 and 18°C at the beginning of cultivation, then at 12-15°C.
- Voltz advice:

12-14 weeks cultivation. For baskets 14-18 weeks. Direct sowing in 9 to 10 cm

### **MILLION SUNS**

Excellent basal branching and compactness, long flowering period impressing from May to the first frosts. Golden yellow, single, 1 cm diameter flowers.

Height	Habit	Pot size	Mini.	Code
16-20 cm	mounded	9-11 cm	100 GN	E70.030



# Saponaria 23 🕸 🕏

- Caryophyllaceae
- **■** Saponaria vaccaria
- Perennial bedding plant
- Seed count/gram: 200
- Sowing: From April to July.
- **Germination:** At 18°C.
- **Growth temperature:** About 15°C.





1	DOGADELLA	
	ROSARFIIA	

Many flowers. Upright habit. Direct sowing.

2 WHITE

Many flowers. Upright habit. Direct sowing.

Height	Habit	Pot size	Mini.	Code
60 cm	upright	9-10 cm	10 g	D58.000
60 cm	upright	9-10 cm	10 g	D58.100

# Saxifraga 2 4 4 5 8

- Saxifragaceae
- Saxifraga x arendsii
- Perennial for rock gardens
- **Sowing:** From March to June.

- **Germination:** Between 16 and 20°C. **■ Growth temperature:** Between 10 and 14°C.









For spring sales. Flowering time: April to May.

Height	Habit
	mound
20 cm	around

Pot size 8-10 cm 1000 GN

Mini.

Colour	Code	Colour	Code
1. Pink	P67.5001	2. Purple	P67.6001
3. White	P67.7001		

## Scabiosa 4 🕸 🔒

- Dipsacaceae
- Scabiosa caucasicaScabiosa columbaria
- Perennial bedding plant and cut flower

Seed count/gram: S. caucasica: 60; S. columbaria: 900

### Sowing: In place, from March to June.

**■ Germination:** At 18-20°C, in 7 to 14 days.

**■ Growth temperature:** Between 8 and 10°C.

■ Voltz advice: 5 months cultivation (until flowering). Plants are highly sensitive to humidity. Feed with a low-concentrated potassium and phosphate fertilizer.







		Height	Habit	Pot size	Mini.	Colour	Code
1 columbaria BLUE NOTE	Genetically compact, no need of growth regulator.	20-25 cm	mounded	10-13 cm	250 GN		P69.320
2 3 54440 30	Cut flower with long and strong stems. Flowering time: June to August.	60 cm	upriaht	11-15 cm	100 GEC	<b>2.</b> Deep Blue	P68.802GFC
caucasica FAMA®	Flowering time: June to August.	00 0111	aprigit	11 13 0111	100 01 0	3. White	P68.804GFC

## Scabiosa ⊙ > ◆

- Dipsacaceae
- Scabiosa stellataScabiosa atropurpurea
- Annual cut flower
- Seed count/gram: S. atropurpurea: 400; S. stellata: 35
- Sowing: From April to May.
- **Germination:** At 18°C, in 7 to 14 days.

### **■ Growth temperature:** Between 8 and 10°C.

### **■** Voltz advice:

Feed with a low-concentrated potassium and phosphate fertilzer.





		Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 stellata SATELLITE	The seed capsules can be dried and used in dried arrangements.	60 cm	upright	9 cm	5 g		D59.000		
						<b>2.</b> Mix	D59.130D	3. Dark Blue	D59.120D
2 2 9	Very homogeneous series. Bedding plants and cut flowers.	00.00	upright	10-13 cm	1-13 cm 5 g	4. Deep Red	D59.122D	5. Purple	D59.115D
2 > 8 atropurpurea QIS		80-90 cm				6. Salmon Pink	D59.126D	7. Scarlet	D59.124D
						• White	DE0 128D		

### Sedum 2 4 4 \$ 8

- **■** Crassulaceae
- Sedum acre
- Sedum album
   Sedum forsterianum
- Sedum reflexum
  Sedum spurium
- Ground-cover perennial
- Seed count/gram: 20 000
- Sowing: From March to June.
- Germination: At 16-20°C.
- **Growth temperature:** Between 8 and 15°C.

■ Voltz advice:
Cold and drought-resistant
variety. Avoid humid
locations and excessive watering, especially in winter. Requires only a few soil.

















		Height	Habit	Pot size	Mini.	Colour	Code
1 ACRE	Ground-cover plant with small yellow flowers. Flowering time: June to July.	6 cm	mounded	9 cm	5 000 GN	1. Yellow	P70.005
2 ALBUM	Plant with green foliage and white umbels. Flowering time: June to August.			5 000 GN	2. White	P70.1201	
3 REFLEXUM	Grey-green foliage. Flowering time: July to August.	25 cm trailing 9 cm 5 000 GN 3		<b>3.</b> Yellow Gold	P70.2001		
4 spurium COCCINEUM	Ground-cover plant with bronze foliage. Flowering time: June to August.	15 cm	trailing	9-10 cm	5 000 GN	<b>4.</b> Deep Rose	P70.4001
5 spurium VOODOO	Exceptional red-bronze foliage; bright neon-rose flowers from June-August.	15 cm	mounded	9-13 cm	500 GE	<b>5.</b> Deep Red	P70.450E
6 forsterianum ORACLE	Large yellow flowers. Very attractive blue-grey foliage.	15 cm	trailing	9-13 cm	500 GE		P70.160E
7 MIX	Mix of all varieties. Flowering time: June to August.	20 cm	trailing	9 cm	1 g		P70.500

## Sempervivum 2 9

- **■** Crassulaceae
- Sempervivum
- Perennial for rock gardens
- Sowing:
  January-March for green pots;
  June-Aug for flowering in pots
  the following year.
  1 pellet/cel. Cover seeds lightly.
- **Germination:** At 20-22°C in 14-25 days.
- Growth temperature: Between 15 and 18°C.

■ Voltz advice:
Resists to cold weather and to drought. Avoid humid location (especially in Winter) and

excessive watering. Do not need a very large container. According to some legends, folk Houseleek installed on the roof or the entrance wall, protects the house from lightning.

### **HIPPIE CHICKS Mix**

Mix of varieties and colours of evergreen, wintergardy plants with succulent leaf rosettes. For rock garden, dry stone walls, extensive roof planting as well as for graves or as indoor pot plant. Attract bees when

Pre-germinated pellets for easy sowing and germination!

Height	Pot size	Mini.	Code
5-12 cm	9-15 cm	1000 GE	P70.000E



### Senecio (Pericallis) ⊙

- Asteraceae
- Biennial for pot plant
- Seed count/gram: 4 000

Sowing: From July to September to the desired plant size.

**Germination:** At 18-20°C, in 8 to 10 days.

**© Growth temperature:** Between 10 and 12°C.

Voltz advice:

For a flowering in January-February, expose early seedlings to cold at 6°C for 3 weeks. Overwinter plants frost-free at 8-10°C. Avoid temperatures higher than 14-15°C, risk of enlongated





1 STARWARS

Compact and vigorous. Ball-shaped habit. Many colours.

2 ROYALTY

Mid-early. Large umbels. Complete mix of pure and bicolour colours with an exceptional range of colours, like sky blue, cherry red and lilac with eye.

Height	Habit	Pot size	Mini.	Colour	Code
20 cm	mounded	10-13 cm	100 GN	<b>1.</b> Mix	R14.500
		14 cm	250 GN	2. Total Mix	R14.375
30 cm	mounded	and more	250 GE	2. Total Mix	R14.375E

### Silene 2

Caryophyllaceae Silene pendula

Perennial for rock gardens Seed count/gram: 1000 Sowing: From March to July.

Germination:

Growth temperature:











Strong plants, covered with plenty of 2 cm sized, semidouble flowers. Versatile sales possibilities! Large pots and containersw, baskets or as groundcover. For sales in spring, early summer, or in autumn.

Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
70		45.40	050.011	1. Carmine	P73.010	2. Lilac	P73.012
30 cm	trailing	15-16 cm	250 GN	<b>3.</b> Pink	P73.016	4. White	P73.014

### Solanum o

- Solanaceae
- Solanum capsicastrum
- Annual for pot plant

Sowing:
From December to March.

**■ Germination:** At 22°C, in 14 to 20 days.

■ Growth temperature: 15 to 18°C at the beginning then 10 to 12°C in the final stages.

■ Voltz advice: 20 weeks cultivation minimum. Fruits of Solanum are toxic. Do not grow in 'waterproof' greenhouses. Requires the presence of pollinating insects for an optimum fruit-setting.



### **THURINO**

Round red-orange fruits. Compact and branched plant. Ripens from light green to bright orange. 20-22 weeks from potting to sale.

Height	Habit	Pot size	Mini.	Code
18-25 cm	mounded	11-15 cm	250 GN	R66.7041

# Solidago 23 3 3 5





Perennial for beddings

Seed count/gram:

Sowing: From March to May.

■ Germination: At 22°C.

**■ Growth temperature:** Between 12 and 15°C.

Be careful to well surround the plant as it is very invasive and can invade our riverbanks. It is then considered as a pest plant.



### **GOLDKIND**

Plant for borders and for use as cut-flower. Flowering time: July to September.

Height	Habit	Pot size	Mini.	Code
70 cm	upriaht	11-13 cm	1 a	P76.500

## Spilanthes o ....

- Spilanthes oleracea
- Annual for flower beds and hanging baskets

### Sowing: From February to March.

- **Germination:** At 18-20°C, in 12 to 14 days.
- **Growth temperature:** Between 16 and 18°C.

**✓ Voltz advice:** Leaves and flowers have a strong peppery flavor. 1 to 2 months cultivation. Pinching encourages branching.



### **PEEK A BOO**

Yellow with purple centre. Pompon-shaped of 2,5 cm flower. Green purple foliage. Vigorous plant with trailing habit. For 10-12 cm pot or  $3\,$ plants in a 25 cm basket.

Height	Habit	Pot size	Mini.	Code
30 cm	trailing	11-14 cm, baskets	100 GFC	E72.600GFC

# 

- Stachys byzantina
- Perennial for beddings and rock garden
- Sowing: March-August
- Germination: 20°C.



### **BYZANTINA (OLYMPICA)**

White wooly leaves, lilac flowers July-September. Sunny-semi shade

Height	Habit	Pot size	Mini.	Code
40 cm	upright	10-11 cm	500 GN	P77.002

### Stevia O

- Asteraceae

- Sowing: In February-March.
- **Germination:** At 20-30°C, in 7 to 14 days. Lightgerminator!
- Growth temperature: 20°C the day, 12°C the night. Do not cultivate at temperatures lower than



### **SWEET HONEY**

Very flavourful and tasty selection of the famous candyleaf. Growing scheme comparable with basil.

Height	Habit	Pot size	Mini.	Code
15-25 cm	upright	10-12 cm	100 GN	E94.100KA

### Talinum O :: 32

- Portulacaceae
- Annual bedding and pot plant
- **Sowing:** In February-March.
- Germination: In 5 to 7 days, at 20-24°C. Cover seeds with a fine vermiculite layer.
- Growth temperature: Between 19 and 23°C the day, between 17 and 19°C the night.



### **LIMON**

Very resistant to heat and drought. Bright lemon green foliage. Easy cultivation

Height	Habit	Pot size	Mini.	Code
80 cm	upright	10-12 cm	100 GN	D64.005

## Tagetes erecta $\odot$

- Asteraceae
- Annual bedding and pot
- Sowing:

In January-February for sales in May. Direct sowing outdoor from mid May to end of May.

■ **Germination:**At 18-22°C, in 10 to 14 days.
Cover seeds slightly.

### **■ Growth temperature:** Between 12 and 18°C.

■ Voltz advice: 10 to 12 weeks cultivation. Tagetes erecta is day-length

### **TAISHAN® F1**

- Compact and branched habit
- Large double flowers
- Excellent performances in beddings all season long























Height Potsize



Colour

Code

1		4	
TA	SH	ΑN <sup>©</sup>	F1

Compact and stable growth. Excellent flower quality. Full plants. Strong garden performance. Better durability for shipping.

	•						
				<b>1.</b> Mix	E72.828D	2. Gold	E72.820D
25-30 cm	9-11 cm.	250 GN	3. Orange	E72.822D	4. Yellow	E72.824D	
	pack	050050	<b>1.</b> Mix	E72.828GFC	2. Gold	E72.820GFC	
			250 GFC	<b>3.</b> Orange	E72.822GFC	4. Yellow	E72.824GFC
45 cm				<b>5.</b> Mix	E73.605D	<b>6.</b> Gold	E73.604D
	10-11 cm	250 GN	7. Orange	E73.602D	8. Yellow	E73.603D	

Colour

Code

F79.001D



Early flowering, compact habit. Large double flowers, well formed. Very rigid pedoncles, which resist to transport and bad weather. Excellent performances in beddings.



The first low white Tagetes erecta with 7-8 cm flower diameter. High flower quality and very well branched.

25-30 cm 10,5-12 cm 250 GN 10. White E79.002D

Mini.



Improved flower form and better branching habit compared to previous varieties. 8-8,5 cm flower diameter in vanilla-white colour. Dark green leaf colour.



A great option for summer and autumn cut flower programs, well branched Xochi delivers strong stems and rich colour. Ideal cutflower with good shipability and durability.

60-90 cm 250 GFC 11. Orange E73.100 GFC



Free flowering series for summer cutflower use. Well branching plants producing numerous flower stems.

70-90 cm 11-13 cm

**VOLTZ** HORTICULTURE

16-18 cm

9-11 cm

1g **12.** Ivory

250 GN 9. White

D59.975

# Tagetes patula o

- Asteraceae
- Tagetes patula Tagetes tenuifolia
- Annual bedding plant
- Seed count/gram: T. patula: 300; T. signata: 1000
- Sowing: From January to April.

**■ Germination:**Between 18 and 22°C, in 10 to 14 days.

### **■ Growth temperature:** Between 12 and 16°C.

Voltz advice:
2 to 3 months growth. Highly sensitive to cold temperatures and to frost. Too low temperatures at night can affect first flowering quality. If pH is too low, there is risk of chlorosis.























	TAGETES PATULA SCABIOUS-TYPE	Height	Pot size	Mini.	Colour	Code	Colour	Code
					<b>1.</b> Mix	E77.240D	<b>2.</b> Bee	E77.110D
		500 GN	<b>3.</b> Bolero	E77.112D	<b>4.</b> Deep Orange	E77.140D		
					<b>5.</b> Flame	E77.114D	<b>6.</b> Gold	E77.115D
1 > 8	Large double crested flowers. Very early flowering	20 am	9 cm,		<b>7.</b> Harmony	E77.116D	8. Yellow	E77.113D
BONANZA COLUMN	seriés with a tight flowering window. Uniform with 20 cm excellent performance in packs and garden.	20 0111	pack	1000 GFC	<b>1.</b> Mix	E77.240GFC	<b>2.</b> Bee	E77.110GFC
					<b>3.</b> Bolero	E77.112GFC	<b>4.</b> Deep Orange	E77.140GFC
					<b>5.</b> Flame	E77.114GFC	<b>6.</b> Gold	E77.115GFC
					<b>7.</b> Harmony	E77.116GFC	8. Yellow	E77.113GFC
9 FLAMENCO COURTS OF WILLS	Unique pattern with yellow centre and red-tipped	0 cm	500 GN	<b>9.</b> Mix	E77.105D			
FLAMENCO CONTRACTOR	petals; more yellow parts than 'Bolero'. Flowers 3-4 days later than 'Bonanza'.	20 cm	pack	1000 GFC	<b>9.</b> Mix	E77.105GFC		
10	Completely new, never seen before look of french	00.05	0.10	1000 GFC	<b>10.</b> Mix	E77.142D		
STRAWBERRY BLONDE	marigolds; puts multicolour blooms on the same plant, depending on season and temperature.	20-25 cm	9-10 cm	500 GN	<b>10.</b> Mix	E77.142GFC		
11 EIDEDALL	Completely new, never seen before look of french	05.70	m 9-11 cm	500 GN	<b>11.</b> Mix	E77.100D		
III FIREBALL	marigolds; puts multicolour blooms on the same plant, depending on season and temperature.	25-30 cm		1000 GFC	<b>11.</b> Mix	E77.100GFC		











TAGETES PATUI	LA DOUBLE FLOWERS WITH FLAT PETALS	Height	Pot size	Mini.	Colour	Code	Colour	Code
					<b>1.</b> Mix	E80.950D	<b>2.</b> Bee	E80.944D
					<b>3.</b> Bolero	E80.948D	4. Flame	E80.943D
				500 GN	<b>5.</b> Gold	E80.941D	<b>6.</b> Orange	E80.949D
	Very large plant with anemone-type				<b>7.</b> Red	E80.946D	8. Tangerine	E80.945D
1 > 9	flowers. Homogeneous series. Excellent branching for more blooms and strong stems.  9. Yellow E 1. Mix E 3. Bolero E8	25.cm			9. Yellow	E80.947D		
DURANGO® GOLDETS		236111	pack		<b>1.</b> Mix	E80.950GFC	<b>2.</b> Bee	E80.944GFC
					<b>3.</b> Bolero	E80.948GFC	4. Flame	E80.943GFC
		E80.941GFC	<b>6.</b> Orange	E80.949GFC				
				<b>7.</b> Red	E80.946GFC	8. Tangerine	E80.945GFC	
					9. Yellow	E80.947GFC		
10 SAFARI	Extra large double and flat flowers.	25 cm 9-10 cm	<b>10.</b> Yellow Fire	E81.608D				
SAFARI TOLUM	Uniform in habit and flowering time.	23 6111	25 cm 9-10 cm 500 GN 25 cm 9-10 cm 500 GN 20-25 cm 11-16 cm 500 GN	<b>10.</b> Yellow Fire	E81.608GFC			
11 RED KNIGHT	Top performing single flowered marigold offering an excellent display in flower bed as well as in containers. Proven and adapted in North European conditions.	20-25 cm	11-16 cm	500 GN		E78.720		
12 GOLDILUXE GOLDI	Vigorous plants with stunning garden performance producing masses of enchanting bicolour flowers.	25-30 cm	11-16 cm	500 GN		E78.710		
13 DWARF SINGLE GOLD	The single, golden yellow flowers appear in large numbers throughout the summer. For bedding and border planting, very attractive for insects as well as for the human eye.	25-35 cm		500 GN	<b>13.</b> Single Gold	E77.260B		
14 FIREBIRD	Masses of 4 cm anemone-like flowers providing an outstanding summer-long display. For cottage garden or with one plant in a 30 cm diameter pot.	30-35 cm	13-16 cm 30 cm container	500 GN		E78.700		

### Tagetes patula o



# Tagetes tenuifolia ⊙ •••• •••











		Height	Habit	Pot size	Mini.	Colour	Code
1 sign. pum. GNOM	Small single flowers. Very rich flowering.	25 cm	mounded	9-10 cm, pack	1 g	<b>1.</b> Gold	E85.000
2 sign. pum. <b>LULU</b>	Small single flowers. Producing amazing flower carpets.	25 cm	mounded	9-10 cm, pack	1 g	2. Yellow	E85.100
3 sign. pum. RED CARPET	Small single flowers.	25 cm	mounded	9-10 cm, pack	1 g	<b>3.</b> Red	E85.220
4 sign. pum. TANGERINE	Small single flowers. Very rich flowering.	25 cm	mounded	9-10 cm, pack	1 g	<b>4.</b> Orange	E85.050
5 sign. pum. STARFIRE	Mix of all varieties. Bright unique colours. Perfect for borders.	25 cm	mounded	9-10 cm, pack	1 g	<b>5.</b> Mix	E85.240

## Tanacetum (Pyrethrum) 4388

Asteraceae

**■** Tanacetum coccineum Perennial bedding plant and cut flower

Seed count/gram: 400

**Germination:** At 22°C.

**■ Growth temperature:** Between 14 and 16°C.

■ Voltz advice: Cutting back of stems after flowering encourages new flowering in the fall. Replace the plants every 2 years.









Large single flowers. Flowering time: July-September.

Height	Habit	Mini.	Colour	Code	Colour	Code
			<b>1.</b> Mix	P59.700	<b>2.</b> Red	P59.760
80 cm	upright	1g	3. Roseum	P59.840		

## Tanacetum (Matricaria) ⊙≫

**■** Tanacetum parthenium

Annual for cut flower

■ Sowing: All year long according to production objectives. **■ Germination:** At 18-20°C.

Growth temperature:







Mini.





Ideal as cut-flower and for combined plantings. Needs long days for an optimum flowering. Strong stems.

70-90 cm upright 1000 GE

Height Habit

Colour Colour Code 1. Single White D46.060E 2. Snowball Extra D46.062E 3. Sunny Ball Gold D46.064E 4. Yellow D46.066E

# Thunbergia o 📟 🛭

- Thunbergia alata
- Climbing annual Seed count/gram:
- Sowing: In February-March. Sow directly 4-5 seeds
- **Germination:** At 18-22°C (soil temperature) in 10-14 days.
- Growth temperature:

▼ Voltz advice: 2,5 to 3,5 months crop time depending on pot size. One time pinching results in better branching. The plants need sticks to climb on.











Well-branching, fast growing and rich flowering series with bright colours.

Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
150	. 1 1	ng 11-13 cm	100 GN	<b>1.</b> Mix / Eye	R67.1001	2. Orange / Eye	R67.0601
150 cm	climbing			3. White / Eye	R67.0801	4. Yellow / Eye	R67.0001

200 cm climbing 11-13 cm 1 g 5. Mix



Unique sunset shades of red, apricot, buff with dark burgundy eyes. Deep green foliage, good self-climbing plant. Also producible with 3-5 plants in a 16 to 19 cm pot.

## Thymophylla o

- Asteraceae
- Thymophylla tenuiloba
- Annual for flower beds, pot plants and hanging baskets
- Seed count/gram: 7 000
- Sowing: From February to April.
- **Germination:** At 18-20°C, in 10 to 15 days.
- **Growth temperature:** Between 14 and 17°C. 13-16 weeks cultivation.

### **YELLOW CARPET**

Yellow. Small flowers of Daisy-type. For flower beds and hanging baskets.

Height	Habit	Pot size	Mini.	Code
15 cm	mounded/	9-10,5 cm	1 g	E86.800



R67.1051

### Tithonia ⊙ •••• 🕸

- Asteraceae
- Tithonia rotundifolia
- Annual for beddings or
- Seed count/gram: 100
- Sowing: From February to April.

- **Growth temperature:** Between 12 and 16°C. Not below 10°C. 12 to 15 weeks cultivation.







Heat tolerant, attractive bedding plant for containers and borders.



Large tufted plant with large flowers. For flower-beds and cutflower production (10-12 plants/m $^2$ ).

neight	паріс	PUL SIZE	riiii.	Code	
60-75 cm	upright	11-16 cm	250 GN	E87.5001	
80 cm	upright	16-19 cm	5 g	D65.000	

## Trachelium o

- Campanulaceae
- Trachelium caeruleum
- Annual bedding plant and cutflower

Sowing: From September to March. Light germinator.

Germination: At 20-22°C, in 7 to 12 days.

### Growth temperature:

For culture in autumn and winter: 11-13°C. Culture in spring : 15-18°C. Culture end of spring and summer: 15-25°C.

### ■ Voltz advice:

DWARF VARIETY

Depending on season 4,5-7 months from sowing to flower. For cutflower production outdoor plant distance of 15 x 15 cm. In northern Europe also greenhouse production possible. Long day plant: for flowering in May give 14-16 hours additional HID light.





1		2	
PA	SSI	ON	

Excellent behaviour in flower beds and larger pots.

30 cm

mounded 10-13 cm

250 GE

1. Violet E87.900E

2. White E87.905E









Summer-flowering series. Latest to flower, this group 4 series has the greatest tolerance for high heat and high light of the Lake Collection. Transplant in late spring through summer for summer through early autumn flowering.

HIGH VARIETY TO CUT 📜 🗷

250 GF 70-90 cm upright

1. Blue

D67.251E **2.** Purple

D67.253E

3. White D67.255E

### Torenia o

- Scrophulariaceae
- Torenia fournieri
- Perennial cultivated as an annual for flower beds and pot plant

Sowing: From February to April for sales from May to July.

■ Germination: In 4 to 6 days, at 20-22°C. Do not cover seeds, needs light to germinate.

■ **Growth temperature:** Between 18 and 21°C the day, between 16 and 18°C

### ■ Voltz advice:

3 to 4 months cultivation in pot size of 10-12 cm. Resist to temperatures until 5°C, but without humidity.



### KAUAI F1 Mix

Easier to grow and to manage on the bench than previous varieties: grows about 5 cm shorter in average, more uniform, better branching, better and more vivid colour range, improved flower window (7-9 days). Superior performance in extreme heat and humidity.

Height	Habit	Pot size	Mini.	Code
20 cm	mounded	9-12 cm	500 GE	R67 668E

### Tradescantia 4 💗



- **■** Commelinaceae
- Tradescantia x anders
- Perennial bedding plant

Height

- Sowing: From March to June

■ Germination: At 20-22°C.

**Growth temperature:** 15 to 19°C.

16 to 18 weeks cultivation.



### **ANDERSONIANA** Blue

Red and blue shades. Flowers are closing up when it's raining. Flowering time: June to September.

Height	Habit	Pot size	Mini.	Code
70 cm	upriaht	9-11 cm	250 GN	P83.5002

### 

- Asphodelaceae
- Kniphofia hirsutaKniphofia uvaria
- Perennial bedding plant and cut flower

Sowing:
For annual crop flowering in summer: November to March. For biennial culture: June to August. Use 2 to 3 seeds per cell.

**■ Germination:** 3 to 6 weeks at 18-20°C. Light improves germination.

■ **Growth temperature:** Between 14 and 16°C. 11 to 18 weeks cultivation.

For voitz advice:

Grow at high light level. Avoid too high humidity. In winter keep soil dry. Sowings in January flower the first year.





		Height	Habit	Pot size	Mini.	Code
1 hirsuta FIRE DANCE	Most winterhardy Kniphofia; starts flowering orange red turning to yellow.	45-50 cm	upright	11-13 cm	250 GP	P14.450GP
2 uvaria ROYAL CASTLE Mix 38	Mix of red, orange and yellow, early. Flowering time: July to October.	80 cm	upright	11-13 cm	250 GN	P14.5001

# Tropaeolum ⊙\$

- Tropaeolaceae
- Tropaeolum majusTropaeolum peregrinum
- Annual bedding and pot plant
- Seed count/gram:

Sowing: Directly sowing in final container, from March to April.

- **Germination:** At 18-20°C within 14-20 days.
- Growth temperature: Between 10 and 15°C.

### **■** Voltz advice:

3 to 4 seeds per pot or pack. Crop time young plants: 4 weeks. Sowing to flower: 10-12 weeks. Very sensitive to black aphids. Flowers are edible when no chemical treatments during



















	SINGLE FLOWERED DWARF VARIETIES	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 > 2 <sub>BABY</sub>	Bright colours on luscious dark green, medium sized foliage is offering an remarkable colour contrast.	20 cm	mounded	9-13 cm	10 g	<b>1.</b> Deep Rose	E88.608	<b>2</b> Orange	E88.607
						<b>3.</b> Alaska Mix	E88.609	<b>4.</b> Mix	E88.610
3 ► 10 <sub>TIP TOP</sub>	Dwarf, early, ideal for pack sales.		mounded		10	5. Apricot	E88.611	6. Gold	E88.613
	Flowers clearly on top of compact foliage.	20 cm		9-12 cm	10 g	7. Lemon	E88.616	8. Mahogany	E88.614
						9. Rose	E88.615	10. Scarlet	E88.612







	SINGLE FLOWERED DWARF VARIETIES	Height	Habit	Pot size	Mini.	Colour	Code
11 WHIRLYBIRD	Compact, bushy plants flowering well above the foliage with upward facing spurless flowers. The foliage is small and bright green.	25-30 cm	mounded	9-10 cm	10 g	<b>12.</b> Tangerine	E88.512
12 NANUM SINGLE	Dwarf, non-climbing plants with flowers upon the top, now in BIO quality! Perfect for production of edible flowers and leaves; but also for compos with vegetables and flowers.	25-30 cm	mounded	9-12 cm	25 g	<b>13.</b> Mix	E88.2001B
13 EMPRESS OF INDIA	Bloody red on dark foliage.	30 cm	mounded	9-12 cm	10 g		E88.140







DOUBLE FLOWERED DWARF VARIETY			Υ	SINGLE FLOWER	SINGLE FLOWERED HIGH VARIETIES		Habit	Pot size	Mini.	Colour	Code	
JEWEL 1	Mix					Vigorous, strongly climbing selection.						
Abundar Non-clin	nt semi-do nbing.	uble flow	ers.		1 DE LOBB	Requires a climbing frame.	200-300 cm	climbing	13-19 cm	25 g	<b>1.</b> Mix	E88.161
Height	Habit	Pot size	Mini.	Code		Trailing. Curly flowers.						
30 cm	mounded	9-12 cm	10 g	E88.300	2 PEREGRINUM	Climbing plant also called 'Canary Creeper'.	250 cm	climbing	10-13 cm	10 g	2. Yellow	E88.600

## Verbascum 2 .

- Scrophulariaceae
- Verbascum hybrida
   Verbascum chaixii
- Perennial bedding plant
- **Sowing:** From January to March.



■ **Growth temperature:** 15 to 19°C. 16 to 18 weeks cultivation.





1	CNOWY CDIDE	
•	chaixii SNOWY SPIRE	

A graceful presence of crisp pure-white florets and red stamina.

Height Habit Pot size Mini. Code 30-60 cm upright 13-16 cm 250 GE P87.100E



Apricot to purple shades. For 15-18 cm pots. Annual cultivation. Daylength neutral.

65 cm upright 15-18 cm 100 GE P87.370E

### Venidium o ....

- Asteraceae
- Annual bedding plant
- Seed count/gram: 1400

### Sowing: From March to May.

- **Germination:** In 10-14 days , at 18-20°C.
- **Growth temperature:** 12 to 13 weeks at 15-18°C.



### **PRINCE** Orange

Ideal for bringing some bright and cheerful colour to summer plantings. With silky foliage, it bears large, bright flowers with a dark black central ring.

Height	Habit	Pot size	Mini.	Code
50-60 cm	upright	10-11 cm	1 g	E88.800

### Veronica 4 🕸 🦻





- Scrophulariaceae
- Perennial bedding plant and cutflower
- Veronica gentianoides
   Veronica longifolia
   Veronica spicata
- Sowing:
  From March to June.
- **Germination:** At 18-20°C, in 15 to 20 days.
- **© Growth temperature:** Between 14 and 16°C.





	DWARF VARIETIES FOR BEDDINGS AND ROCK GARDEN	Height	Habit	Pot size	Mini.	Colour	Code
1 spicata INCANA	Silvery grey foliage. Flowering time: June to July.	40 cm	upright	9-11 cm	500 GN	<b>1.</b> Blue	P88.2001
2 GENTIANOIDES	Bushy. Long floral spikes. Flowering time: May to July.	50 cm	upright	9-11 cm	500 GN	<b>2.</b> Blue	P88.7001









	HIGH VARIETIES TO CUT 🍱	Height	Habit	Mini.	Colour	Code	Colour	Code
1 ► 2 SPICATA	High variety with long floral spikes. Flowering time: July to August.	60 cm	upright	500 GN	<b>1.</b> Blue	P88.441	2. Rosea	P88.5001
3 > 4 LONGIFOLIA	Upright habit. Long floral spikes. Flowering time: June to August.	60 cm	upright	500 GN	<b>3.</b> Blue	P88.2601	4. White	P88.2801

## Verbena bonariensis









- **■** Verbenaceae
- **■** Verbena bonariensis
- Annual bedding plant
- Sowing: From February to May.
- Germination: At 20-22°C, in 15-20 days. Cover with plastic.
- **Growth temperature:** Between 10 and 16°C.
- Voltz advice: 12 to 14 weeks cultivation. We deliver primed seeds for better germination.





1		
	<b>PURPLE</b>	HAZE

Better branched and 20% shorter than standard variety. Therefore also suitable for large pots on balcony and terrace. Reaches a height of 50-60 cm in 70-100 cm pot; 70-90 cm when planted out.

Purple-blue. Hardy stems. For association with other plants. Flowers from July to frost.

100 cm upright 13-16 cm 500 GP P87.800GP

Pot size

13-16 cm

Mini.

500 GP P87.810 GP

Habit

upright

Height





## Verbena hybrida o

- **■** Verbenaceae
- Verbena hybrida
- Annual bedding and pot plant
- Sowing: From January to April.
- **Germination:** At 20-24°C, in 15 to 20 days.
- **Growth temperature:**Between 14 and 16°C. Cultivate as dry as possible.
- Voltz advice:

11 to 15 weeks cultivation. After sowing avoid watering:
Keep moisture by covering with
glass or plastic. Plants
supposed for baskets and
windowboxes should not be treated with growth regulators.





### **OUARTZ XP**

- · Hybrid dwarf variety with huge flowers
- Early and uniform series
- · Shorter internodes, better branching, reduced requirement for growth regulator
- · Homogeneous between colours
- · Large bright umbels and longlasting flowering
- Excellent qualities in packs and gardens
- Mildew tolerant













5. Pink

9. White

7. Red with Eye



1	TUSCANY
2	QUARTZ

Beefy upright plants with large flowers.

Good mildew tolerance. Good branching and reduced internode length.

20 cm  $20\,\mathrm{cm}$ 

Height

upright pack, 10-11 cm upright pack, 10 cm

Pot size

Mini. Colour Code 250 GN 1. Mix E89.890 250 GN 2. Blue E89.340 E89.360

4. Bordeaux E89.347 E89.350 6. Purple E89.349 E89.3461 8. Scarlet E89.3521 E89.3561

Colour



Early and dwarf variety. Good mildew tolerance. Good branching, reduced internode length.

20-25 cm upright

Habit

pack, 10-11 cm 250 GN

# 

- **■** Verbenaceae
- Verbena hastata
- Perennial
- Seed count/gram: 3 500
- Sowing: From March to June. 1-2 seeds/cell.
- **Germination:** 26°C day/18°C night, in 21-28 days.
- Growth temperature: 20°C day/16°C night.

### **SPIRES**

First year flowering; long flowering period; branched flower spikes.

Height	Pot size	Mini.	Colour	Code
			1. Blue	P87.860GP
100-120 cm	9-11 cm	500 GE	2. Pink	P87.862GP
			3. White	P87.861GP







# 

Verbenaceae

Verbena officinalis

Perennial

Seed count/gram: 3 300

Sowing: From September to October.

■ **Germination:** 24°C / 5°C / 20°C in 4 to 7 weeks. Cold germinator.

**■ Growth temperature:** 16°C day / 12°C night.

### var. grandiflora **BAMPTON**

Well branching; decorative, purple-red foliage; plenty of small flowers.

	-		, ,	
Height	Habit	Pot size	Mini.	Code
40-80 cm	upright	9 cm square 11-12 cm	500 GN	E89.1001



## Verbena rigida ⊙ •••• •• ••









**■** Verbenaceae

Verbena rigida

Annual bedding plant

Sowing:
From February to May.

**■ Germination:** At 18-20°C, in 10-14 days.

Growth temperature: Between 10 and 16°C.

15 to 18 weeks cultivation. After sowing avoid watering: Keep moisture by covering with glass or plastic.





Height Habit

First year flowering perennial. One of the best tough and long-lasting landscape perennials available - very heat and drought tolerant, plus exceptional performance in cool climates.

30 cm mounded 10,5-13 cm 250 GP 1. Purple E90.310GP

Mini.

Colour

Code

Pot size

**POLARIS** Smart, exclusive, mildew resistant Verbena. High demand for mixed flower beds and borders. Can survive temperatures around 0°C but not fully winterhardy.

30 cm carpet-mounded 9-10,5 cm 250 GP **2.** Blue F90.300GP

# Verbena speciosa 🔾 🎟 🦫







Verbenaceae Verbena speciosa (x hybrida)

Annual bedding plant

Mid-January to mid-March; for large baskets sow in December.

■ Germination: 15-20 days at 15-20°C.

**■ Growth temperature:** 16-18°C

■ Voltz advice:

After sowing avoid watering: Keep moisture by covering with glass or plastic.

### **IMAGINATION®** Violet

Flexible divergent habit, very branched, for hanging baskets. S mall flowers with bright colours.

Height	Habit	Pot size	Mini.	Code
30 cm	semi-trailing	11-13 cm, baskets	250 GP	E90.100GP



# **Viola** hybrida ⊙

Biennial bedding and pot plant

**Sowing:** From July to September.

**■ Germination:** At 16-18°C, in 10-14 days.

### **■ Growth temperature:** From 12 to 15°C.

■ Voltz advice: 10 to 13 weeks cultivation. Under low light conditions avoid the use of growth regulators.

### Ideal for 10,5 cm pots!

**GRANDISSIMO F1** 



BERRY PIE P97.040



CLEAR ORANGE P97.043



CLEAR PURPLE P97.039



CLEAR YELLOW P97.046



ICY BLUE P97.041



LEMON SPLASH P97.042



PURPLE GLOW P97.044



ROSE BLOTCH P97.045



YELLOW JUMP UP P97.047



AGRUMES MIX P97.050





CLAFOUTI MIX P97.052



COCKTAIL MIX P97.054



CRUMBLE MIX P97.064



DELICE FRUITE MIX P97.062



NOUGAT MIX P97.066



TOTAL MIX P97.060



The tolerance to high temperatures makes 'Grandissimo' the ideal series for sales in late summer and early fall. The 4-5 cm diameter large flowers on compact, pot-covering plants are perfect to herald the Viola sales season.

Height	Pot size	Mini.
12-15 cm	10 cm	250 GN

## Viola cornuta ⊙

### **SORBET® XP F1**

- Perfect Viola cornuta type in shape and size
- First series on the market which combines uniformity and homogeneous habit with homogeneous flowering
- Simultaneous flowering of all colours
- Sustained and long-lasting flowering
- Excellent disease resistance
- Unproblematic in transport and excellent shelf life on sales point
- Compact and branched habit
- Excellent outdoor performance

















DENIM JUMP UP P97.615





MORPHO P97.611



ORANGE PURPLE JUMP UP p97.968



LEMON JUMP UP P97.962



MARINA P97.609





NEPTUNE P97.624

RASPBERRY P97.907



















TRUE BLUE P97.633

WHITE P97.969

WHITE BLOTCH P97.918

WHITE JUMP UP P97.993

YELLOW BURGUNDY JUMP UP P97.623











YELLOW P97.903

YELLOW BLOTCH P97.985

YELLOW JUMP UP P97.902

Height Pot size

YELLOW PINK JUMP UP P97.927

YTT P97.986

**SORBET® XP F1** couleurs de ville

Very early flowering. Vigorous plant. Sorbet™ XP F1 is offering improved genetics with more uniform flowering and better habit.

12-15 cm	9 cm, pack	250 GN

Mini.

Colour	Code	Colour	Code
	Also avail	able in mixes:	
1. Autumn Select Mix	P97.899	2. Citrus Mixture	P97.979
3. Brazil Mixture	P97.631	4. Harvest Mix	P97.917
5. Jump Up Mlx	P97.920	6. Lemon Parfait MIx	P97.921
7. Orange Halo Mix	P97.607	8. Royal Mix	P97.288
9. Spring Select Mix	P97.964	10. Total Mix	P97.998

## Viola cornuta ⊙

### **EVO MINI F1**

The supplemental colours to Sorbet XP F1!





BEACON YELLOW P97.203

Evo Mlni in basket



**BLACK** P97.204



CARMINE P97.249



CLEAR YELLOW P97.265



JOLLY FACE P98.100



MIDNIGHT GLOW P97.274



OUTBACK FIRE P97.250



PEACH DUET P97.219



PURPLE FACE P97.197



PURPLE ROSE WHITE P97.195



RASPBERRY JOKER P97.258



RED WITH YELLOW FACE P97.282



TERRACOTTA P97.283



YELLOW BLOTCH / RED WING P97.255



YELLOW RED WING P97.226



YELLOW SURPRISE P97.251

Height Pot size Mini.

12-15 cm 9 cm, pack 250 GN



One of the best and earliest series. Compact habit. Exceptionally rich-flowering. A wide range of attractive and fashion colours performing very well in production, transport, sales and in the garden.









BLUE P97.111 D

DEEP BLUE BLOTCH P97.102



DEEP MARINA P97.106



DEEP PURPLE FACE P97.109



**DENIM** P97.104



JOLLY FACE P97.101



LAVENDER PINK FACE P97.105



LEMON PURPLE WING P97.107



NEW MARINA P97.103



NEON PURPLE WING P97.121



ORANGE PURPLE WING P97.108



ORCHID P97.122



PINK P97.110



PINK SURPRISE P97.112



PURPLE WHITE FACE P97.117



RED BLOTCH P97.114



RUBY GOLD P97.116



WHITE P97.113



WHITE PURPLE WING P97.119



YELLOW P97.118



YELLOW BLOTCH P97.120



YELLOW PURPLE WING P97.115

1. Total Mix

Height Pot size Mini. Colour Code
st uniform Also available in mix:
Derfect 12 cm 9 cm, pack 250 GN

ADMIRE® F1

A brand new, better branching series for more flowers. Earliest and most uniform flowering series in autumn. Also very suitable for spring sales, offering perfect and uniform plant habit as well as a tight flowering window.

P97.130

## Viola wittrockiana ⊙

■ Viola x wittrockiana

Biennial bedding and pot plant

■ Sowing: From autumn sales, from mid-June to For spring sales, from mid-August to mid-September.

**■ Germination:** At 18-20°C, in 7 to 10 days.

**☞ Growth temperature:** Between 10 and 15°C, do not exceed 15°C. In winter 6-8°C.

### ■ Voltz advice:

Apply ventilation and shade from the sowing. Under higher temperature germination will be more regular with pre-germinated seeds. Growing in light, fresh and airy conditions.





### The largest flowers of trailing pansies on the market

- The most vigorous trailing pansy
- · Easy to care, long lasting colour display
- Extremely early flowering in spring
- Remarkable winterhardiness (stands temperatures down to almost-25°C)
- Swirl-colours are shading depending on temperature and light



BLUEBERRY SWIRL P91.204GP



BLUE SKIES P91.209GP



FIRE P91.217GP



FROST P91.205GP



GOLDEN YELLOW P91.206GP



LEMON IMP. P91.220GP



MORPHO P91.216GP



PURPLE P91.207GP



RASPBERRY P91.218GP



RASPBERRY SWIRL P91.221GP



STRAWBERRY SWIRL P91.219GP



VIOLET WING P91.208GP



WHITE P91.210GP







TRAILING VARIET
-----------------

Also available in mixes:

COOL WAVE™ F1 couleurs de ville

A brand new generation of spreading pansies; ideal for hanging baskets. In opposite to other pansy series for use in baskets, Daskets. In opposite to other pansy series for use in Daskets, Cool Wave™ F1 is producing very well-branched, prostrate and spreading plants which have slightly larger flowers and more vigour than the others (producing trails of 75 cm length). The superior overwintering, rich- and free flowering Cool Wave™ F1 performs also under poor weather conditions. Cool Wave™ F1 makes not only incredible cool-season baskets, but is also fantastic as a terrific spreading groundcover (more than 60 cm diameter).

20 cm (60-75 cm

trailing

10,5-12 cm 25 cm

250 GP

P91.215GP 2. Berries & P91.213GP

3. Pastel Mix P91.214GP







MAXI MIX P90.100

BLOTCH MIX P90.090









BLUE MOON MIX Code

FALL DAZE MIX Code

OLD GLORY MIX Code

WINE & ROSES MIX Code



BLUE SURPRISE P90.283



DEEP BLUE BLOTCH P90.078



DEEP ROSE BLOTCH P90.081





**DENIM** P90.079

LIGHT ROSE BLOTCH P90.091



OCEAN P90.087



ORANGE P90.088



PINK SURPRISE BLOTCH P90.089



RED BLOTCH P90.080



ROSE VELOUR P90.284



WHITE P90.082



WHITE BLOTCH P90.083



WHITE VIOLET WING P90.084



YELLOW P90.085



YELLOW BLOTCH P90.086

### **POWER F1**



VERY LARGE FLOWERED VARIETIES





INSI	PIRE®	
NFI	IIYYF	F1

Very large, long lasting blooms. Unmatched uniformity for habit and timing. For late summer and early autumn sales; fills the pot easily. 15-20 cm mounded 9-10 cm Flower diameter 7-9 cm.

250 GN



Extra-large flowers on short and rigid stems. Compact plants, well-branched and resistant to drought. Short cultivation period (about 5 20 cm mounded to 7 weeks). Recommended for autumn sales in warm climate.

250 GN 2. Patricia

## Viola wittrockiana ⊙



# The versatile pansy series



BEACONSFIELD P90.307 BLUE BLOTCH IMP. P90.3001





BLUE WING P90.335



CLEAR ORANGE P90.310





CLEAR WHITE P90.330 DEEP BLUE BLOTCH P90.304



DEEP ORANGE P90.313



LAVENDER SHADES P88.730



LEMON CLEAR P90.303



LIGHT BLUE IMP. P90.3051



MIDNIGHT GLOW P90.315



MORPHEUS P90.306



OCEAN P90.308



PINK SHADES P88.711



PRIMROSE P90.312



PURPLE P90.314



PURPLE & WHITE P90.309



RED BLOTCH P90.316



RED WING P90.318



**ROSE** P90.320



ROSE BLOTCH P90.322



ROSE WING (CASSIS) P90.324



SANGRIA P90.327



SCARLET P90.325



SOLAR FLARE P90.323



SUNRISE in spring



TRUE BLUE P90.301



WHITE BLOTCH P90.328



YELLOW IMP. P90.3321



YELLOW PURPLE WING P90.329 YELLOW BLOTCH P90.334







# A complete and fancy range of mixtures



AMBER MIX P90.353



AUTUMN BLAZE MIX P90.340



BLOTCH MIX P90.342



CITRUS MIX P90.344



CLEAR MIX P90.349



COASTAL SUNRISE MIX P90.346



EPICES MIX P90.351



HARVEST MIX P90.356



OCEAN BREEZE MIX P90.350



RUBY MIX P90.358



SUN & SKY MIX P90.345



TOTAL MIX P90.348



TOPAZ AND GARNET MIX P90.337

MATRIX® F1 COUNTS

LARGE FLOWERED VATIETYHeightHabitPot sizeMini.Compact habit, Seed homogeneity between colours.20 cmmounded9-10 cm, pack250 GN

# Viola wittrockiana $\odot$





**CASSIS** P88.847



ORANGE DUET P90.068

RASPBERRY SURPRISE P95.810



ROSY SUNSET P88.851

	LARGE FLOWERED VARIETIES	Height	Habit	Pot size	Mini.
INSPIRE® F1 PLUS	Uniform growing series with tight flowering window and short flower stems. For autumn and spring sales.	12-20 cm	mounded	9 cm, pack	250 GN
EVO F1	Compact habit. Short stems. Early and uniform flowering. For autumn and spring sales. Flowers stay upright. Compact, round plants for high density production.	12-20 cm	mounded	9 cm, pack	250 GN









PURPLE & WHITE P95.670

RED & GOLD P95.672





LARGE FLOWERED VAR	IFTY

YELLOW P95.676

CATS° F1

Exceptional colours with whiskers.

Height 15-20 cm


9-10 cm mounded

Pot size

250 GN







C	DMPACT MID-FLOWERED VARIETIES	Height	Habit	Pot size	Mini.	Colour	Code	Colour	Code
1 ► 4 ULTIMA	Fancy and attractive luminescent colour range. Colouring varies according to temperatures and	15 20		9-10 cm,	250 GN	<b>1.</b> Mix	P90.245	<b>2.</b> Deep Blue	P90.240
RADIANCE F1	exposure. Medium-sized flowers.	15-20 0111	mounded	pack	250 GIN	<b>3.</b> Pink	P90.242	<b>4.</b> Red	P90.243
5 ULTIMA MORPHO F1	Unique colour combination. Compact plant.	15-20 cm	mounded	9-10 cm, pack	250 GN	<b>5.</b> Blue & Yellow	P90.136		





	CURLY FLOWERS VARIETIES	Height	Habit	Pot size	Mini.	Colour	Code
1 FRIZZLE SIZZLE F1	Large wavy and curly flowers. Short stems.	15-20 cm	mounded	9-11 cm	250 GN	<b>1.</b> Mix	P.89.076
	Adde a unique frilly flower form to violate Dieb flowering						

2 FRIZZLE SIZZLE F1 MINI

Adds a unique frilly flower form to violas! Rich flowering, moderate vigour, great for containers and "close-up" landscapes.

15-20 cm mounded 9-11 cm 250 GN **2.** Mix P.89.095

## Viola wittrockiana ⊙

### **PANOLA® XP F1**



PANOLA® XP F1 couleurs de ville

Multiflora series. Early and long-lasting flowering; the first to re-flower. Excellent winter-hardiness and resistance to cold and heat and to diseases. Range of bright colours, with excellent colour effects.

15-20 cm mounded 9-10 cm, pack

**7.** Purple

Colour Colour **1.** Beaconsfield P90.360 **2.** Deep Blue Blotch P90.362 **3.** Deep Orange P90.364 **4.** Fire P90.366 5. Pink Shades P90.427 **6.** Primrose P90.381 P90.370 8. Rose Picotee P90.374 9. True Blue P90.380 **10.** White P90.382 11. Yellow P90.386 12. Yellow Blotch P90.388 13. Yellow Purple P90.448



# Xeranthemum o >

- Asteraceae
- Xeranthemum annuum
- Annual for dried and fresh cutflower
- Seed count/gram: 800

- Sowing:
  3 weeks before
  transplanting; Plant outside
  following the last frost.
- **Germination:** 7-14 days at 21°C.

■ Voltz advice: Plants tolerate drought and do well in dry, infertile soils.

### **LUMINA** Mix

Attractive double crested paper-like blooms; very nice colours; use as dried and fresh cut flower.

Height	Habit	Mini.	Code
70 cm	upright	5 g	D37.510



### Zea ⊙ ≫

- Poaceae
- Zea mays
- Annual for flower beds and dry bouquets
- Seed count/gram: Amero: 5; Little Jewel and Baby Corn: 15
- Sowing:
  Directly in place or directly in the final pot, from April to May.

 $300\ to\ 500\ g$  or  $1500\ seeds$  for  $1000\ plants$  depending on the number of seeds per variety.

**■ Germination:** From 18-20°C.









		Height	Habit	Pot size	Mini.	Colour	Code
1 BABY CORN	Small bright upright spikes, very ornamental.	100 cm	upright	-	25 g	<b>1.</b> Red	D68.724
2 LITTLE JEWEL	Mix of small coloured spikes (red, brown, yellow, blue-grey).	100 cm	upright	-	25 g	<b>2.</b> Mix	D68.704
3 AMERO	Large spikes with different colours.	150 cm	upright	-	25 g	<b>3.</b> Mix	D68.700
4 FIELD OF DREAMS	Eye-catching variety with a very strong white stripe running through the pink tinged green leaves. More colourful, compact and branching than existing varieties. For the centrepiece of mixed containers or bedding display.	150 cm	upright	16-19 cm	50 GC		D68.710GC

## Zinnia angustifolia hybrida $\odot$

- Asteraceae
- Zinnia angustifolia
  Zinnia elegans
  Zinnia hybrida
  Zinnia haageana

- Annual bedding plant and cut flower

Seed count/gram:

■ Sowing: From February to May; from mid February onwards for pot varieties.


**■ Germination:** At 20 - 25°C, in 7 to 10 days.

**■ Growth temperature:** Between 16 and 18°C.

■ Voltz advice:

11 to 12 weeks for spring production.
8 to 9 weeks for summer production.
Direct sowing outdoor not before May.
Sensitive to low night temperatures.





### ZAHARA® / ZAHARA DOUBLE

- Large double flowers
- Very uniform
- Combines precocity and good flowering all season
- Mildew-tolerant
- Drought-resistant, few maintainance
- Recommended for public parcs and city green spaces

























Mini.

250 GN



E92.329GFC 2. Bright Orange E92.367GFC

E92.312GFC 4. Fire

1 ► 8 ZAHARA® DOUBLE ###
9 > 10 ZAHARA® (\$\displays)

11 > 14 angustifolia STAR

Excellent behaviour in flower beds, even in dry conditions. Outstanding disease tolerance and low water needs.

Exceptional colours. Excellent behaviour in flower beds, even in dry conditions.

More compact with smaller leaves than other Zinnia-types. Very branched plant with single flowers of 4 to 5 cm. Mildew-resistant.

30-35 cm 10,5-13 cm 250 GFC **9.** Single Mix

10,5-13 cm 250 GFC

Height Potsize

30-40 cm 8-11 cm

7. White **11.** Mix E93.000

Colour 1. Total Mix

**5.** Raspberry Ripple

3. Cherry

**13.** Orange

E92.355GFC 6. Salmon E92.365GFC E92.366GFC 8. Yellow E92.318GFC E92.360GFC 10. Sunburst E92.326GFC **12.** Gold E93.060 E93.020 14. White E93.040

E92.323GFC

Zinnia

# Zinnia elegans ⊙





		Height	Pot size	Mini.	Colour	Code	Colour	Code
1 ► 8  DREAMLAND F1	Compact. Large double flowers. For flower beds and pot plants.	20 cm	10,5-13 cm	500 GFC	<b>1.</b> Mix	E92.000GFC		
				1 g	<b>1.</b> Mix	E92.000	2. Coral	E92.080
					<b>3.</b> Ivory	E92.020	4. Pink	E92.040
					<b>5.</b> Red	E92.050	6. Rose	E92.060
					7. Scarlet	E92.120	8. Yellow	E92.160
9 ZEN F1	More compact and better branching than "Dreamland F1", higher doubleness of the flower.	17-20 cm	10-12 cm	250 GFC	<b>9.</b> Mix	E92.230GFC		
10 ► 17 PRECIOSA F1	More compact and better branching than "Dreamland F1", higher doubleness of the flower.	17-20 cm	10-12 cm	250 GFC	10. Light Yellow	E92.238GFC	11. Orange	E92.232GFC
					<b>12.</b> Pink	E92.235GFC	<b>13.</b> Red	E92.231GFC
					<b>14.</b> Rose	E92.234GFC	<b>15.</b> Scarlet	E92.236GFC
					16. White	E92.233GFC	17. Yellow	E92.237GFC









	HIGH VARIETIES TO CUT 🍞	Height	Mini.	Colour	Code
1 UPROAR	Exceptional brilliant, «vivid electric rose» colour. Large flower; very floriferous, good rebloom; good stem length. Suitable for containers as well.	35-40 cm	100 GFC	Rose	D72.452GFC
2 ZOWIE CONTRACTOR	Magnificent colour, with several layers of bright petals surrounding a big central red-and-yellow cone. When the petals open, they are bold magenta-pink with yellow tips, and the pink gradually turns to rich red.	40-60 cm	100 GFC	Yellow Flame	D72.450GFC
3 FORECAST 🕸	Beautiful single blossoms with colours of purple, pink, yellow and orange at the top of luscious green foliage. For landscape as well as for summer bouquets.	50-75 cm	5 g	Mix	D69.506

# $Zinnia \ {\it elegans} \ \odot$



































	HIGH VARIETIES TO CUT 🍞	Height	Mini.	Colour	Code	Colour	Code
1 ► 2 POP ART	Large blooms, carried on tall stems, are flecked and splashed with intricate red markings, making each bloom completely unique. Long lasting Zinnia make a superb cut flower.	60 cm	5 g	<b>1.</b> Gold & Red	D69.520	2. White & Red	D69.522
3 MACARENIA	Mostly double scarlet flowers with golden tips. This early flowering Zinnia produces flowers with 10 cm across. Strong plant habit with good branching.	60-75 cm	5 g		D69.090		
4 MAZURKIA	Striking colour. Double and semi double scarlet flowers tipped with cream-white tips offering strong contrast. Numerous 10 cm large flowers.	60-75 cm	5 g		D69.092		
				5. Lime	D69.602	6. Deep Red	D69.606
5 ► 11 <sub>QUEENY</sub>	Upright and well-branched habit. 6 cm ø double	CF	500 GN	<b>7.</b> Light Violet	D69.610	8. Lime Orange	D69.601
QUEENY	flowers with fancy colours. Very good cutflower quality!	65 cm	200 GN	<b>9.</b> Orange	D69.604	10. Red-Lime	D69.600
				11. Violet	D69.608		
				<b>12.</b> Mix	D72.000	<b>13.</b> Canary Gem	D72.150
12 ► 17 <sub>POMPON</sub>	Small double flowers. Ideal for small bouquets. Suitable for outdoor-production.	70 cm	5 g	<b>14.</b> Orange Gem	D72.156	15. Pink Gem	D72.152
	Suitable for Suitabor production.			<b>16.</b> Scarlet Gem	D72.154	17. White Gem	D72.158









	HIGH VARIETIES TO CUT 🍞	Height	Mini.	Colour	Code	Colour	Code
				<b>1.</b> Mix	D69.1151	2. Carmine	D69.1001
1 \ 7	Double flowers. Floriferous, rich in colours.		500.011	3. Golden Yellow	D69.1021	4. Pink	D69.1041
1 ► 7 OKLAHOMA	Very vigorous. Less sensitive to diseases. High yield. Long harvesting period.	80 cm	500 GN	<b>5.</b> Salmon	D69.1051	6. Scarlet	D69.1061
	riigir yicid. Zong har vootiiig period.			7. White	D69.1071		
	New type of scabiosa-flowered Zinnia in attractive			8. Lilac	D69.096	9. Orange	D69.094
8 ► 13 ZINDERELLA	colours with dark eye.	75-80 cm	250 GN	<b>10.</b> Peach	D69.098	11. Purple	D69.095
	Robust plant, excellent for cutting.			<b>12.</b> Red	D69.097	13. White	D69.099
14 PEPPERMINT	A mixture of unique colour combinations: white, pale yellow, pink and orange medium-sized, double flowers - all with cherry red streaks or blotches.	70-90 cm	5 g	<b>14.</b> Mix	D69.502		
15 CALIFORNIA GIANTS	Large double flowers of 10-12 cm. Long stems.	90 cm	5 g	<b>15.</b> Mix	D69.500		

## Zinnia elegans o



HIGH VAF	HIGH VARIETIES TO CUT 🍞		Mini.	Colour	Code Colour	Code
				1. Formula Mix	D69.000 <b>2.</b> Dream	D69.045
1 ► 11 DAHLIA FLOWERED				<b>3.</b> Exquisite	D69.030 <b>4.</b> Golden Dawn	D69.010
	Extra double. For flower beds or cut	90 cm	<b>5.</b> Golden State		D69.020 <b>6.</b> Hallo	D69.070
DAHLIA FLOWERED	flower.	90 CIII		<b>7.</b> Meteor	D69.050 <b>8.</b> Polar Bear	D69.088
				9. Purple Prince	D69.040 <b>10.</b> Rose Queen	D69.080
				11. Scarlet Flame	D69.060	
			500 GN	<b>12.</b> Formula Mix	D69.005	
12 > 16 BENARY'S GIANTS	A selection of the best Dahlia flowered colours.	100 cm	1 000 GN	13. Bright Pink	D69.006 <b>14.</b> Deep Red	D69.008
	colours.		1 000 GN	<b>15.</b> Orange	D69.009 <b>16.</b> Purple	D69.007
17 THUMBELINA CONTROL	Dwarf, very well branching variety with medium sized, mostly double flowers.	30-45 cm	5 g	<b>17.</b> Mix	E92.190B	







Bright, colourful, bicoloured Mexican Zinnia sports rings of vivid color in red and yellow throughout summer. An uncommon Zinnia that will get loads of attention in the garden or a vase.

Height	Habit	Mini.	Code
80 cm	upright	5 g	E93.110

## Flower Meadows

#### Mixtures made of plenty genus and species

■ Sowing: 2,5-3 g per qm (in poor, stony soil also 3-5 gram/qm possible, but never more than 5 g; else the competition among the species is too big and the richness in species will be reduced.)

March-May (depending on the climate, the soil should not be cold anymore)

#### Voltz advice:

Direct sowing on open ground.
To ensure a homegenous dispersion, stir the seeds before sowing.

To facilitate the sowing process one can mix the seeds with Vermiculite or dry soil. To avoid weed disturbing the germination, a thouroughly preparation of the flower bed is essential. Mortise and level the soil (like preparation for sowing a lawn), wait a few days until weed is emerging, then elimate the weed. Then immediately do the sowing of the Flower Seed

Mixture. Depending on wheather conditions an irrigation might be necessary to improve germination and emergence of the seedlings. After a few weeks it might happen that strong growing weed such as amaranth, black nightshade, millet or pigweed need to be elimanted selectively by hand.



## **THE FLOWER MIXTURES:**

#### A salvage to preservate the fauna of beneficial insects!

Create with our Flower-Meadows and -Mixtures a habitat for beneficial insects helping this way to obtain the biodiversity of bees, bumblebees, butterflies and other pollinators as well as plenty of other beneficial insects.





By generating a natural, season-long flowering surface you are bringing colour, nectar and pollen to the world helping the insects to find sufficient nutriment. Show to your customers that you are active in helping the bees to survive, and that you as an expert know what to do to keep the nature vivid and versatile!



		Height	Mini.	Code
1 FLOWERS FOR BEES & CO	This new developed Mixture is only made of species attracting bees and other pollinators.	25-50 cm	50 g	550412
2 WILD FAUNA FALLOW	This Colourful Mix for beneficial organism has been developed to support the beneficial and predator insect fauna that helps you to protect your crops. The selection of the higher species in that Mix are giving room and shelter to this fauna to support their reproduction.	25-100 cm	50 g	550559
COUNTRY MIX FIELD AND MEADOW FLOWERS	Long-lasting, species-rich Mixture made of 28 annual and 24 perennial varieties. When sowing in spring the first bloom will be mainly annuals; if sowing in autumn the majority of the first bloom in following spring will be made of perennials.	50-80 cm	50 g	550504
4 TAGETES GROUND CONTROL	Semi-Dwarf selection with strong root growth.	30-40 cm	50 g	E85.200

Index	Drought tolerant	Bee-friendly plant  Durable plant  Variety for alse summer  Action of a plant for combos plant for combos plant for combos plant for some plant for some plant for some plant for some plant some plant for some plant f			Drought tolerant plant	Bee-friendly plant	Durable plant
A			Begonia hybrida	22			
Acanthus	4	**************************************	Begonia hybrida	23	4		
Achillea	4	**************************************	Begonia semperflorens	27			
Acroclinium	4		Begonia tuberhybrida	26			
Agapanthus	4	<u> </u>	Belis	28			
Agastache	5	<b>3</b>	 Bergenia	30			
Ageratum	6	<b>*</b>	Beta	30			
Agrostis	79		 Borago	30		*	
Alcea	7	<b>**</b>	Brassica	31			
Alchemilla	8	<b>3</b>	Briza	79			
Alternanthera	8			32	4		
Alyssum	8	<u> </u>	C				
Amaranthus	8	<del></del>	Calamagrostis	80			
Ammi	10	<u>*************************************</u>	Calceolaria	32			
Anchusa	10		 Calendula	32		<b>*</b>	
Anemone	10	\$ \$ ₩	Callistephus	34			
Angelica	10	<b>\$</b>	Campanula	37		<b>*</b>	
Angelonia	11	<b>Ø</b>	Canna	38			
Anthemis	16		 Capsicum	39			
Antirrhinum	12	<b>\$</b>	Carex	79	4		
Apium	17	0200	Catharanthus (Vinca)	40			
Aquilegia	16	<b>**</b>	Celosia argentea	45			
Arabis	17	❖ 💝	Celosia cristata	45			
Aralia	17		Celosia plumosa	43			
Arenaria	17	***************************************	Celosia spicata	44			
Armeria	18	♦ 😽	Centaurea candidissima	46	4		
Arnica	18	***************************************	Centaurea cyanus	46		*	
Artemisia	18	***************************************	Centaurea montana	46		*	
Asarina	18		Centranthus	46	4	*	
Asclepias	19	፟ 🍪 👸	Cerastium	46	4	*	
Asparagus	19		Cerinthe	46		*	
Asphodeline	20	***************************************	Cheiranthus	47			
Aster	20	♦	Chrysanthemum	48	4	*	
Astilbe	20	***************************************	Cineraria	48	4		
Atriplex	21		Cleome	49			
Aubrietia	21	<b>⋄</b>	Cobaea	49		<b>*</b>	
В			Coleus	50			
Васора	22		Coreopsis	52		*	<b>*</b>
Baptisia	22	***************************************	Coreopsis tinctoria	52		*	
Basella	22		Corynephorus	80	4		
Basilicum	22	<b>0</b>	Cosmos	53		*	
Begonia boliviensis hybrida	25	<b>3</b>	Cosmos atrosanguineus	55		*	

**\$** 

9८® ⊕₩

		Drought tolerant plant	Bee-friendly plant	Durable plant	Variety for late summer	Octobro Ornamental foliage plant for combos	Shadow plant	৪১৩ ৪১৩ Sensory plant
 Craspedia	55	4				0		
Crucianella	56							
Cuphea	56							
Cyclamen persicum	56							
Cynara cardunculus	56	4						
Cynara scolymus	56	4	*					
Cyperus	57					0000		
D								
Dahlia	57		*					
Delosperma	58	•	*					
Delphinium annual	58		*					
Delphinium perennial	59		*					
Deschampsia	80							
Dianthus	64							
Dianthus barbatus	60							
Dianthus caryophyllus	64							9८° ⊜₹
Dianthus chinensis	61							
Dianthus hybridus	62		<b>*</b>					
Dichondra	65					0000		
Dierama	58	4						
Digitalis	65		<b>*</b>	<b>*</b>				
Dodecatheon	66		<b>*</b>					
Dolichos	66		*					
Doronicum	66		*	<b>*</b>				
Dorotheanthus	66	•	*					
Dracaena	66	4						
E								
Echeveria	66	4				0000		
Echinacea	67	4		<b>*</b>	Ø			
Echinops	68	4	*	<b>*</b>				
Eragrostis	80					0200	-	
Erigeron aurantiacus	68							
Erigeron karvinskianus	68	•	*					
Erodium	69		<b>\$</b>	<b>3</b>				
Eryngium	69	•	<b>\$</b>	<b>*</b>				
Erysimum	70		<b>*</b>					
Eschscholzia	69	•	*					
Eucalyptus	70	•				0.00		
Euphorbia annual	71					Q		
Euphorbia perennial	71	•						
Exacum	70							

		Drought tolerant plant	Bee-friendly plant	Durable plant	Variety for late summer	Ornamental foliage plant for combos	Shadow plant	ನ್ನಿತ್ತಿ ತ್ರಸ್ತಿ Sensory plant
F					<u> </u>			
Festuca	81	4				0000	1	
Flower Meadows	183		*					
Foeniculum	72	•		<b>**</b>				
Freesia	71		*					?(® ⊕\b
G								
Gaillardia annual	73		*					
Gaillardia perennial	72		*	<b>*</b>				
Gaura	73	4	*	<b>**</b>	Ø			
Gazania	74	•	*					
Geranium	73			<b>**</b>				
Gerbera	76							
Geum	76		*	<b>*</b>				
Godetia	76		*					
Gomphrena	77		*		Ø			
Gossypium	76							
Grasses	78				-			
Gynerium (Cortaderia)	81							
Gypsophila	88		*					
H								
Helenium annual	88							
Helenium perennial	89		*					
Helichrysum bracteatum	89		*					
Helichrysum microphyllum	89					0200	1	
Heliopsis	92	•		<b>**</b>	1			
Heliotropium	93		<b>*</b>					?\® ⊕₩
Helipterum	93	•						
Helianthus	90		*					
Herniaria	93	4		<b>*</b>				
Hesperis	93		*	<b>**</b>				(9/.© (⊕\b)
Heuchera	94		*	<b>*</b>				
Hibiscus acetosella	94							
Hibiscus moscheutos	94				Ø			
Hordeum	81							
Hypericum	95	•	<b>*</b>	<b>**</b>				
Hypoestes	95					0000		
<u> </u>								
Iberis (Thlaspi)	95		<b>*</b>	<b>**</b>				
Impatiens x walleriana	96							
Ipomoea	97		<b>*</b>					
Iresine	98					0000		
Isolepis	82							

	Drought tolerant	plant Bee-friendly plant	Durable plant Variety for	date summer Ornamental foliage plant for combos	Shadow plant Sensory plant			Drought tolerant plant	Bee-friendly plant	Durable plant	Variety for late summer	Ornamental foliage plant for combos	Shadow plant Sensory plant
	Dro	plar Bee plar	Dura					Droi	Bee	Dura	Vari		
	-			0000				•	*		<b>P</b>		
Isotoma (Laurentia)	98	*				Monarda	113	4	*				
J						Musa	112						
Juncus	82		<b>*</b>	0.00		Myosotis	113						
K						N							
Knautia	98	*	<b>*</b>			Nemesia	116		*				
Kochia	98					Nepeta	114	4	*	<b>*</b>			
Koeleria	82		<b>**</b>			Nicotiana	115		*				
L						Nigella	117						
Lagurus	82					0							
Lathyrus latifolius	99	*	<b>**</b>		(9/.®) ⊖₩	Oenothera	117	4	*				
Lathyrus odoratus	99	*			(9/.®) (⊕\#)	Onobrychis	118			<b>**</b>		D	
Lavandula	100	<b>\$</b>	<b>*</b>			Origanum	119	4	*			D	
Lavatera	99	*				Oryza	86					D	
Layia	102	*			(%) (\$\bar{\psi}\)	Osteospermum	118		*				
Leontopodium	102		<b>**</b>			P							
Leonurus	102	*				Panicum	86			<b>**</b>		D	
Leucanthemum	102	*	<b>**</b>			Papaver annual	119						
Lewisia	103		<b>**</b>			Papaver biennial/perennial	120		*				
Liatris	103	<b>*</b>	<b>**</b>			Pardancanda	119			<b>**</b>			
Ligularia	103		<b>**</b>			Passiflora	119	4					
Limonium annual	104	*	<b>*</b>			Pelargonium peltatum	122						
Limonium perennial	104	*	<b>39</b>			Pelargonium zonale	121						
Linum	105	<b>*</b>				Pennisetum	84	4				D.S.S.	
Linum perenne	105	<b>*</b>	<b>***</b>			Penstemon	122		*	<b>**</b>			
Lobelia annual	106						123		*		<b>19</b>		
Lobelia perennial	105	<b>*</b>	<b>***</b>				129					D	
Lobularia	108	<b>*</b>			(9/.®) ⊕₩		129	4	*	<b>**</b>			
Lunaria	109	<b>*</b>	<b>**</b>		(9८®) (⊕₩)		124						
Lupinus	107	*					86						
Luzula	83		<b>***</b>				130		*				
M							130		*				
	109	*	<b>***</b>			Phlox	130		*				9८® ⇔#
	110				9८® ●₩		131		<u> </u>				
 Melampodium	109					Physostegia	131		*	<b>**</b>			
Melinis	83		<b>***</b>	0000		Platycodon	132		Ť	***************************************			
Mentha	111					Plectranthus	131					D	
Millium	83		<b>***</b>	0000		Portulaca	133	4.	*				
Mimosa	112				(9/.®)	Potentilla	132			<b>***</b>			
Mimulus	112					Primula acaulis	136						
Mina lobata	112	*				Primula x elatior	134						
Miscanthus	83		<b>***</b>			Primula x elaciol  Primula obconica	138						
			-					4					
Moluccella	112					Ptilotus	138						

		Drought tolerant plant	Bee-friendly plant	Durable plant	Variety for late summer		Shadow plant	Sensoryplant
		**	***		<b>*</b>	S S S S S S S S S S S S S S S S S S S	<b>\$</b> 8	(0, E) (0, E)
Pulsatilla	138		<b>*</b>					
Pyrethrum	138					Q		
R								
Ranunculus	139		_					
Ratibida	139		*	-				
Rhodochiton	139		*					
Ricinus	139		*					
Rudbeckia annual	140		*	900	<b>9</b>			
Rudbeckia perennial	141		*	<b>9</b>	19			
Rumex	142			<b>*</b>				
<b>S</b>	1/0			939				
Salvia argentas	142			***************************************		0000	?	(\$\@
Salvia argentea Salvia coccinea	142		*	-		W.S.		(Signal
Salvia farinacea	143		*			-		
Salvia horminum	144		*					
Salvia perennial	144	4	*					ઉ/.®
Salvia splendens	145		*					90
Sanvitalia	146							
Saponaria	146		*					
Saxifraga	146	4	*					
Scabiosa annual	147		*					
Scabiosa perennial	147	4	*					
Sedum	148	4	*					
Sempervivum	148	•						
Senecio (Pericallis)	149							
Setaria	86							
Silene	149							
Solanum	149							
Solidago	149		*					
Sorghum	86							
Spilanthes	150							?८® ●®
Stachys	150	4						?८® ⊜**
Stevia	150							9८® ⊕&
Stipa	87	•				0200		
T								
Tagetes erecta	151							
Tagetes patula	152							
Tagetes tenuifolia	155							
Talinum	150			-	-			
Tanacetum (Matricaria)	155							

		Drought tolerant plant	Bee-friendly plant	Durable plant	Variety for late summer	Ornamentalfoliage plant for combos	Shadow plant	Sensory plant
		-	*D		<b>P</b>	0000	<b>\$</b> 0	<b>⊕ €</b> <b>€</b>
Tanacetum (Pyrethrum)	155							
Thunbergia	156							
Thymophylla	156							
Tithonia	156		*					
Torenia	157							
Trachelium	157							
Tradescantia	157			<b>**</b>				
Tritoma	158	•		<b>**</b>				
Tropaeolum	158		*					
V								
Venidium	160	•						
Verbascum	159	4						
Verbena bonariensis	160	4	*					
Verbena hastata	161	4	*	<b>3</b>				
Verbena hybrida	161							
Verbena officinalis	162	4	*	<b>3</b>				
Verbena rigida	162	4	*					
Verbena speciosa	162	•	*					9८® ⊖₩
Veronica	160		*	<b>3</b>				
Viola cornuta	164							
Viola hybrida	163							
Viola wittrockiana	168							
X								
Xeranthemum	175							
Z								
Zea	175							
Zinnia	176		*					

		Drought tolerant plant Bee-friendly Indian blant Se Durable plant Variety for plant glate summer One of the summer Se Duramental foliage plant for combos Shadow plant Sensory plant	
GRASSES			Callisteph
Agrostis	79		Campanu
Briza	79		Celosia cr
Calamagrostis	80	<b>***</b>	Celosia sp
Carex	79	<b>♣ ②</b>	Centaure
Corynephorus	80	<b>4 3 0</b>	Centaure
Deschampsia	80	<b>***</b>	Centranth
Eragrostis	80	Q	Cerinthe
Festuca	81	<b>4 3 033</b>	Cheiranth
Gynerium (Cortaderia)	81	8	Chrysantl
Hordeum	81		Craspedia
Isolepis	82		Cynara sc
Juncus	82		
Koeleria	82	<b>4 3</b>	Delphiniu
Lagurus	82		Dianthus
Luzula	83		Dianthus
Melinis	83		Dianthus
Millium	83		Dichondra
Miscanthus	83	<u>•</u> •	Echinace
Oryza	86	Q	Echinops
Panicum	86		Eryngium
Pennisetum	84	<b>4 8 0</b>	Eschscho
Phalaris	86	<u> </u>	Eucalyptu
Setaria	86		Euphorbia
Sorghum	86		Freesia
Stipa	87	<b>♣</b> Ø	Geranium
опра	07		Geum
CUT FLOWERS 🕽 🕏			Godetia
Acanthus	4	<b>4</b> 🕸 😂	Gomphrei
Acroclinium	4	<u>.</u>	Gossypiu
Agapanthus	4	<b>4 3 8</b>	Gynerium
Ageratum	6	*	Gypsophil
Alchemilla	8	**************************************	Helichrys
Amaranthus	8	<b>→</b> ' <b>→</b>	Heliopsis
Ammi	10	<u> </u>	Helipteru
Antirrhinum	12	<u>*************************************</u>	Helianthu
	12	<u>*</u>	
Asclepias	21	<b>♥ ∀</b>	Hesperis
Atriplex			Lagurus
Bergenia	30	<b>∀</b>	Lavatera
Brassica	31		Leonurus

\*

		t				ge		
		Drought tolerant plant	endly	plant	for nmer	Ornamental foliage plant for combos	v plant	yplant
		Drough plant	Bee-friendly plant	Durable plant	Variety for late summer	Drname Dlant for	Shadow plant	Sensory plant
			*	<u></u>	<u> </u>	8000	\$ 6 \$ 6	
Callistephus	34					0		
Campanula	37		*					
Celosia cristata	45		Ť					
Celosia spicata	44							
Centaurea cyanus	46		*					
Centaurea montana	46		*					
Centranthus	46	4	*					
Cerinthe	46		*					
Cheiranthus	47							
Chrysanthemum	48	4	*					
Craspedia	55	4						
Cynara scolymus	56	•	*					
Delphinium annual	58		*					
Delphinium perennial	59		*					
Dianthus barbatus	60							
Dianthus caryophyllus	64							96°
Dianthus hybridus	62		*	<b>2</b>				60
Dichondra	65					0.00	,	
Echinacea	67	4			<b>49</b>			
Echinops	68	4	<u>*</u>					
Eryngium	69	4	*					
Eschscholzia	69	4	*					
Eucalyptus	70	•				0.00	,	
Euphorbia annual	71	•				Q		
Freesia	71		*					97.00
Geranium	73							
Geum	76		*					
Godetia	76		*					
Gomphrena	77		*		<b>4</b>			
Gossypium	76							
Gynerium (Cortaderia)	81							
Gypsophila	88		*					
Helichrysum bracteatum	89		*					
Heliopsis	92	4			<b>3</b>			
Helipterum	93	4						
Helianthus	90		*					
Hesperis	93		*					96°
Lagurus	82			-				
Lavatera	99		*					
Leonurus	102		*					
Leucanthemum	102		*					
Liatris	103	4	*	<b>%</b>				
Liutilo	700		4	1				

Bupleurum

Calendula

				II.	I			
		Drought tolerant plant	Bee-friendly plant	Durable plant	Variety for late summer	Ornamental foliage plant for combos	Shadow plant	Sensory plant
			d 8		> =		<b>\$</b> 8	S (***)
Ligularia	103					0		
Limonium annual	104	4	*		<b>19</b>			
Limonium perennial	104	4	*		<b>3</b>			
Linum	105	4	*					
Lunaria	109		*					(ඉද. <b>ම</b> <b>ජ</b> ්ජ්
Lupinus	107		<b>*</b>					
Moluccella	112							
Monarda	113	4	<b>*</b>					
Myosotis	113							
Nigella	117							
Onobrychis	118					0000	1	
Panicum	86					0000	}	
Papaver annual	119							
Penstemon	122		*					
Phalaris	86							
Physalis	131							
Ptilotus	138	4						
Saponaria	146		*					
Scabiosa annual	147		*					
Scabiosa perennial	147	4	*					
Solidago	149		*					
Spilanthes	150							(3/°) (⊕°)
Tagetes erecta	151							
Talinum	150							
Tanacetum (Matricaria)	155							
Tanacetum (Pyrethrum)	155							
Tritoma	158	4		<b>**</b>				
Verbena officinalis	162	4	*					
Xeranthemum	175							
Zea	175							

\*

Zinnia

		Drought tolerant plant	Bee-friendly plant	Durable plant	Variety for late summer	Ornamental foliage plant for combos	Shadow plant	Sensory plant
		-	*D	<b>3</b>	<b>P</b>	0000	<b>Q</b> Ø	(%) (%) (%) (%) (%) (%) (%) (%) (%) (%)
CLIMBING PLANTS	)			,				
Asarina	18							
Basella	22							
Cobaea	49		*					
Dolichos	66		*					
Ipomoea	97		*					
Lathyrus latifolius	99		*					(\$\@) (\$\@)
Lathyrus odoratus	99		<b>*</b>					?(. <b>®</b> )
Mina lobata	112		*					
Passiflora	119	•						
Phaseolus	130		*					
Rhodochiton	139		*					
Thunbergia	156							

\*

### **ORGANIC CERTIFIED VARIETIES**

Tropaeolum

Ammi	10	<b>\$</b>
Asclepias	19	
Atriplex	21	
Borago	30	<b>③ 》</b>
Celosia cristata	45	
Centaurea cyanus	46	<b>③</b>
Cosmos	53	<b>③</b>
Delphinium annual	58	<b>③</b>
Dianthus barbatus	60	
Echinacea	67	<b>4 3 9</b>
Eschscholzia	69	<b>4 3</b>
Helianthus	90	<b>③</b>
Lavatera	99	<b>③</b>
Malva	109	<b>③ 》</b>
Moluccella	112	
Nigella	117	
Tagetes patula	152	
Tropaeolum	158	<b>*</b>
Zinnia	176	<b>③</b>

## General terms of sale

#### 1. Preamble

These terms of sale, in accordance with professional regulations and national and international practices, explicitly apply, unless there are specific agreements, to all our sales, and in particular to sales made to horticulturists, market gardeners, vegetable growers, seedling growers, nurserymen, conservationists, processors, local authorities, groups, dealers, landscape architects, golf courses, etc. The act of placing an order implies the acceptance of the terms of sale shown in our catalogue or in any other commercial document from our Company.

#### Prior information regarding possible risks of certain vegetables for your health.

In accordance with article L. 1338-3 of the French Public Health Code, all distributors or vendors of vegetables likely to harm human health are obliged to inform the purchaser, prior to all sales, of any risks to human health and, if necessary, means of prevention. Certain vegetables, explicitly listed in the annex of the decree from 4 September 2020, may potentially cause food poisoning when consumed, respiratory allergies, mucocutaneous reactions or unusual skin irritations when exposed to the sun. These risks, precautions and/or measures to be taken if needed, are presented in the following document: https://www.legifrance.gouv.fr/jorf/id/JORF-TEXT000042325453. By accepting the present sales terms, the purchaser acknowledges having been duly informed, prior to the sales, of any health risks possibly linked to the purchasing of the aforementioned vegetables.

#### 2. Prices

The prices are those which are determined by our price lists valid on the date of the order. They are understood to be exclusive of tax and of packaging and transport costs.

They May be amended without prior notification at any time and are established subject to any major changes in the economic conditions.

The prices given for the various products apply when these are ordered in one individual order and per de-

The price given in a column applies as from the quantity shown at the top of that column.

The minimum value per order line is 5.-€. In case of a lower value than 5.-€ caused by ordering a small quantity, the minimum fee of 5.-€ will be charged.

We deliver in the most economical packaging available at the time of delivery.

In the event of an order in specific packaging, an additional charge May be agreed per packaging for its manufacture.

#### 3. Transport and packaging costs

For every order, we will invoice, in addition to the goods, a fixed sum corresponding to the costs of preparation and shipment of the seeds, in accordance with our valid price lists.

#### 4. Orders

Orders are carried out as far as it is possible to do so. Deliveries will be made depending on supplies and availabilities. They May be in full or in part.

In the event of an insufficient crop or no crop at all, due to weather disruptions and any kind of cultivation incidents, a partial or total reduction will be applied to the order.

No compensation May be claimed by the purchaser as a result.

The transactions which our Sales Force deals with do not commit us until after confirmation by our Company via an order acknowledgement (ARC in French).

We can only make the delivery if the purchaser is up to date in terms of all his/her debts to the Company, whatever the cause of these May be.

The lead time is given for information purposes and without any guarantee.

#### 5. Order cancellation

Any cancellation, in full or in part, of an order for seedlings on the part of the customer less than 6 weeks before delivery leads ipso jure to a compensation payment set at 50% of the value of the cancelled order, without Graines VOLTZ needing to provide proof that it has suffered a loss due to this cancellation. However, if the products involved in the cancelled order cannot be sold, Graines VOLTZ reserves the right to the option of demanding full compensation for the loss suffered.

#### 6. Shipment / delivery and risks

Our goods are transported at the recipient's own risk, whatever mode of transport is invoiced. They are carefully examined before being packed and handed over to the haulier, who will have issued us with a receipt for the shipment.

We ask our customers to:

- unpack and check the contents of the shipment before confirming acceptance from the haulier, especially when this involves young seedlings. We remind them that they must only accept their parcels after making sure that they are in good condition, that their weight corresponds properly to the one notified and that the seals are completely intact.
- write any justified reservations on the delivery note, transport damage, loss, anything missing or delays, etc. These reservations must be confirmed within 48 hours to the haulier, with Acknowledgement of Receipt, in order to get compensation, and a copy must be sent to our Company.

The purchaser must specify and justify the nature of his/her complaint, reservation or challenge, and also describe the products which were the subject of this complaint, reservation or challenge, in terms of quantity, quality and price. The purchaser must provide all evidence as to the actual existence of the defects observed. Graines VOLTZ reserves the right to carry out any investigation or verification on site, either directly or through an authorised agent. As a result, the purchaser is obliged to keep the products involved and must give Graines VOLTZ or its authorised agent every assistance in carrying out the above-mentioned investigations and verifications.

#### 7. Payments

All payments are to be sent to the head office in Colmar. No discount is given for advance payment. Our payment terms are normally 30 days. The due date is shown on every invoice. In the event of the due date being exceeded, delay penalties are due, without any reminder being needed, at the ECB interest rate with a 10 point increase. Moreover, for any late payment, as of right, and with no prior notification required, an indemnity will be imposed for collection charges at a flat rate amount of 40 €. This indemnity May be increased if the collection charges exceed the flat rate, upon presentation of documentary proof.

Customers who do not adhere to the scheduled payment terms, or who have in the past been the subject of collection proceedings, will only receive deliveries, after their account has been settled, against payment at the time of the order of 50% or of the

Failure to pay after the due date, regardless of whether it is total or partial, will result in a penalty, as of right, with the application of a fixed indemnity of 15% on the amount of the unpaid sum.

The bank and debt collection costs arising from an extension of the due date shall be borne by the customer. Non-payment of our invoices shall itself lead to formal notice being given.

In the event of staggered payment which our departments have accepted in advance, the failure to settle one due payment immediately makes the whole debt due for payment. Finally, in the event of delay in payment, we shall be authorised to cancel ongoing contracts and orders without prejudicing any other course of action. This shall mean that we are released from all our undertakings.

#### 8. New customers

People with whom we do not have any commercial relationship are requested to accompany their first order with their Siret or VAT number and payment equal to the amount of its value or to authorise us to make the shipment under cash on delivery terms or else to sign a direct debit payment form.

#### 9. Repackaging by the purchaser

If our customer intends to replace the original pakkaging of the goods we delivered to him/her, by dint of law no. 64-1360 of 31 December 1964 on trademarks, he/she does not have the right to use our trademark for the repackaged products. This repakkaging results in complete release from any liability as far as Graines VOLTZ is concerned.

#### 10. Conditions of use of the products / liability

Use, by the purchaser, of the products is restricted to the production of a single commercial crop. Production excludes any reproduction of seeds and any vegetative propagation. Unless there is any contrary legislative provision, any use of the products - including that of parental lines which May fortuitously be present amongst the latter - for research, selection or molecular or genetic characterisation purposes is strictly forbidden. In the event of resale of the products to a third party, the purchaser shall be obliged to inform the third parties of the obligations described above. Any failure to abide by the above-mentioned restrictions of use shall be the subject of legal proceedings against the purchaser.

Graines VOLTZ restricts the use of all products solely to the uses and categories of uses for which they have been authorised. In other words, it forbids any use which is not explicitly indicated on the label; the Company does not accept any liability in the event of a product being used outside the regulatory framework of the law and that for approval.

Our products May not be sold on for export without the seller's explicit authorisation.

#### 11. Protected varieties or products

Some varieties which we sell have been the subject of a patent, brand or trademark registration, one which is regularly renewed, and the purchaser cannot acquire any property rights on these varieties by usage or by making a claim. He/she undertakes to inform Graines VOLTZ immediately, by any means possible, of any infringement of its property rights on the patents or trademarks, as soon as he/she becomes aware of this, and in this respect must fully cooperate in the defence of the rights of Graines VOLTZ against any infringements.

The reproduction of protected varieties or the use of registered commercial trade names or trademarks is forbidden, unless there is written authorisation by Graines VOI T7.

The purchaser shall authorise and cooperate with any inspections by Graines VOLTZ with the aim of chekking any hindrances to the rights of Graines VOLTZ. To this end, he/she authorises Graines VOLTZ, or any person appointed by the latter, to have direct access to his/her own infrastructures, that is in particular to greenhouses, administration buildings, etc., along with those of third parties used under the responsibility of the purchaser.

The purchaser must ensure that any person handling or receiving the products complies with the obligations laid down above, so that the rights of Graines VOLTZ are respected in every way.

#### 12. Claim periods / product conformity / warranties

Any claim, other than one which is specific to young seedlings, which involves external appearance and species purity must be made within 15 days of the receipt of the goods.

No warranty claim in respect of these provisions can be made by the purchaser for defects which appear:

- 50 days after delivery of the products to the purchaser when the defects involve germination capacity,
- within the normal sowing and inspection timescales immediately subsequent to delivery, when the defects involve the authenticity of the seed, its varietal purity and its species purity.

For young seedlings, the goods May be approved on receipt and claims are to be made to us within 48 hours. Once these timescales have been exceeded, the shipments shall be deemed to have been accepted.

If the conditions defined above are not adhered to, acceptance will be deemed to have been without reservations and the liability of Graines VOLTZ for any defect of conformity of the products May no longer be claimed.

Considering the nature of the products sold, the seller's liability, in the event of errors or defects which are acknowledged or established, May not under any circumstances, and in particular in terms of authenticity, varietal purity, species purity or germination capacity, of resistance conformity, of resistance to strains or races, of diseases unknown as of now and of notified tolerances, exceed the amount of the supply of the delivered item, including the proven costs arising from returning the goods. In order to guarantee the quality as indicated above, the purchaser is forbidden to grade, calibrate, coat or treat the products supplied in whatever way himself, or to have this carried out by a third party.

We will carefully examine any claim which might be made against us as a result of an error on our part and, if applicable, we will not refuse to replace or reimburse all or part of the offending goods.

The purchaser is also aware that the illustrations, catalogues or other descriptions of Graines VOLTZ relating to the quality, weight and measurements of the products are as far as possible in accordance with the tests and experience of Graines VOLTZ. However, these documents cannot under any circumstances involve liability in the event of different results.

The purchaser is also aware that the products are not suitable for human or animal consumption.

#### 13. Terms for return

Any product return must be the subject of a formal

agreement between the seller and the purchaser. Any return request must be made within a period of eight days after shipment and the physical return of the goods made within 8 days after this request. Only goods returned with their original packaging intact shall be the subject of a credit note, which however shall not exceed 60% of the initial value. Any product returned without this agreement shall be kept at the disposal of the purchaser and shall not give rise to the issue of any credit note.

The costs and risks of the return are always borne by the purchaser.

No return of young seedlings is accepted.

#### 14. Growing trays

Growing trays and "rigid" seedling containers are and remain at all times the property of Graines VOLTZ and cannot be used by third parties without the prior written agreement of Graines VOLTZ. Customers must store the trays in a clean place and keep them available for Graines VOLTZ who will provide for their return to the production centre. A penalty of 5.00 euros per tray shall be applied if they are not returned.

A penalty of 10.00 euros per tray shall be applied in the event of use by a third party without the written agreement of Graines VOLTZ and the boxes will have to be returned to the Graines VOLTZ logistics centres at the customer's expense.

#### 15. Colour illustrations

The colour photos shown in our catalogues were taken in favourable growing conditions and identical results cannot necessarily be guaranteed. In some cases, they cannot give a 100% accurate reproduction of the plant due to printing conditions.

Plant colours, shades and cycles are given for information purposes and are not contractual.

#### 16. Cases of force majeure

Orders will be carried out except for cases of force majeure. The following are deemed to be cases of force majeure, but this is not an exhaustive list: acts of war, strikes, fires and accidents in any of the companies involved in the production and distribution of the products and seedlings.

#### 17. Hidden defects

Hidden defects for which the warranty May be implemented must exist at the time of the transfer of risks. The purchaser must provide any evidence as to the actual truth and existence of the defects observed prior to the transfer of risks.

Graines VOLTZ reserves the right to carry out any investigation or verification on site, either directly or through an authorised agent. From that point on, the purchaser must give Graines VOLTZ or its authorised agent every assistance in carrying out the abovementioned investigations and/or verifications.

No warranty action in respect of these provisions May be undertaken by the purchaser for defects which appear after the planting of the products, if the purchaser is not able to prove that he/she acquired the products involved in a proper manner by providing the invoices and/or certificates issued by Graines VOLTZ at the time of the sale.

If these conditions are not adhered to, it will no longer be possible to implement the warranty due as a result of the hidden defects in the products. If it is established that the products supplied are defective, they May be the subject of a return or reimbursement, with the agreement of Graines VOLTZ.

In any case, Graines VOLTZ can only accept liability under the terms of the warranty for hidden defects

**VOLTZ** HORTICULTURE

under the conditions defined above, if the purchaser has used the products in a normal way, has not modified them in any way whatsoever and has stored, conserved and handled them so as to ensure they are kept in a good state of preservation.

#### 18. Reservation of title clause

We reserve title to the goods supplied until the full price has been paid. In this respect, the handover of bills of exchange or of any bond which creates an obligation to pay do not constitute payments under the terms of this provision.

With the permission of the supplier, within the framework of the normal running of his/her business, the purchaser is authorised to resell the goods supplied. However, he/she May not pledge them or transfer his/her ownership as a guarantee. In the event of resale, in doing so he/she transfers to us all the accounts receivable arising from his/her profit from the resale to the third party purchaser. The authorisation to resell is automatically withdrawn in the event of payment being stopped. In the event of a seizure or any other action by a third party, the purchaser is obliged to inform us about this immediately.

In spite of the application of this reservation of title clause, the purchaser shall bear the cost of the risks in the event of loss or destruction of the goods as from the time of their delivery. He/she shall also bear the costs of insurance.

#### 19. Results

As the results obtained do not just depend on the product and its quality, but also on factors which are difficult or impossible to evaluate or foresee and which May vary, in particular depending on the regions, environment, agronomic and atmospheric conditions, on the technicians and on the operations involved in cultivation, the advice and suggestions are only given purely for information purposes and cannot as a result entail a crop guarantee.

#### 20. Personal Data Protection

Customer-specific personal data which is gathered and kept as part of orders made, is solely used for managing orders, deliveries and billing.

Graines Voltz reserves the possibility of using the customer-provided data for commercial means, only if the latter accepted when initially giving these details.

However, it May, subject to stricter confidentiality rules hereto applicable, be shared within our group, with our contractual partners, service providers and sub-contractors for the same usage, as well as legally-authorised administrative and judicial authorities. This information can be transferred towards a country outside the European Union with an equivalent protection level

In compliance with the law  $N^{\circ}78/17$  from January 6, 1978 relating to information, you are informed that you have the right to question, access, rectify and a right to oppose, for a legitimate reason relating to your personal data, by writing to the following address: Graines Voltz SA , 1 rue Edouard Branly 68000 Colmar to the attention of the delegate for data protection.

#### 21. Assignment of jurisdiction

In the event of any dispute, French law alone shall apply

All our sales are made under the conditions laid down above and the act of placing an order with us implies their acceptance. Any difficulty, whatever the cause May be, shall be judged by the competent Courts of COLMAR, who shall have sole jurisdiction over determining the liabilities, even in interim proceedings.







# YOUR WEBSITE

Geared to the needs of horticultural businesses and urban planners!



WWW.VOLTZ-HORTICULTURE.COM/EN

## Learn more about VOLTZ HORTICULTURE



## Notes





